

Classification by dimensions – Classement par dimensions
Klassifizierung nach Abmessungen – Classificazione per dimensione
Clasificación por dimensiones – Classificação por dimensões
Классификация по размерам – Klasyfikacja wg wymiarów



Tapered roller bearing



Kegelrollenlager



Rodamientos de rodillos cónicos



Конические роликоподшипники



Roulements à rouleaux coniques



Cuscintetti a rulli conici



Rolamentos de rolos cónicos










Łożyska stożkowe










								Brands
d	D	B	C	T	Kg	Reference		
12,000	31,991	10,785	7,938	10,785	0,04	4T-A2047/A2126	29	NTN
		10,785			0,02	4T-A2047	29	NTN
12,700	34,988	10,988	8,730	10,998	0,05	4T-A4050/A4138	29	NTN
		10,988			0,03	4T-A4050	29	NTN
14,989	34,988	10,988	8,730	10,988	0,05	4T-A4059/A4138	29	NTN
15,000	35,000	11,000	10,000	11,750	0,05	30202 A	29	SNR
	42,000	13,000	11,000	14,250	0,10	30302	29	NTN
		10,988			0,03	4T-A4059	29	NTN
15,875	34,988	11,000	8,712	10,998	0,05	4T-L21549/L21511	29	NTN
	41,275	14,681	11,112	14,681	0,09	4T-03062/03162	29	NTN
	42,862	16,670	13,495	16,670	0,12	4T-17580/17520	29	NTN
	42,863	14,288	9,525	14,288	0,10	4T-11590/11520	29	NTN
	47,000	14,381	11,112	14,381	0,13	4T-05062/05185	29	NTN
	49,225	21,539	14,288	21,539	0,20	4T-09062/09195	29	NTN
		14,381			0,08	4T-05062	29	NTN
		21,539			0,14	4T-09062	29	NTN
		11,000			0,03	4T-L21549	29	NTN
		14,288			0,06	4T-11590	29	NTN
		14,681			0,06	4T-03062	29	NTN
		16,670			0,07	4T-17580	29	NTN
16,000		21,000			0,11	4T-HM81649	29	NTN
16,993	47,000	14,381	11,112	14,381	0,13	4T-05066/05185	29	NTN
		11,153			0,04	4T-A6067	29	NTN
17,000	40,000	12,000	11,000	13,250	0,08	30203	29	NTN
	40,000	12,000	11,000	13,250	0,08	30203 A	29	SNR
	40,000	16,000	14,000	17,250	0,10	32203	29	NTN
	40,000	16,000	14,000	17,250	0,11	32203 A	29	SNR
	47,000	14,000	12,000	15,250	0,13	30303	29	NTN
	47,000	14,000	12,000	15,250	0,13	30303 A	29	SNR
17,462	39,878	14,605	10,668	14,605	0,08	4T-LM11749/LM11710	29	NTN
		14,381			0,08	4T-05068	29	NTN
		14,605			0,06	4T-LM11749	29	NTN
19,050	39,992	11,153	9,525	12,014	0,07	4T-A6075/A6157	29	NTN
	44,450	11,908	9,525	12,700	0,09	4T-4A/6	29	NTN
	45,237	16,637	12,065	16,637	0,12	4T-LM11949/LM11910	29	NTN
	45,237	16,637	12,065	17,066	0,13	4T-LM11949L/LM11910	29	NTN
	47,000	14,381	11,112	14,381	0,12	4T-05075/05185	29	NTN
	49,225	19,050	14,288	19,845	0,17	4T-09067/09195	29	NTN
	49,225	19,050	14,288	19,845	0,19	4T-09074/09195	29	NTN
	49,225	19,050	17,462	23,020	0,20	4T-09067/09196	29	NTN
	49,225	19,050	17,462	23,020	0,20	4T-09074/09194	29	NTN
	49,225	19,050	17,462	23,020	0,21	4T-09074/09196	29	NTN
	49,225	21,539	14,288	19,845	0,19	4T-09078/09195	29	NTN
	53,975	21,839	15,875	22,225	0,25	4T-21075/21212	29	NTN
	56,896	19,837	15,875	19,368	0,27	4T-1775/1729	29	NTN
		11,153			0,03	4T-A6075	29	NTN
		14,381			0,08	4T-05075	29	NTN
		16,637			0,08	4T-LM11949L	29	NTN
		16,637			0,08	4T-LM11949	29	NTN
		19,050			0,11	4T-09067	29	NTN
	19,837			0,17	4T-1775	29	NTN	
	21,539			0,12	4T-09074	29	NTN	
	21,839			0,15	4T-21075	29	NTN	



							 Brands
d	D	B	C	T	Kg	Reference	
19,063		21,539			0,12	4T-09078	29 NTN
19,987		14,381			0,07	4T-05079	29 NTN
20,000	42,000	15,000	12,000	15,000	0,10	32004X	29 NTN
	42,000	30,000			0,20	4T-32004XDF	30 NTN
	47,000	14,000	12,000	15,250	0,13	30204	29 NTN
	47,000	14,000	12,000	15,250	0,12	30204 A	29 SNR
	47,000	14,381	11,112	14,381	0,12	4T-05079/05185	29 NTN
	47,000	14,381	11,112	14,381	0,12	4T-05079/05185S	29 NTN
	47,000	18,000	15,000	19,250	0,16	32204	29 NTN
	50,005	14,260	9,525	14,260	0,14	4T-07079/07196	29 NTN
	52,000	15,000	11,000	16,250	0,17	31304	29 SNR
	52,000	15,000	13,000	16,250	0,18	30304 A	29 SNR
	52,000	16,000	12,000	16,250	0,17	30304CA	29 NTN
	52,000	21,000	18,000	22,250	0,24	32304	29 NTN
	52,000	21,000	18,000	22,250	0,25	32304 A	29 SNR
		14,260			0,10	4T-07079	29 NTN
20,625	49,225	21,539	14,288	21,539	0,18	4T-09081/09195	29 NTN
	49,225	21,539	17,462	23,020	0,19	4T-09081/09196	29 NTN
		21,539			0,11	4T-09081	29 NTN
20,638	49,225	19,845	15,875	19,845	0,18	4T-12580/12520	29 NTN
		19,845			0,11	4T-12580	29 NTN
21,430	45,237	16,637	12,065	16,637	0,12	4T-LM12748/LM12710	29 NTN
	50,005	13,470	17,788	17,788	0,16	4T-CR-0468	29 NTN
	50,005	18,288	13,970	18,288	0,17	4T-M12649/M12610	29 NTN
		16,637			0,08	4T-LM12748	29 NTN
		18,288			0,11	4T-M12649	29 NTN
21,986	45,237	16,637	12,065	16,637	0,12	4T-LM12749/LM12710	29 NTN
	45,974	16,637	12,065	16,637	0,12	4T-LM12749/LM12711	29 NTN
		16,637			0,08	4T-LM12749	29 NTN
22,000	44,000	15,000	11,500	15,000	0,10	320/22X	29 NTN
22,225	50,005	14,260	9,525	14,260	0,13	4T-07087/07196	29 NTN
	50,005	18,288	13,970	17,526	0,17	4T-M12648/M12610	29 NTN
	50,800	14,260	12,700	15,011	0,15	4T-07087/07210X	29 NTN
	50,800	14,260	12,700	15,011	0,15	4T-07087X/07210X	29 NTN
	51,994	14,260	12,700	15,011	0,16	4T-07087/07204	29 NTN
	52,388	20,168	14,288	23,178	0,20	4T-1380/1328	29 NTN
	56,896	19,837	15,875	19,368	0,26	4T-1755/1729	29 NTN
	57,150	22,225	17,462	22,225	0,29	4T-1280/1220	29 NTN
	60,325	19,355	15,875	19,845	0,29	4T-1975/1931	29 NTN
		14,260			0,10	4T-07087	29 NTN
		14,260			0,10	4T-07087X	29 NTN
		18,288			0,11	4T-M12648	29 NTN
		18,288			0,11	4T-M12648A	29 NTN
		19,355			0,18	4T-1975	29 NTN
		19,837			0,16	4T-1755	29 NTN
		20,168			0,13	4T-1380	29 NTN
	22,225			0,18	4T-1280	29 NTN	
22,606	47,000	15,500	12,000	15,500	0,13	4T-LM72849/LM72810	29 NTN
23,812	50,005	14,260	9,525	14,260	0,11	4T-CR-0594	29 NTN
	50,292	14,732	10,668	14,224	0,14	4T-L44640/L44610	29 NTN
	56,896	19,837	15,875	19,368	0,25	4T-1779/1729	29 NTN
		14,260			0,09	4T-07093	29 NTN








								Brands
d	D	B	C	T	Kg	Reference		
23,812		14,732			0,10	4T-L44640	29	NTN
		19,837			0,15	4T-1779	29	NTN
		30,416			0,30	4T-3659	29	NTN
24,981	50,005	14,260	9,525	13,495	0,12	4T-07098/07196	29	NTN
	62,000	16,566	14,288	16,002	0,26	4T-17098/17244	29	NTN
		14,260			0,08	4T-07098	29	NTN
25,000	47,000	15,000	11,500	15,000	0,11	32005X	29	NTN
	47,000	17,000	14,000	17,000	0,13	33005	29	NTN
	50,005	14,260	9,525	13,495	0,12	4T-07097/07196	29	NTN
	52,000	15,000	13,000	16,250	0,15	30205	29	NTN
	52,000	15,000	13,000	16,250	0,16	30205 A	29	SNR
	52,000	18,000	15,000	19,250	0,19	4T-CR-0566	29	NTN
	52,000	18,000	15,000	19,250	0,19	32205 BA	29	SNR
	52,000	18,000	15,000	19,250	0,19	32205C	29	NTN
	52,000	18,000	16,000	19,250	0,19	32205	29	NTN
	52,000	22,000	18,000	22,000	0,22	33205	29	NTN
	52,000	22,000	18,000	22,000	0,23	33205 A	29	SNR
	62,000	-			0,55	4T-30305DF	30	NTN
	62,000	17,000	13,000	18,250	0,25	30305D	29	NTN
	62,000	17,000	13,000	18,250	0,26	31305 V	29	SNR
	62,000	17,000	14,000	18,250	0,26	30305C	29	NTN
	62,000	17,000	15,000	18,250	0,27	30305	29	NTN
	62,000	17,000	15,000	18,250	0,27	30305 A	29	SNR
	62,000	17,000	15,000	18,250	0,26	30305 C	29	SNR
	62,000	24,000	20,000	25,250	0,38	32305	29	NTN
	62,000	24,000	20,000	25,250	0,37	32305 A	29	SNR
	62,000	40,000			0,25	430305DX	30	NTN
		14,260			0,08	4T-07097	29	NTN
25,159	50,005	14,260	9,525	13,495	0,12	4T-07096/07196	29	NTN
25,400	50,005	14,260	9,525	13,495	0,12	4T-07100/07196	29	NTN
	50,005	14,260	9,525	14,260	0,12	4T-07100S/07196	29	NTN
	50,292	14,732	10,668	14,732	0,13	4T-L44643/L44610	29	NTN
	50,292	14,732	10,668	14,732	0,13	4T-L44643L/L44610	29	NTN
	50,800	14,260	12,700	15,011	0,13	4T-07100/07210X	29	NTN
	50,800	14,260	12,700	15,011	0,13	4T-07100S/07210X	29	NTN
	50,800	14,260	12,700	15,011	0,13	4T-07100SA/07210X	29	NTN
	51,994	14,260	12,700	15,011	0,14	4T-07100/07204	29	NTN
	51,994	14,260	12,700	15,011	0,14	4T-07100S/07204	29	NTN
	56,896	19,837	15,875	19,368	0,24	4T-1780/1729	29	NTN
	57,150	17,462	13,495	17,462	0,21	4T-15578/15520	29	NTN
	57,150	19,355	15,875	19,845	0,24	4T-1986/1922	29	NTN
	57,150	19,431	14,732	19,431	0,24	4T-M84548/M84510	29	NTN
	59,530	23,114	18,288	23,368	0,32	4T-M84249/M84210	29	NTN
	60,325	17,462	15,875	19,842	0,27	4T-15578/15523	29	NTN
	60,325	19,355	15,875	19,845	0,26	4T-1986/1931	29	NTN
	61,912	20,638	14,288	19,050	0,30	4T-15101/15243	29	NTN
	62,000	20,638	14,288	20,638	0,30	4T-15100/15245	29	NTN
	62,000	20,638	14,288	20,638	0,29	4T-15100S/15245	29	NTN
	62,000	20,638	14,288	20,638	0,30	4T-15101/15245	29	NTN
	63,100	25,433	19,050	23,812	0,39	4T-2687/2620	29	NTN
	63,500	20,638	15,875	20,638	0,33	4T-15100/15250X	29	NTN
	63,500	20,638	15,875	20,638	0,33	4T-15100S/15250X	29	NTN
	63,500	20,638	15,875	20,638	0,34	4T-15101/15250X	29	NTN
	64,292	21,433	16,670	21,433	0,37	4T-M86643/M86610	29	NTN
	65,088	21,463	15,875	22,225	0,36	4T-23100/23256	29	NTN
	66,421	25,433	19,050	25,433	0,44	4T-2687/2631	29	NTN
	68,262	22,225	17,462	22,225	0,43	4T-02473/02420	29	NTN
		14,260			0,08	4T-07100	29	NTN



							 Brands
d	D	B	C	T	Kg	Reference	
25,400		14,260			0,08	4T-07100S	29 NTN
		14,260			0,08	4T-07100SA	29 NTN
		14,732			0,09	4T-L44643L	29 NTN
		14,732			0,09	4T-L44643	29 NTN
		19,355			0,16	4T-1986	29 NTN
		19,431			0,15	4T-M84548	29 NTN
		19,837			0,14	4T-1780	29 NTN
		20,638			0,21	4T-15100S	29 NTN
		20,638			0,22	4T-15100	29 NTN
		20,638			0,23	4T-15101	29 NTN
		20,638			0,22	4T-15102	29 NTN
		21,433			0,24	4T-M86643	29 NTN
		21,463			0,22	4T-23100	29 NTN
		22,225			0,28	4T-02473	29 NTN
		23,114			0,19	4T-M84249	29 NTN
		25,400			0,39	4T-HM88630	29 NTN
	25,433			0,28	4T-2687	29 NTN	
25,413		17,462			0,15	4T-15578	29 NTN
26,000	57,150	17,462	13,495	17,462	0,21	4T-15579X/15520	29 NTN
		17,462			0,14	4T-15579X	29 NTN
26,010	47,000	13,000	11,500	15,000	0,06	4T-CR-0574	29 NTN
26,157	62,000	20,638	14,288	19,050	0,30	4T-15103/15245	29 NTN
26,162	61,912	19,939	14,288	19,939	0,29	4T-15103S/15243	29 NTN
	66,421	25,433	19,050	23,812	0,44	4T-2682/2631	29 NTN
		19,939			0,21	4T-15103S	29 NTN
26,988	50,292	14,732	10,668	14,732	0,12	4T-L44649/L44610	29 NTN
	57,150	17,462	13,495	17,462	0,21	4T-15580/15520	29 NTN
	62,000	20,638	14,288	20,638	0,29	4T-15106/15245	29 NTN
	62,000	20,638	15,875	20,638	0,32	4T-15106/15250	29 NTN
	63,500	20,638	15,875	20,638	0,32	4T-15106/15250X	29 NTN
		14,732			0,08	4T-L44649	29 NTN
		17,462			0,14	4T-15580	29 NTN
		20,638			0,21	4T-15106	29 NTN
		25,433			0,25	4T-2688	29 NTN
27,000	57,150	19,431	14,732	19,431	0,23	4T-M84549/M84510	29 NTN
28,000	50,292	16,724	10,668	16,724	0,11	4T-CR-0676	29 NTN
	52,000	16,000	12,000	16,000	0,15	320/28X	29 NTN
	58,000	16,000	14,000	17,250	0,20	302/28	29 NTN
	58,000	19,000	16,000	20,250	0,24	322/28R	29 NTN
	58,000	20,000	16,000	20,000	0,25	4T-CR-0620	29 NTN
	58,000	24,000	19,000	24,000	0,29	332/28	29 NTN
28,575	56,896	19,355	15,875	19,845	0,22	4T-1985/1930	29 NTN
	57,150	17,462	13,495	17,462	0,19	4T-15590/15520	29 NTN
	57,150	19,355	15,875	19,845	0,22	4T-1985/1922	29 NTN
	57,150	19,355	15,875	19,845	0,21	4T-1988/1922	29 NTN
	58,738	19,355	15,080	19,355	0,23	4T-1985/1932	29 NTN
	60,325	17,462	15,875	19,842	0,25	4T-15590/15523	29 NTN
	60,325	19,355	15,875	19,845	0,26	4T-1985/1931	29 NTN
	62,000	20,638	14,288	20,638	0,28	4T-15112/15245	29 NTN
	62,000	20,638	14,288	20,638	0,28	4T-15113/15245	29 NTN
	63,500	20,638	15,875	20,638	0,31	4T-15112/15250	29 NTN
	64,292	21,433	16,670	21,433	0,35	4T-M86647/M86610	29 NTN
	66,421	25,433	19,050	25,433	0,41	4T-2689/2631	29 NTN








								Brands
d	D	B	C	T	Kg	Reference		
28,575	68,262	22,225	17,462	22,225	0,41	4T-02474/02420	29	NTN
	68,262	22,225	17,462	22,225	0,42	4T-M88040/M88010	29	NTN
	68,262	23,812	17,462	22,225	0,41	4T-2474/2420	29	NTN
	69,850	25,357	19,050	25,357	0,48	4T-2578/2523	29	NTN
	72,626	24,257	17,462	24,608	0,47	4T-41125/41286	29	NTN
	73,025	22,225	17,462	22,225	0,48	4T-02872/02820	29	NTN
		17,462			0,13	4T-15590	29	NTN
		19,355			0,14	4T-1985	29	NTN
		19,355			0,14	4T-1988	29	NTN
		20,638			0,20	4T-15112	29	NTN
		20,638			0,20	4T-15113	29	NTN
		21,433			0,22	4T-M86647	29	NTN
		22,225			0,26	4T-02474	29	NTN
		22,225			0,32	4T-02872	29	NTN
		22,225			0,27	4T-M88040	29	NTN
		24,257			0,29	4T-41125	29	NTN
		25,357			0,31	4T-2578	29	NTN
		25,433			0,25	4T-2689	29	NTN
	29,997			0,41	4T-3198	29	NTN	
29,000	50,292	14,732	10,668	14,224	0,11	4T-L45449/L45410	29	NTN
	50,292	17,547	10,668	17,547	0,12	4T-CR-06A84	29	NTN
		14,732			0,08	4T-L45449	29	NTN
29,367	66,421	25,433	19,050	23,812	0,41	4T-2690/2631	29	NTN
		25,433			0,24	4T-2690	29	NTN
29,987	62,000	16,566	14,288	16,566	0,23	4T-17118/17244	29	NTN
	62,000	20,638	14,288	20,638	0,27	4T-15117/15245	29	NTN
		16,566			0,14	4T-17118	29	NTN
30,000	51,000	15,000	11,000	15,000	0,12	4T-CR-0627	29	NTN
	52,000	16,000	11,500	16,000	0,13	4T-CR-0643	29	NTN
	52,000	16,000	11,500	16,000	0,13	4T-CR-0643L	29	NTN
	55,000	17,000	13,000	17,000	0,17	32006X	29	NTN
	55,000	17,000	13,000	17,000	0,17	32006XT2LX3	29	NTN
	55,000	20,000	16,000	20,000	0,20	33006	29	NTN
	60,037	37,000			0,48	4T-CR1-0695LL	30	NTN
	62,000	16,000	14,000	17,250	0,24	30206	29	NTN
	62,000	16,000	14,000	17,250	0,24	30206 A	29	SNR
	62,000	20,000	17,000	21,250	0,30	32206	29	NTN
	62,000	20,000	17,000	21,250	0,30	32206C	29	NTN
	62,000	20,000	17,000	21,250	0,29	32206 C	29	SNR
	62,000	20,638	15,875	20,638	0,28	4T-15117/15244	29	NTN
	62,000	25,000	19,500	25,000	0,34	33206	29	NTN
	62,000	25,000	19,500	25,000	0,36	33206 A	29	SNR
	69,012	19,583	15,875	19,845	0,37	4T-14117A/14276	29	NTN
	69,012	46,040			0,86	4T-CR1-0691	30	NTN
	72,000	19,000	14,000	20,750	0,40	30306D	29	NTN
	72,000	19,000	14,000	20,750	0,41	31306 A	29	SNR
	72,000	19,000	16,000	20,750	0,40	30306	29	NTN
	72,000	19,000	16,000	20,750	0,42	30306 A	29	SNR
	72,000	27,000	23,000	28,750	0,57	32306	29	NTN
	72,000	27,000	23,000	28,750	0,58	32306 A	29	SNR
	72,000	27,000	23,000	28,750	0,33	32306C	29	NTN
	72,000	27,783	23,020	29,370	0,61	4T-JHM88540/JHM88513	29	NTN
	72,000	45,000			0,84	4T-430306DX	30	NTN
	72,085	19,202	18,415	22,385	0,44	4T-14118/14283	29	NTN
		19,202			0,23	4T-14118	29	NTN
		19,583			0,23	4T-14117A	29	NTN
		20,638			0,19	4T-15117	29	NTN



												 Brands	
d	D	B	C	T	Kg	Reference							
30,005	88,900	50,803			1,56	NA15117SW/K33867		30	NTN				
30,009		19,583			0,24	4T-14118S		29	NTN				
30,112	62,000	20,638	14,288	19,050	0,27	4T-15116/15245		29	NTN				
		20,638			0,19	4T-15116		29	NTN				
30,162	62,000	16,566	14,288	16,566	0,23	4T-17119/17244		29	NTN				
	64,292	21,433	16,670	21,433	0,34	4T-M86649/M86610		29	NTN				
	68,262	22,225	17,462	22,225	0,40	4T-M88043/M88010		29	NTN				
	69,850	25,357	19,050	23,812	0,47	4T-2558/2523		29	NTN				
	69,850	25,357	19,050	23,812	0,46	4T-2558/2523S		29	NTN				
	72,626	29,997	23,812	30,162	0,62	4T-3187/3120		29	NTN				
		21,433			0,21	4T-M86649		29	NTN				
		22,225			0,26	4T-M88043		29	NTN				
	25,357			0,30	4T-2558		29	NTN					
30,213	62,000	20,638	14,288	19,050	0,27	4T-15119/15245		29	NTN				
	62,000	20,638	14,288	19,050	0,27	4T-15120/15245		29	NTN				
	62,000	20,638	14,288	20,638	0,26	4T-15118/15245		29	NTN				
	63,500	20,638	15,875	20,638	0,30	4T-15118/15250		29	NTN				
	63,500	20,638	15,875	20,638	0,30	4T-15118/15250X		29	NTN				
		20,638			0,18	4T-15118		29	NTN				
		20,638			0,19	4T-15119		29	NTN				
	20,638			0,19	4T-15120		29	NTN					
30,226	69,012	19,583	15,875	19,845	0,37	4T-14116/14274		29	NTN				
	69,012	19,583	15,875	19,845	0,37	4T-14116/14276		29	NTN				
		19,583			0,24	4T-14116		29	NTN				
31,750	54,000	15,000	15,000	15,000	0,13	4T-CR-0687		29	NTN				
	58,738	15,080	10,716	14,684	0,16	4T-08125/08231		29	NTN				
	59,131	16,167	11,811	16,167	0,18	4T-CR-0678		29	NTN				
	59,131	16,764	11,811	16,764	0,18	4T-LM67048/LM67010		29	NTN				
	59,131	16,764	11,811	16,764	0,18	4T-LM67048L/LM67010		29	NTN				
	59,131	16,764	11,811	16,764	0,18	4T-LM67049A/LM67010		29	NTN				
	59,131	18,500	11,811	18,500	0,19	4T-LM67045/LM67010		29	NTN				
	62,000	19,050	14,288	19,050	0,24	4T-15123/15245		29	NTN				
	62,000	20,638	14,288	19,050	0,26	4T-15126/15245		29	NTN				
	62,000	20,638	14,288	20,638	0,25	4T-15125/15245		29	NTN				
	66,421	25,357	20,638	25,400	0,41	4T-2580/2520		29	NTN				
	68,262	22,225	17,462	22,225	0,38	4T-02475/02420		29	NTN				
	68,262	22,225	17,462	22,225	0,38	4T-02476/02420		29	NTN				
	68,262	22,225	17,462	22,225	0,39	4T-M88046/M88010		29	NTN				
	69,012	19,583	15,875	19,845	0,36	4T-14124/14276		29	NTN				
	69,012	19,583	15,875	19,845	0,35	4T-14125A/14274		29	NTN				
	69,012	19,583	15,875	19,845	0,36	4T-14125A/14276		29	NTN				
	69,850	25,357	19,050	23,812	0,45	4T-2580/2523		29	NTN				
	69,850	25,357	19,050	25,357	0,45	4T-2580/2523S		29	NTN				
	69,850	25,357	19,050	25,357	0,45	4T-2582/2523		29	NTN				
	72,626	29,997	23,812	30,162	0,60	4T-3188/3120		29	NTN				
	72,626	29,997	23,812	30,162	0,60	4T-3188S/3120		29	NTN				
	72,626	29,997	23,812	30,162	0,60	4T-3193/3120		29	NTN				
	73,025	22,225	17,462	22,225	0,45	4T-02875/02820		29	NTN				
	73,025	23,812	17,462	22,225	0,47	4T-2879/2820		29	NTN				
	73,025	27,783	23,020	29,370	0,61	4T-HM88542/HM88510		29	NTN				
	73,812	27,783	23,020	29,370	0,64	4T-HM88542/HM88512		29	NTN				
	76,200	28,575	23,020	29,370	0,69	4T-HM89440/HM89410		29	NTN				
	79,375	24,074	17,462	25,400	0,58	4T-43125/43312		29	NTN				
	79,375	29,771	23,812	29,370	0,77	4T-3476/3420		29	NTN				
	95,250	29,900	22,225	27,783	1,13	4T-443/432		29	NTN				
	16,764			0,12	4T-LM67049A		29	NTN					








								Brands
d	D	B	C	T	Kg	Reference		
31,750		16,764			0,12	4T-LM67048	29	NTN
		16,764			0,12	4T-LM67048L	29	NTN
		18,500			0,13	4T-LM67045	29	NTN
		19,050			0,16	4T-15123	29	NTN
		19,583			0,22	4T-14124	29	NTN
		19,583			0,22	4T-14125A	29	NTN
		20,638			0,17	4T-15125	29	NTN
		20,638			0,17	4T-15126	29	NTN
		22,225			0,25	4T-M88046	29	NTN
		22,225			0,23	4T-02475	29	NTN
		22,225			0,23	4T-02476	29	NTN
		22,225			0,29	4T-02875	29	NTN
		23,812			0,24	4T-2475	29	NTN
		23,812			0,32	4T-2879	29	NTN
		24,074			0,37	4T-43125	29	NTN
		25,357			0,28	4T-2580	29	NTN
		25,357			0,28	4T-2582	29	NTN
		26,721			0,26	4T-14123A	29	NTN
		26,988			0,29	4T-23491	29	NTN
		27,783			0,38	4T-HM88542	29	NTN
	29,771			0,47	4T-3476	29	NTN	
	29,900			0,75	4T-443	29	NTN	
	29,997			0,38	4T-3188	29	NTN	
	29,997			0,38	4T-3188S	29	NTN	
	29,997			0,38	4T-3193	29	NTN	
32,000	53,000	15,000	11,500	14,500	0,12	4T-JL26749/JL26710	29	NTN
	58,000	17,000	13,000	17,000	0,19	320/32X	29	NTN
	65,000	17,000	15,000	18,250	0,18	302/32	29	NTN
	65,000	21,000	18,000	22,250	0,32	322/32	29	NTN
	65,000	26,000	15,000	27,250	0,31	4T-CR-0659	29	NTN
	65,000	26,000	20,500	26,000	0,40	332/32	29	NTN
	75,000	28,000	23,000	29,750	0,65	323/32	29	NTN
	75,000	28,000	23,000	29,750	0,66	323/32C	29	NTN
		15,000			0,08	4T-JL26749	29	NTN
33,338	66,421	25,357	20,638	25,400	0,38	4T-2585/2520	29	NTN
	68,262	22,225	17,462	22,225	0,37	4T-M88047/M88010	29	NTN
	68,262	22,225	17,462	22,225	0,38	4T-M88048/M88010	29	NTN
	69,012	19,583	15,875	19,845	0,34	4T-14130/14274	29	NTN
	69,012	19,583	15,875	19,845	0,34	4T-14130/14276	29	NTN
	69,012	19,583	15,875	19,845	0,34	4T-14131/14274	29	NTN
	69,012	19,583	15,875	19,845	0,35	4T-14131/14276	29	NTN
	69,850	25,357	19,050	25,357	0,43	4T-2585/2523	29	NTN
	72,626	29,997	23,812	30,162	0,58	4T-3196/3120	29	NTN
	73,025	27,783	23,020	29,370	0,60	4T-HM88547/HM88510	29	NTN
	76,200	25,654	19,050	23,812	0,55	4T-2785/2720	29	NTN
	76,200	25,654	19,050	25,654	0,54	4T-2790/2720	29	NTN
	76,200	28,575	23,020	29,370	0,66	4T-HM89443/HM89410	29	NTN
	76,200	28,575	23,020	29,370	0,67	4T-HM89444/HM89410	29	NTN
	79,375	24,074	17,462	25,400	0,57	4T-43131/43312	29	NTN
	79,375	24,074	17,462	25,400	0,60	4T-43131/43312B	29	NTN
		19,583			0,21	4T-14130	29	NTN
		19,583			0,21	4T-14131	29	NTN
		22,225			0,22	4T-M88047	29	NTN
		22,225			0,23	4T-M88048	29	NTN
		24,074			0,35	4T-43131	29	NTN
		25,357			0,27	4T-2581	29	NTN
		25,357			0,26	4T-2585	29	NTN
		25,654			0,36	4T-2785	29	NTN
		25,654			0,36	4T-2790	29	NTN
		27,783			0,36	4T-HM88547	29	NTN



							 Brands
d	D	B	C	T	Kg	Reference	
33,338		28,575			0,41	4T-HM89443	29 NTN
		28,575			0,40	4T-HM89444	29 NTN
		29,997			0,35	4T-3196	29 NTN
34,575		28,575			0,39	4T-31594	29 NTN
34,925	65,088	18,288	13,970	18,034	0,25	4T-LM48548/LM48510	29 NTN
	65,088	18,288	13,970	18,288	0,25	4T-LM48548A/LM48510	29 NTN
	65,088	18,288	13,970	18,821	0,26	4T-LM48548L/LM48510	29 NTN
	69,012	15,583	15,875	19,845	0,33	4T-14137A/14276	29 NTN
	69,012	19,583	15,875	19,845	0,33	4T-14137A/14274	29 NTN
	69,012	19,583	15,875	19,845	0,32	4T-14138A/14274	29 NTN
	69,012	19,583	15,875	19,845	0,33	4T-14138A/14276	29 NTN
	72,233	25,400	19,842	25,400	0,49	4T-HM88649/HM88610	29 NTN
	72,238	20,638	15,875	20,638	0,39	4T-16137/16284	29 NTN
	73,025	22,225	17,462	22,225	0,43	4T-02878/02820	29 NTN
	73,025	22,225	17,462	23,812	0,42	4T-02877/02820	29 NTN
	73,025	23,812	17,462	22,225	0,43	4T-2878/2820	29 NTN
	73,025	24,608	19,050	24,608	0,46	4T-25877/25820	29 NTN
	73,025	24,608	19,050	24,608	0,47	4T-25877/25821	29 NTN
	73,025	24,608	19,050	24,608	0,46	4T-25878/25820	29 NTN
	73,025	25,654	19,050	23,812	0,49	4T-2793/2735X	29 NTN
	76,200	25,654	19,050	23,812	0,54	4T-2793/2729	29 NTN
	76,200	25,654	19,050	25,654	0,53	4T-2793/2720	29 NTN
	76,200	25,654	19,050	25,654	0,53	4T-2796/2720	29 NTN
	76,200	28,575	23,020	29,370	0,64	4T-HM89446/HM89410	29 NTN
	76,200	28,575	23,812	29,370	0,63	4T-31593/31520	29 NTN
	76,200	28,575	23,812	29,370	0,63	4T-31594/31520	29 NTN
	79,375	29,771	23,812	29,771	0,72	4T-3478/3420	29 NTN
	80,035	20,940	15,875	21,433	0,47	4T-28137/28317	29 NTN
	80,167	30,391	23,812	30,391	0,73	4T-3379/3320	29 NTN
	85,725	30,162	23,812	30,162	0,89	4T-3872/3820	29 NTN
		18,288			0,16	4T-LM48548L	29 NTN
		18,288			0,16	4T-LM48548	29 NTN
		18,288			0,16	4T-LM48548A	29 NTN
		18,288			0,17	4T-LM48549	29 NTN
		18,288			0,16	4T-LM48549X	29 NTN
		19,583			0,20	4T-14137A	29 NTN
		19,583			0,20	4T-14138A	29 NTN
		20,940			0,27	4T-28137	29 NTN
		22,225			0,26	4T-02877	29 NTN
		22,225			0,27	4T-02878	29 NTN
		23,698			0,38	4T-27875	29 NTN
		23,812			0,28	4T-2878	29 NTN
		24,608			0,30	4T-25877	29 NTN
		24,608			0,30	4T-25878	29 NTN
		25,400			0,30	4T-HM88649	29 NTN
		25,654			0,35	4T-2793	29 NTN
		25,654			0,34	4T-2796	29 NTN
		26,721			0,23	4T-14136A	29 NTN
		28,575			0,39	4T-31593	29 NTN
		28,575			0,39	4T-HM89446	29 NTN
		29,771			0,47	4T-3478	29 NTN
	29,771			0,47	4T-3482	29 NTN	
	30,162			0,61	4T-3872	29 NTN	
	30,391			0,52	4T-3379	29 NTN	
	26,721			0,23	4T-14136AA	29 NTN	
34,976	69,012	19,583	15,875	19,845	0,33	4T-14139/14276	29 NTN
		19,583			0,20	4T-14139	29 NTN
34,988	59,131	16,764	11,938	16,764	0,17	4T-L68149/L68110	29 NTN








								Brands	
d	D	B	C	T	Kg	Reference			
34,988	59,974	16,764	11,938	16,764	0,18	4T-L68149/L68111	29	NTN	
	61,973	17,000	13,600	17,000	0,20	4T-LM78349/LM78310A	29	NTN	
		16,764			0,11	4T-L68149	29	NTN	
		17,000			0,13	4T-LM78349	29	NTN	
		18,460			0,12	4T-JL68145	29	NTN	
35,000	55,000	14,000	11,500	14,000	0,12	32907X	29	NTN	
	60,000	18,460	11,938	18,410	0,18	4T-JL68145/JL68111Z	29	NTN	
	62,000	18,000	14,000	18,000	0,23	32007 C	29	SNR	
	62,000	18,000	14,000	18,000	0,22	32007X	29	NTN	
	62,000	21,000	17,000	21,000	0,26	33007	29	NTN	
	65,000	18,000			0,28	E-CRT0752V	37	NTN	
	70,000	23,000	18,500	24,250	0,42	4T-CR-07A14	29	NTN	
	72,000	17,000	15,000	18,250	0,34	30207	29	NTN	
	72,000	17,000	15,000	18,250	0,35	30207 A	29	SNR	
	72,000	23,000	19,000	24,250	0,46	32207	29	NTN	
	72,000	23,000	19,000	24,250	0,46	32207 B	29	SNR	
	72,000	23,000	19,000	24,250	0,46	32207C	29	NTN	
	72,000	23,000	19,000	24,250	0,45	32207 C	29	SNR	
	72,000	28,000	22,000	28,000	0,53	33207	29	NTN	
	72,000	28,000	22,000	28,000	0,55	33207 A	29	SNR	
	79,375	25,400	19,050	25,400	0,60	4T-26883/26822	29	NTN	
	80,000	21,000	15,000	22,750	0,52	30307D	29	NTN	
	80,000	21,000	15,000	22,750	0,55	31307 A	29	SNR	
	80,000	21,000	17,000	22,750	0,52	30307C	29	NTN	
	80,000	21,000	18,000	22,750	0,53	30307	29	NTN	
	80,000	21,000	18,000	22,750	0,54	30307 A	29	SNR	
	80,000	22,403	17,826	22,403	0,53	4T-339/332	29	NTN	
	80,000	31,000	25,000	32,750	0,79	32307	29	NTN	
	80,000	31,000	25,000	32,750	0,80	32307 A	29	SNR	
	80,000	31,000	25,000	32,750	0,80	32307 BC12	29	SNR	
	80,000	31,000	25,000	32,750	0,79	32307C	29	NTN	
	140,000	76,700			3,92	E-CR1-07A01LL	30	NTN	
		22,403			0,39	4T-339	29	NTN	
		23,282			0,32	4T-43138X	29	NTN	
		25,400			0,42	4T-26883	29	NTN	
	35,717	72,233	25,400	19,842	25,400	0,48	4T-HM88648/HM88610	29	NTN
		72,626	25,400	19,842	25,400	0,48	4T-HM88648/HM88611AS	29	NTN
		25,400			0,29	4T-HM88648	29	NTN	
36,000	120,000	240,000			13,80	CRTD0701	38	NTN	
36,487	73,025	24,608	19,050	24,608	0,45	4T-25880/25820	29	NTN	
	73,025	24,608	19,050	24,608	0,45	4T-25880/25821	29	NTN	
	76,200	25,654	19,050	25,654	0,51	4T-2780/2720	29	NTN	
		24,608			0,29	4T-25880	29	NTN	
		25,654			0,32	4T-2794	29	NTN	
		25,654			0,33	4T-2780	29	NTN	
36,512	76,200	28,575	23,020	29,370	0,63	4T-HM89448/HM89410	29	NTN	
	76,200	28,575	23,020	29,370	0,62	4T-HM89449/HM89410	29	NTN	
	76,200	28,575	23,020	29,370	0,63	4T-HM89449/HM89411	29	NTN	
	76,200	28,575	23,812	29,370	0,61	4T-31597/31520	29	NTN	
	79,375	28,829	22,664	29,370	0,69	4T-HM89249/HM89210	29	NTN	
	79,375	29,771	23,812	29,370	0,71	4T-3479/3420	29	NTN	
	88,500	23,698	17,462	25,400	0,73	4T-44143/44348	29	NTN	
	93,662	31,750	26,195	31,750	1,15	4T-46143/46368	29	NTN	
		23,698			0,48	4T-44143	29	NTN	
		28,575			0,37	4T-31597	29	NTN	
		28,575			0,37	4T-HM89448	29	NTN	
		28,575			0,37	4T-HM89449	29	NTN	



							 Brands	
d	D	B	C	T	Kg	Reference		
36,512		28,829			0,43	4T-HM89249	29 NTN	
		29,771			0,45	4T-3479	29 NTN	
		31,750			0,76	4T-46143	29 NTN	
38,000	63,000	17,000	13,500	17,000	0,20	4T-JL69349/JL69310	29 NTN	
	63,000	17,000	13,500	19,000	0,21	4T-JL69345/JL69310	29 NTN	
	80,000	22,000	16,000	24,000	0,53	4T-CR-08A75	29 NTN	
		17,000			0,13	4T-JL69349	29 NTN	
38,100	63,500	11,908	9,525	12,700	0,15	4T-13889/13830	29 NTN	
	65,088	18,288	13,970	18,034	0,23	4T-LM29748/LM29710	29 NTN	
	65,088	18,288	13,970	18,034	0,23	4T-LM29749/LM29710	29 NTN	
	65,088	18,288	13,970	18,821	0,24	4T-LM29748L/LM29710	29 NTN	
	65,088	18,288	15,748	19,812	0,25	4T-LM29749/LM29711	29 NTN	
	65,088	21,139	13,970	21,139	0,24	4T-CR-0889	29 NTN	
	68,262	16,520	11,908	16,520	0,24	4T-19150/19268	29 NTN	
	69,012	19,050	15,083	19,050	0,29	4T-13685/13620	29 NTN	
	69,012	19,050	15,083	19,050	0,29	4T-13685/13621	29 NTN	
	69,012	19,050	15,083	19,050	0,30	4T-13687/13620	29 NTN	
	69,012	19,050	15,083	19,050	0,30	4T-13687/13621	29 NTN	
	71,438	16,520	11,908	15,875	0,27	4T-19150/19281	29 NTN	
	72,000	16,520	14,288	17,018	0,30	4T-19150/19283X	29 NTN	
	72,000	20,638	14,237	19,000	0,33	4T-16150/16282	29 NTN	
	72,238	20,638	15,875	20,638	0,35	4T-16150/16284	29 NTN	
	72,238	20,638	19,050	23,812	0,39	4T-16150/16283	29 NTN	
	73,025	25,654	19,050	23,812	0,44	4T-2788/2735X	29 NTN	
	76,200	20,940	15,507	20,940	0,40	4T-28150/28300	29 NTN	
	76,200	25,654	19,050	23,812	0,50	4T-2776/2720	29 NTN	
	76,200	25,654	19,050	23,812	0,50	4T-2788/2720	29 NTN	
	76,200	25,654	19,050	25,654	0,49	4T-2788/2729	29 NTN	
	79,375	25,400	19,050	23,812	0,57	4T-26878/26822	29 NTN	
	79,375	29,771	23,812	29,370	0,68	4T-3490/3420	29 NTN	
	80,000	20,940	15,875	21,006	0,47	4T-28150/28315	29 NTN	
	80,000	25,400	19,050	25,400	0,58	4T-26878/26824	29 NTN	
	80,035	23,698	18,512	24,608	0,56	4T-27880/27820	29 NTN	
	80,035	23,698	18,512	24,608	0,56	4T-27881/27820	29 NTN	
	80,167	30,391	23,812	30,391	0,68	4T-3381/3320	29 NTN	
	82,550	28,575	23,020	29,370	0,77	4T-HM801346/HM801310	29 NTN	
	82,550	28,575	23,020	29,370	0,76	4T-HM801346X/HM801310	29 NTN	
	82,931	25,400	19,050	23,812	0,65	4T-25572/25520	29 NTN	
	85,725	30,162	23,812	30,162	0,86	4T-3875/3820	29 NTN	
	85,725	30,162	23,812	30,162	0,85	4T-3876/3820	29 NTN	
	87,312	30,886	23,812	30,162	0,88	4T-3580/3525	29 NTN	
	88,500	29,083	22,225	26,988	0,84	4T-418/414	29 NTN	
	88,501	23,698	17,462	25,400	0,71	4T-44150/44348	29 NTN	
	101,600	58,735				2,77	NA24776SW/K97753ZZ	30 NTN
		11,908				0,10	4T-13889	29 NTN
		16,520				0,17	4T-19150	29 NTN
		18,288				0,16	4T-LM29748L	29 NTN
		18,288				0,15	4T-LM29748	29 NTN
		18,288				0,16	4T-LM29749	29 NTN
	19,050				0,19	4T-13685L	29 NTN	
	19,050				0,19	4T-13685	29 NTN	
	19,050				0,19	4T-13687	29 NTN	
	20,638				0,21	4T-16150	29 NTN	
	20,940				0,26	4T-28150	29 NTN	
	23,698				0,35	4T-27880	29 NTN	
	23,698				0,35	4T-27881	29 NTN	
	23,698				0,47	4T-44150	29 NTN	
	25,400				0,39	4T-26878	29 NTN	
	25,654				0,30	4T-2777	29 NTN	
	25,654				0,31	4T-2788A	29 NTN	








								Brands
d	D	B	C	T	Kg	Reference		
38,100		25,654			0,31	4T-2776	29	NTN
		25,654			0,31	4T-2788	29	NTN
		28,575			0,80	4T-33880	29	NTN
		28,575			0,48	4T-HM801346X	29	NTN
		28,575			0,48	4T-HM801346	29	NTN
		29,083			0,51	4T-418	29	NTN
		29,771			0,42	4T-3490	29	NTN
		30,162			0,57	4T-3876	29	NTN
		30,162			0,57	4T-3875	29	NTN
		30,391			0,47	4T-3381	29	NTN
		30,886			0,57	4T-3583	29	NTN
		36,068			1,01	4T-525	29	NTN
		40,386			0,86	4T-4375	29	NTN
	38,112		25,400			0,44	4T-25572	29
		26,195			0,25	4T-13686	29	NTN
39,688	73,025	22,098	21,336	25,654	0,43	4T-M201047/M201011	29	NTN
	76,200	25,654	19,050	25,654	0,47	4T-2789/2720	29	NTN
	76,200	25,654	19,050	25,654	0,47	4T-2789/2729	29	NTN
	77,534	30,391	23,812	29,370	0,67	4T-3382/3321	29	NTN
	79,375	25,400	19,050	23,812	0,55	4T-26880/26822	29	NTN
	79,375	25,400	19,050	25,400	0,55	4T-26881/26822	29	NTN
	79,975	30,391	23,812	29,370	0,67	4T-3386/3325	29	NTN
	80,035	30,391	23,812	29,370	0,67	4T-3382/3339	29	NTN
	80,167	30,391	23,812	30,391	0,66	4T-3382/3320	29	NTN
	80,167	30,391	23,812	30,391	0,66	4T-3386/3320	29	NTN
	80,167	32,941	23,812	29,370	0,67	4T-CR-08A86	29	NTN
	88,500	23,698	17,462	25,400	0,69	4T-44158/44348	29	NTN
		22,098			0,26	4T-M201047S	29	NTN
		22,098			0,26	4T-M201047	29	NTN
		25,400			0,37	4T-26880	29	NTN
		25,400			0,37	4T-26881	29	NTN
		25,654			0,29	4T-2789	29	NTN
		30,302			0,56	4T-3774	29	NTN
		30,391			0,45	4T-3382	29	NTN
		30,391			0,45	4T-3386	29	NTN
39,980		19,649			0,23	4T-28156	29	NTN
40,000	62,000	15,000	12,000	15,000	0,16	32908X	29	NTN
	68,000	19,000	14,500	19,000	0,27	32008 C	29	SNR
	68,000	19,000	14,500	19,000	0,27	32008X	29	NTN
	68,000	19,000	17,500	22,000	0,29	4T-CR-0891	29	NTN
	68,000	22,000	18,000	22,000	0,31	33008	29	NTN
	75,000	26,000	20,500	26,000	0,49	33108	29	NTN
	75,000	26,000	20,500	26,000	0,52	33108 A	29	SNR
	76,200	17,384	14,288	18,009	0,33	4T-CR-0898	29	NTN
	76,200	20,940	15,507	20,940	0,38	4T-28158/28300	29	NTN
	80,000	18,000	16,000	19,750	0,44	30208	29	NTN
	80,000	18,000	16,000	19,750	0,44	30208 A	29	SNR
	80,000	22,403	17,826	22,403	0,48	4T-344/332	29	NTN
	80,000	22,403	17,826	22,403	0,48	4T-344A/332	29	NTN
	80,000	23,000	19,000	24,750	0,56	32208	29	NTN
	80,000	23,000	19,000	24,750	0,53	32208 C	29	SNR
	80,000	29,000	23,000	30,000	0,66	CR-0864	29	NTN
	80,000	32,000	25,000	32,000	0,73	33208	29	NTN
	80,000	32,000	25,000	32,000	0,76	33208 A	29	SNR
	80,000	45,000			0,93	4T-430208X	30	NTN
	80,000	45,000			18,00	430208XU	30	NTN
	80,000	55,000			1,18	4T-432208X	30	NTN
	80,000	55,000			1,16	432208XU	30	NTN
	85,000	19,000	16,000	20,750	0,56	4T-CR-08A37	29	NTN










    						  Brands		
d	D	B	C	T	Kg	Reference		
40,000	85,000	21,692	17,462	20,638	0,56	4T-350A/354A	29	NTN
	85,000	21,692	17,462	21,692	0,56	4T-357/354A	29	NTN
	85,000	32,500	28,000	33,000	0,91	4T-T2EE040	29	NTN
	86,000	47,000			1,20	E-CR1-0874	30	NTN
	88,500	29,083	22,225	26,988	0,81	4T-420/414	29	NTN
	90,000	23,000	17,000	25,250	0,74	30308D	29	NTN
	90,000	23,000	17,000	25,250	0,76	31308 A	29	SNR
	90,000	23,000	19,000	25,250	0,73	30308C	29	NTN
	90,000	23,000	20,000	25,250	0,77	30308	29	NTN
	90,000	23,000	20,000	25,250	0,78	30308 A	29	SNR
	90,000	33,000	27,000	35,250	1,06	32308	29	NTN
	90,000	33,000	27,000	35,250	1,04	32308 A	29	SNR
	90,000	33,000	27,000	35,250	1,04	32308 BC12	29	SNR
	90,000	33,000	27,000	35,250	1,10	32308C	29	NTN
	90,000	50,500			1,49	4T-30308DDF	30	NTN
	90,000	56,000			1,61	4T-430308	30	NTN
	90,000	56,000			1,56	4T-430308DX	30	NTN
	90,000	56,000			1,61	430308U	30	NTN
	90,000			23,250	0,70	4T-CR-08B01	29	NTN
	107,950	36,957	28,575	36,957	1,76	4T-543/532X	29	NTN
	111,000	48,000			2,26	E-CR1-0875	30	NTN
		20,940			0,25	4T-28158	29	NTN
		21,692			0,40	4T-357	29	NTN
	22,403			0,34	4T-344A	29	NTN	
	29,083			0,48	4T-420	29	NTN	
40,483	82,550	28,575	23,020	29,370	0,73	4T-HM801349/HM801310	29	NTN
		28,575			0,44	4T-HM801349	29	NTN
41,000	68,000	18,000	13,500	18,000	0,24	4T-LM300849/LM300811	29	NTN
	78,000	18,000	13,500	18,000	0,36	4T-CR-0880	29	NTN
		18,000			0,16	4T-LM300849	29	NTN
41,275	73,025	17,462	12,700	17,462	0,28	4T-18590/18520	29	NTN
	73,431	19,812	14,732	19,558	0,34	4T-LM501349/LM501310	29	NTN
	73,431	19,812	14,732	19,558	0,34	4T-LM501349A/LM501310	29	NTN
	73,431	19,812	16,604	21,430	0,35	4T-LM501349/LM501314	29	NTN
	73,431	19,812	18,186	23,012	0,37	4T-LM501349/LM501311	29	NTN
	76,200	17,384	14,288	18,009	0,34	4T-11162/11300	29	NTN
	76,200	23,020	17,462	23,020	0,43	4T-24780/24720	29	NTN
	76,200	23,020	20,638	25,400	0,47	4T-24780/24721	29	NTN
	76,200	25,400	20,638	25,400	0,49	4T-26882/26823	29	NTN
	79,375	25,400	19,050	23,812	0,54	4T-26885/26822	29	NTN
	79,375	25,400	19,050	25,400	0,53	4T-26882/26822	29	NTN
	79,375	25,400	19,050	25,400	0,71	4T-26882T/26822	29	NTN
	80,000	17,384	14,288	18,009	0,39	4T-11162/11315	29	NTN
	80,000	22,403	17,826	22,403	0,47	4T-336/332	29	NTN
	80,000	25,400	19,050	23,812	0,54	4T-26882/26824	29	NTN
	80,167	25,400	20,638	25,400	0,56	4T-26882/26820	29	NTN
	80,167	30,391	23,812	30,391	0,64	4T-3384/3320	29	NTN
	82,550	25,654	20,193	26,543	0,64	4T-M802048/M802011	29	NTN
	85,725	30,162	23,812	30,162	0,79	4T-3877/3820	29	NTN
	85,725	30,162	23,812	30,162	0,81	4T-3880/3820	29	NTN
	87,312	30,886	23,812	30,162	0,83	4T-3576/3525	29	NTN
	87,312	30,886	23,812	30,886	0,82	4T-3577/3525	29	NTN
	87,312	30,886	23,812	30,886	0,83	4T-3585/3525	29	NTN
	88,500	23,698	17,462	25,400	0,67	4T-44162/44348	29	NTN
	88,900	29,370	23,020	30,162	0,90	4T-HM803145/HM803110	29	NTN
	88,900	29,370	23,020	30,162	0,89	4T-HM803146/HM803110	29	NTN
	90,488	40,386	33,338	40,386	1,25	4T-4388/4335	29	NTN
	92,075	23,812	16,670	26,195	0,76	4T-M903345/M903310	29	NTN
	93,662	31,750	25,400	31,750	1,05	4T-49162/49368	29	NTN

								Brands	
d	D	B	C	T	Kg	Reference			
41,275	93,662	31,750	26,195	31,750	1,09	4T-46162/46368	29	NTN	
	95,250	28,300	20,638	30,958	0,98	4T-53162/53375	29	NTN	
	95,250	28,575	22,225	30,958	1,03	4T-HM903245/HM903210	29	NTN	
	95,250	29,370	23,020	30,162	1,08	4T-HM804840/HM804810	29	NTN	
	101,600	36,068	26,988	36,068	1,42	4T-526/522	29	NTN	
	104,775	36,512	28,575	36,512	1,62	4T-59162/59412	29	NTN	
		17,384				0,21	4T-11162	29	NTN
		17,462				0,20	4T-18590	29	NTN
		19,812				0,22	4T-LM501349	29	NTN
		22,403				0,33	4T-336	29	NTN
		22,403				0,31	4T-342	29	NTN
		23,020				0,28	4T-24780	29	NTN
		23,698				0,43	4T-44162	29	NTN
		23,812				0,51	4T-M903345	29	NTN
		25,400				0,36	4T-26882T	29	NTN
		25,400				0,34	4T-26882	29	NTN
		25,654				0,41	4T-M802048	29	NTN
		28,300				0,61	4T-53162	29	NTN
		28,300				0,65	4T-HM903244	29	NTN
		28,575				0,65	4T-HM903245	29	NTN
		29,370				0,57	4T-HM803146	29	NTN
		29,370				0,72	4T-HM804840	29	NTN
		29,977				0,40	4T-342A	29	NTN
		30,391				0,43	4T-3384	29	NTN
		30,886				0,52	4T-3577	29	NTN
		30,886				0,53	4T-3585	29	NTN
	31,750				0,69	4T-49162	29	NTN	
	31,750				0,68	4T-46162	29	NTN	
	36,068				1,01	4T-526	29	NTN	
	36,512				1,15	4T-59162	29	NTN	
	40,386				0,79	4T-4388	29	NTN	
41,288		30,162				0,52	4T-3880	29	NTN
		30,162				0,52	4T-3877	29	NTN
		30,467				0,42	4T-3383	29	NTN
42,070	90,488	40,386	33,338	39,688	1,24	4T-4395/4335	29	NTN	
42,862	82,550	26,988	20,638	26,988	0,61	4T-22780/22720	29	NTN	
	82,931	25,400	19,050	23,812	0,58	4T-25578/25520	29	NTN	
	87,312	30,886	23,812	30,162	0,81	4T-3579/3525	29	NTN	
		25,400				0,38	4T-25578	29	NTN
		26,988				0,39	4T-22780	29	NTN
		30,886				0,50	4T-3579	29	NTN
42,875	79,375	25,400	19,050	25,400	0,51	4T-26884/26822	29	NTN	
	80,000	22,403	17,826	22,403	0,45	4T-342S/332	29	NTN	
	80,000	25,400	19,050	23,812	0,53	4T-26886/26824	29	NTN	
	80,000	25,400	19,050	25,400	0,52	4T-26884/26824	29	NTN	
	80,167	25,400	20,638	25,400	0,55	4T-26886/26830	29	NTN	
	82,931	25,400	19,050	25,400	0,58	4T-25577/25520	29	NTN	
	82,931	25,400	22,225	26,988	0,62	4T-25577/25523	29	NTN	
	83,058	25,400	19,050	25,400	0,57	4T-25577/25521	29	NTN	
	83,058	25,400	19,114	25,400	0,58	4T-25577/25522	29	NTN	
		22,403				0,31	4T-342S	29	NTN
		25,400				0,38	4T-25577	29	NTN
		25,400				0,32	4T-26884	29	NTN
		25,400				0,33	4T-26886	29	NTN
	44,450	76,992	17,145	11,908	17,462	0,31	4T-12175/12303	29	NTN
		79,375	17,462	13,495	17,462	0,35	4T-18685/18620	29	NTN
82,931		25,400	19,050	23,812	0,56	4T-25582/25520	29	NTN	










								Brands	
d	D	B	C	T	Kg	Reference			
44,450	82,931	25,400	19,050	25,400	0,56	4T-25580/25520	29	NTN	
	82,931	25,400	22,225	26,988	0,60	4T-25580/25523	29	NTN	
	82,931	25,476	19,050	25,400	0,56	4T-25581/25520	29	NTN	
	83,058	25,400	19,050	25,400	0,55	4T-25580/25521	29	NTN	
	83,058	25,400	19,114	25,400	0,56	4T-25580/25522	29	NTN	
	84,138	30,886	23,812	30,162	0,70	4T-3578/3520	29	NTN	
	85,000	21,692	17,462	20,638	0,51	4T-355/354A	29	NTN	
	85,000	21,692	17,462	20,638	0,50	4T-355X/354X	29	NTN	
	87,312	30,886	23,812	30,886	0,76	4T-3578/3525	29	NTN	
	88,500	40,386	33,338	40,386	1,12	4T-4370/4320	29	NTN	
	88,900	29,370	23,020	30,162	0,86	4T-CR-09A47	29	NTN	
	88,900	29,370	23,020	30,162	0,85	4T-HM803149/HM803110	29	NTN	
	88,900	29,370	23,020	30,162	0,85	4T-HM803149/HM803111	29	NTN	
	90,119	21,692	21,808	23,000	0,66	4T-355X/352	29	NTN	
	92,075	29,370	23,020	30,162	0,92	4T-HM803149/HM803112	29	NTN	
	93,264	30,302	23,812	30,302	0,95	4T-3782/3720	29	NTN	
	93,662	31,750	26,195	31,750	1,04	4T-46175/46368	29	NTN	
	95,250	28,300	20,638	30,958	0,93	4T-53176/53375	29	NTN	
	95,250	28,300	20,638	30,958	0,92	4T-53177/53375	29	NTN	
	95,250	28,300	20,638	30,958	0,93	4T-53178/53375	29	NTN	
	95,250	28,575	22,225	27,783	0,99	4T-33885/33821	29	NTN	
	95,250	28,575	22,225	28,575	0,98	4T-33885/33822	29	NTN	
	95,250	28,575	22,225	30,958	0,99	4T-HM903249/HM903210	29	NTN	
	95,250	29,370	23,020	30,162	1,04	4T-HM804842/HM804810	29	NTN	
	95,250	29,370	23,020	30,162	1,02	4T-HM804843/HM804810	29	NTN	
	95,250	29,900	22,225	27,783	0,95	4T-438/432	29	NTN	
	101,600	36,068	26,988	36,068	1,36	4T-527/522	29	NTN	
	104,775	29,371	24,605	30,162	1,29	4T-460/453X	29	NTN	
	104,775	30,958	23,812	30,162	1,35	4T-45280/45220	29	NTN	
	104,775	36,512	28,575	36,512	1,56	4T-59175/59412	29	NTN	
	104,775	36,512	28,575	36,512	1,62	4T-HM807040/HM807010	29	NTN	
	111,125	26,909	20,638	30,162	1,45	4T-55175C/55437	29	NTN	
	111,125	26,909	20,638	30,162	1,35	4T-55176/55437	29	NTN	
	111,125	26,909	20,638	30,162	1,09	4T-55176C/55437	29	NTN	
	111,125	36,957	30,162	38,100	1,84	4T-535/532A	29	NTN	
	112,712	26,909	20,638	30,162	1,40	4T-55176/55443	29	NTN	
	114,300	44,450	34,925	44,450	2,32	4T-65385/65320	29	NTN	
	127,000	52,388	41,275	52,388	3,60	4T-6277/6220	29	NTN	
		17,145				0,21	4T-12175	29	NTN
		17,462				0,22	4T-18685	29	NTN
		21,692				0,35	4T-355	29	NTN
		21,692				0,34	4T-355X	29	NTN
		25,400				0,35	4T-25580	29	NTN
		26,909				0,93	4T-55175C	29	NTN
	26,909				0,85	4T-55176	29	NTN	
	28,300				0,56	4T-53178	29	NTN	
	28,300				0,56	4T-53176	29	NTN	
	28,300				0,56	4T-53177	29	NTN	
	28,300				0,61	4T-HM903247	29	NTN	
	28,575				0,61	4T-HM903249	29	NTN	
	29,370				0,53	4T-HM803149	29	NTN	
	29,370				0,68	4T-HM804842	29	NTN	
	29,370				0,67	4T-HM804843	29	NTN	
	29,371				0,92	4T-460	29	NTN	
	29,900				0,57	4T-438	29	NTN	
	30,302				0,66	4T-3782	29	NTN	
	30,886				0,47	4T-3578A	29	NTN	
	30,886				0,47	4T-3578	29	NTN	
	30,958				0,99	4T-45280	29	NTN	
	31,354				0,40	4T-17888	29	NTN	
	31,750				0,64	4T-49175	29	NTN	
	31,750				0,63	4T-46176	29	NTN	

								Brands
d	D	B	C	T	Kg	Reference		
44,450		35,878			0,44	4T-25583	29	NTN
		36,068			0,95	4T-527	29	NTN
		36,512			1,09	4T-59175	29	NTN
		36,512			1,12	4T-HM807040	29	NTN
		36,957			1,10	4T-535	29	NTN
		44,450			1,46	4T-65385	29	NTN
		52,388			2,34	4T-6277	29	NTN
44,463		21,692			0,34	4T-355A	29	NTN
		25,476			0,36	4T-25581	29	NTN
		28,575			0,72	4T-33885	29	NTN
44,983	82,931	25,400	19,050	25,400	0,55	4T-25584/25520	29	NTN
	83,058	25,400	19,050	25,400	0,55	4T-25584/25521	29	NTN
	93,264	30,302	23,812	30,302	0,94	4T-3776/3720	29	NTN
		25,400			0,35	4T-25584	29	NTN
		30,302			0,65	4T-3776	29	NTN
44,988	95,250	28,575	22,225	30,958	0,98	4T-HM903248/HM903210	29	NTN
45,000	68,000	15,000	12,000	15,000	0,18	32909X	29	NTN
	75,000	2,000	15,500	20,000	0,33	32009X	29	NTN
	75,000	20,000	17,700	22,200	0,36	4T-CR-09B11	29	NTN
	75,000	24,000	19,000	24,000	0,40	33009	29	NTN
	76,000	22,000			0,42	E-CRT0953V	37	NTN
	80,000	26,000	20,500	26,000	0,54	33109	29	NTN
	80,000	26,000	20,500	26,000	0,55	33109 A	29	SNR
	85,000	19,000	16,000	20,750	0,49	30209	29	NTN
	85,000	19,000	16,000	20,750	0,48	30209 C	29	SNR
	85,000	21,692	17,462	20,638	0,51	4T-358/354A	29	NTN
	85,000	21,692	17,462	21,692	0,50	4T-358X/354A	29	NTN
	85,000	23,000	19,000	24,750	0,59	32209	29	NTN
	85,000	23,000	19,000	24,750	0,60	32209 A	29	SNR
	85,000	23,000	19,000	24,750	0,61	32209 BA	29	SNR
	85,000	32,000	25,000	32,000	0,79	33209	29	NTN
	85,000	32,000	25,000	32,000	0,80	33209 A	29	SNR
	85,000	41,500			1,02	4T-30209DF	30	NTN
	85,000	47,000			1,04	4T-430209	30	NTN
	85,000	47,000			1,06	430209U	30	NTN
	85,000	55,000			1,27	4T-432209	30	NTN
	85,000	55,000			1,27	432209U	30	NTN
	88,900	22,225	16,513	20,638	0,60	4T-367/362A	29	NTN
	90,000	29,000	20,000	29,000	0,82	CR-0996	29	NTN
	95,000	26,500	20,000	29,000	0,90	4T-T7FC045	29	NTN
	100,000	25,000	18,000	27,250	0,96	30309D	29	NTN
	100,000	25,000	18,000	27,250	0,96	31309 A	29	SNR
	100,000	25,000	22,000	27,250	1,00	30309	29	NTN
	100,000	25,000	22,000	27,250	1,00	30309 A	29	SNR
	100,000	36,000	30,000	38,250	1,43	32309	29	NTN
	100,000	36,000	30,000	38,250	1,49	32309 A	29	SNR
	100,000	36,000	30,000	38,250	1,51	32309 BA	29	SNR
	100,000	36,000	30,000	38,250	1,45	32309C	29	NTN
	100,000	54,500			2,00	4T-30309DDF	30	NTN
	100,000	60,000			2,11	4T-430309	30	NTN
104,986	31,750	23,368	32,512	1,34	4T-HM905843/HM905810	29	NTN	
	21,692			0,34	4T-358X	29	NTN	
	22,225			0,36	4T-367	29	NTN	
	23,950			0,25	4T-JLM603048	29	NTN	
	31,750			0,85	4T-HM905843	29	NTN	
45,230	79,985	20,638	15,080	19,842	0,40	4T-17887/17831SA	29	NTN
	79,985	20,638	15,080	20,638	0,40	4T-17887/17831	29	NTN

							 Brands
d	D	B	C	T	Kg	Reference	
45,230		20,638			0,27	4T-17887SA	29 NTN
		20,638			0,27	4T-17887	29 NTN
45,237	87,312	30,886	23,812	30,162	0,77	4T-3586/3525	29 NTN
		30,886			0,46	4T-3586	29 NTN
45,242	73,431	19,812	15,748	19,812	0,31	4T-LM102949/LM102910	29 NTN
	77,788	19,842	15,080	19,842	0,37	4T-LM603049/LM603011	29 NTN
	77,788	19,842	16,667	21,430	0,39	4T-LM603049/LM603012	29 NTN
	80,000	19,842	15,080	19,842	0,39	4T-LM603049/LM603014	29 NTN
		19,812			0,20	4T-LM102949	29 NTN
		19,842			0,24	4T-LM603049JX	29 NTN
		19,842			0,25	4T-LM603049	29 NTN
45,618	82,550	25,400	19,050	23,812	0,53	4T-25590/25519	29 NTN
	82,931	25,400	19,050	25,400	0,54	4T-25590/25520	29 NTN
	82,931	25,400	22,225	26,988	0,56	4T-25590/25523	29 NTN
	83,058	25,400	19,050	25,400	0,53	4T-25590/25521	29 NTN
	83,058	25,400	19,114	23,876	0,55	4T-25590/25522	29 NTN
	85,000	25,400	19,050	23,812	0,58	4T-25590/25526	29 NTN
		25,400			0,34	4T-25590	29 NTN
46,000	75,000	18,000	14,000	18,000	0,29	4T-LM503349/LM503310	29 NTN
	75,000	18,000	14,000	18,000	0,29	4T-LM503349A/LM503310	29 NTN
	91,000	32,000	26,500	32,000	0,92	4T-HM204049/HM204010	29 NTN
		18,000			0,20	4T-LM503349	29 NTN
		18,000			0,20	4T-LM503349A	29 NTN
		32,000			0,62	4T-HM204049	29 NTN
46,038	79,375	17,462	13,495	17,462	0,33	4T-18690/18620	29 NTN
	82,931	25,400	19,050	23,812	0,54	4T-25592/25520	29 NTN
	85,000	21,692	17,462	20,638	0,49	4T-359A/354A	29 NTN
	85,000	21,692	17,462	21,692	0,49	4T-359S/354A	29 NTN
	85,000	21,692	17,462	21,692	0,49	4T-359S/354X	29 NTN
	85,000	25,608	20,638	25,608	0,61	4T-2984/2924	29 NTN
	90,119	21,692	21,808	23,000	0,65	4T-359S/352	29 NTN
	93,264	30,302	23,812	30,162	0,93	4T-3777/3720	29 NTN
	95,250	29,900	22,225	27,783	0,93	4T-436/432	29 NTN
		17,462			0,21	4T-18690	29 NTN
		17,462			0,29	4T-18780	29 NTN
		21,692			0,31	4T-359A	29 NTN
		21,692			0,33	4T-359S	29 NTN
		25,608			0,39	4T-2984	29 NTN
	29,900			0,54	4T-436	29 NTN	
47,625	88,900	22,225	16,513	20,638	0,56	4T-369A/362A	29 NTN
	88,900	22,225	16,513	22,225	0,56	4T-369S/362A	29 NTN
	88,900	25,400	19,050	25,400	0,66	4T-M804048/M804010	29 NTN
	88,900	25,400	19,050	25,400	0,65	4T-M804049/M804010	29 NTN
	93,264	30,302	23,812	30,162	0,90	4T-3778/3720	29 NTN
	93,264	30,302	23,812	30,302	0,89	4T-3779/3720	29 NTN
	95,250	29,370	23,020	30,162	0,98	4T-HM804846/HM804810	29 NTN
	96,838	21,946	15,875	21,946	0,71	4T-386A/382A	29 NTN
	100,000	29,370	23,020	30,162	1,11	4T-CR-10A28	29 NTN
	101,600	36,068	26,988	36,068	1,29	4T-528/522	29 NTN
	104,775	29,317	24,605	30,162	1,24	4T-463/453X	29 NTN
	104,775	30,958	23,812	30,162	1,29	4T-45282/45220	29 NTN
	107,950	36,957	28,575	36,957	1,61	4T-536/532X	29 NTN
	111,125	26,909	20,638	30,162	1,31	4T-55187/55437	29 NTN
	111,125	26,909	20,638	30,162	1,40	4T-55187C/55437	29 NTN
	112,712	26,909	20,638	30,162	1,35	4T-55187/55443	29 NTN
	112,712	26,909	20,638	30,162	1,43	4T-55187C/55443	29 NTN








								Brands
d	D	B	C	T	Kg	Reference		
47,625	123,825	32,791	25,400	36,512	2,14	4T-72188C/72487	29	NTN
		21,946			0,54	4T-386A	29	NTN
		22,225			0,39	4T-369A	29	NTN
		22,225			0,40	4T-369S	29	NTN
		25,400			0,44	4T-M804048	29	NTN
		25,400			0,44	4T-M804049	29	NTN
		26,909			0,80	4T-55187	29	NTN
		26,909			0,88	4T-55187C	29	NTN
		29,317			0,86	4T-467	29	NTN
		29,370			0,62	4T-HM804846	29	NTN
		30,302			0,60	4T-3778	29	NTN
		30,302			0,61	4T-3779	29	NTN
		30,958			0,93	4T-45282	29	NTN
		32,791			1,36	4T-72188C	29	NTN
		36,068			0,89	4T-528	29	NTN
		36,957			1,04	4T-536	29	NTN
48,412	95,250	29,370	23,020	30,162	0,97	4T-HM804848/HM804810	29	NTN
	95,250	29,370	23,020	30,162	0,96	4T-HM804849/HM804810	29	NTN
		29,370			0,61	4T-HM804848	29	NTN
		29,370			0,61	4T-HM804849	29	NTN
49,212	93,264	30,302	23,812	30,162	0,88	4T-3781/3720	29	NTN
	103,188	44,475	36,512	43,658	1,75	4T-5395/5335	29	NTN
	104,775	36,512	28,575	36,512	1,52	4T-HM807044/HM807010	29	NTN
	114,300	44,450	34,925	44,450	2,23	4T-65390/65320	29	NTN
	114,300	44,450	36,068	44,450	2,33	4T-HH506348/HH506310	29	NTN
		30,302			0,58	4T-3781	29	NTN
		36,512			1,01	4T-HM807044	29	NTN
		44,450			1,47	4T-HH506348	29	NTN
		44,450			1,33	4T-65390	29	NTN
		44,475			1,11	4T-5395	29	NTN
49,987	82,550	22,225	16,510	21,590	0,43	4T-LM104947A/LM104911	29	NTN
		25,400			0,46	4T-28579	29	NTN
50,000	80,000	20,000	15,500	20,000	0,36	32010 A	29	SNR
	80,000	20,000	15,500	20,000	0,37	32010X	29	NTN
	80,000	24,000	19,000	24,000	0,44	33010	29	NTN
	82,000	21,500	17,000	21,500	0,42	4T-JLM104948/JLM104910	29	NTN
	82,000	22,000			0,47	E-CRT1053V	37	NTN
	84,000	22,000	17,500	22,000	0,46	4T-JLM704649/JLM704610	29	NTN
	85,000	26,000	20,000	26,000	0,58	33110	29	NTN
	85,000	26,000	20,000	26,000	0,61	33110 A	29	SNR
	88,900	22,225	16,513	20,638	0,53	4T-365/362A	29	NTN
	88,900	22,225	16,513	20,638	0,53	4T-366/362A	29	NTN
	90,000	20,000	17,000	21,750	0,55	30210	29	NTN
	90,000	20,000	17,000	21,750	0,55	30210 C	29	SNR
	90,000	22,225	15,875	22,225	0,54	4T-365/362	29	NTN
	90,000	23,000	19,000	24,750	0,65	32210	29	NTN
	90,000	23,000	19,000	24,750	0,65	32210 A	29	SNR
	90,000	28,000	23,000	28,000	0,74	4T-CR-10A62	29	NTN
	90,000	28,000	23,000	28,000	0,75	4T-JM205149/JM205110	29	NTN
	90,000	32,000	24,500	32,000	0,85	33210	29	NTN
	90,000	32,000	24,500	32,000	0,89	33210 A	29	SNR
	90,000	49,000			1,18	4T-430210	30	NTN
	90,000	49,000			1,18	430210U	30	NTN
	90,000	55,000			1,36	432210U	30	NTN
	93,264	30,302	23,812	30,302	0,86	4T-CR-1084	29	NTN
	100,000	35,000	30,000	36,000	1,31	4T-T2ED050	29	NTN
	105,000	29,000	22,000	32,000	1,21	4T-T7FC050	29	NTN
	105,000	36,000	29,000	37,000	1,52	4T-JHM807045/JHM807012	29	NTN



							 Brands
d	D	B	C	T	Kg	Reference	
50,000	110,000	21,996	18,824	22,000	1,06	4T-396/394A	29 NTN
	110,000	27,000	19,000	29,250	1,21	4T-CR-10A33	29 NTN
	110,000	27,000	19,000	29,250	1,25	30310D	29 NTN
	110,000	27,000	19,000	29,250	1,24	31310 A	29 SNR
	110,000	27,000	23,000	29,250	1,29	30310	29 NTN
	110,000	27,000	23,000	29,250	1,29	30310 A	29 SNR
	110,000	40,000	33,000	42,250	1,90	32310	29 NTN
	110,000	40,000	33,000	42,250	1,90	32310 A	29 SNR
	110,000	40,000	33,000	42,250	1,95	32310C	29 NTN
	110,000	58,500			2,59	4T-30310DDF	30 NTN
	110,000	64,000			2,72	4T-430310	30 NTN
	110,000	64,000			2,65	4T-430310DX	30 NTN
	110,000	64,000			2,76	430310U	30 NTN
	110,000	90,000			3,98	432310U	30 NTN
	180,000	135,000			17,80	CRD-1052	31 NTN
		21,500			0,29	4T-JLM104948	29 NTN
		21,996			0,80	4T-396	29 NTN
		22,000			0,30	4T-JLM704649	29 NTN
		22,225			0,36	4T-365	29 NTN
		22,225			0,36	4T-366	29 NTN
		28,000			0,51	4T-JM205149	29 NTN
		28,000			0,50	4T-JM205149A	29 NTN
		36,000			1,00	4T-JHM807045	29 NTN
	50,800	82,550	22,225	16,510	21,590	0,42	4T-LM104949/LM104911
82,931		22,225	16,510	22,225	0,42	4T-LM104949/LM104912	29 NTN
85,000		17,462	13,495	17,462	0,37	4T-18790/18720	29 NTN
88,900		17,462	13,495	17,462	0,43	4T-18790/18724	29 NTN
88,900		22,225	16,513	20,638	0,52	4T-368/362A	29 NTN
88,900		22,225	16,513	20,638	0,51	4T-370A/362A	29 NTN
88,900		22,225	16,513	22,225	0,51	4T-368A/362A	29 NTN
89,980		25,400	19,987	25,400	0,65	4T-28580/28520	29 NTN
90,000		22,225	15,875	20,000	0,52	4T-368A/362	29 NTN
90,000		22,225	15,875	22,225	0,52	4T-368/362	29 NTN
90,000		22,225	20,000	22,225	0,55	4T-368A/363	29 NTN
92,075		25,400	19,845	25,400	0,70	4T-28580/28521	29 NTN
93,264		30,302	23,812	30,162	0,85	4T-3775/3720	29 NTN
93,264		30,302	23,812	30,162	0,85	4T-3780/3720	29 NTN
93,264		30,302	23,812	30,302	0,83	4T-3784/3720	29 NTN
95,250		28,575	22,225	28,575	0,86	4T-33889/33821	29 NTN
95,250		28,575	22,225	28,575	0,87	4T-33889/33822	29 NTN
95,250		30,302	23,812	30,162	0,90	4T-3780/3726	29 NTN
96,838		21,946	15,875	21,000	0,68	4T-385A/382A	29 NTN
97,630		24,608	19,446	24,608	0,85	4T-28678/28622	29 NTN
98,425		30,302	23,812	30,162	0,99	4T-3780/3732	29 NTN
101,600		31,750	25,400	31,750	1,13	4T-49585/49520	29 NTN
101,600		36,068	26,988	36,068	1,23	4T-529/522	29 NTN
101,600		36,068	26,988	36,068	1,22	4T-529X/522	29 NTN
104,775		29,317	24,605	30,162	1,19	4T-455/453X	29 NTN
104,775		30,958	23,812	30,162	1,20	4T-45284/45220	29 NTN
104,775		30,958	23,812	30,162	1,22	4T-45285/45220	29 NTN
104,775		30,958	23,812	30,958	1,30	4T-CR-1091	29 NTN
104,775		36,512	28,575	36,512	1,49	4T-HM807046/HM807010	29 NTN
104,775		40,157	33,338	39,688	1,62	4T-4580/4535	29 NTN
107,950		36,957	28,575	36,957	1,53	4T-537/532X	29 NTN
110,231		30,958	23,812	30,162	1,26	4T-45285A/45220B	29 NTN
111,125		26,909	20,638	30,162	1,33	4T-55200C/55437	29 NTN
111,125		28,575	20,638	30,162	1,36	4T-HM907643/HM907614	29 NTN
112,712		26,909	20,638	30,162	1,34	4T-55200C/55443	29 NTN
112,712		30,048	23,812	30,162	1,53	4T-3975/3920	29 NTN
112,712		30,162	23,812	30,162	1,25	4T-39573/39520	29 NTN
112,712		30,162	23,812	30,162	1,54	4T-39575/39520	29 NTN








								Brands	
d	D	B	C	T	Kg	Reference			
50,800	117,475	31,750	23,812	33,338	1,67	4T-66200/66462	29	NTN	
	120,650	41,275	31,750	41,275	2,30	4T-619/612	29	NTN	
	123,825	32,791	25,400	36,512	2,08	4T-72200C/72487	29	NTN	
	123,825	36,678	30,162	38,100	2,34	4T-555/552A	29	NTN	
	127,000	44,450	34,925	44,450	2,85	4T-65200/65500	29	NTN	
		17,462				0,24	4T-18790	29	NTN
		21,946				0,49	4T-385A	29	NTN
		22,225				0,28	4T-LM104949	29	NTN
		22,225				0,35	4T-368	29	NTN
		22,225				0,35	4T-368A	29	NTN
		22,225				0,34	4T-370A	29	NTN
		24,608				0,58	4T-28678	29	NTN
		25,400				0,45	4T-28580	29	NTN
		26,909				0,84	4T-55200C	29	NTN
		28,575				0,60	4T-33889	29	NTN
		28,575				0,85	4T-HM907643	29	NTN
		29,317				0,81	4T-455	29	NTN
		30,162				0,89	4T-39573	29	NTN
		30,302				0,55	4T-3775	29	NTN
		30,302				0,55	4T-3780	29	NTN
		30,302				0,54	4T-3784	29	NTN
		30,302				0,55	4T-3795	29	NTN
		30,958				0,86	4T-45284	29	NTN
		30,958				0,88	4T-45285	29	NTN
		31,750				0,74	4T-49585	29	NTN
		31,750				1,11	4T-66200	29	NTN
		32,791				1,30	4T-72200C	29	NTN
		36,068				0,82	4T-529	29	NTN
		36,068				0,81	4T-529X	29	NTN
		36,512				0,95	4T-59200	29	NTN
		36,512				0,98	4T-HM807046	29	NTN
		40,157				1,04	4T-4580	29	NTN
	41,275				1,42	4T-619	29	NTN	
	43,764				1,82	4T-5565	29	NTN	
	44,450				1,83	4T-65200	29	NTN	
51,592	88,900	22,225	16,513	20,638	0,51	4T-368S/362A	29	NTN	
	90,000	22,225	15,875	22,225	0,52	4T-368S/362	29	NTN	
		22,225			0,34	4T-368S	29	NTN	
52,388	85,000	20,000	15,000	20,000	0,41	4T-CR-1075	29	NTN	
	92,075	25,400	19,845	25,400	0,67	4T-28584/28521	29	NTN	
	93,264	30,302	23,812	30,162	0,82	4T-3767/3720	29	NTN	
	95,250	28,575	22,225	27,783	0,85	4T-33890/33821	29	NTN	
	95,250	28,575	22,225	28,575	0,58	4T-33891/33821	29	NTN	
	112,712	65,088			2,78	4T-55206/55444D+A	30	NTN	
		25,400			0,43	4T-28584	29	NTN	
		28,575			0,58	4T-33891	29	NTN	
		28,575			0,58	4T-33890	29	NTN	
		30,302			0,52	4T-3767	29	NTN	
53,975	88,900	19,050	13,492	19,050	0,44	4T-LM806649/LM806610	29	NTN	
	95,199	19,050	13,492	38,100	1,13	4T-CR-1193DF	29	NTN	
	95,250	28,575	22,225	28,575	0,81	4T-33895/33821	29	NTN	
	95,250	28,575	22,225	28,575	0,82	4T-33895/33822	29	NTN	
	96,838	21,946	15,857	21,000	0,63	4T-389A/382A	29	NTN	
	98,425	21,946	17,826	21,946	0,67	4T-389A/382	29	NTN	
	104,775	30,958	23,812	30,162	1,17	4T-45287/45220	29	NTN	
	104,775	36,512	28,575	36,512	1,41	4T-HM807049/HM807010	29	NTN	
	107,950	29,317	22,225	27,783	1,16	4T-456/453A	29	NTN	
	107,950	36,957	28,575	36,512	1,47	4T-539/532X	29	NTN	
	120,650	41,275	31,750	41,275	2,21	4T-621/612	29	NTN	



							 Brands		
d	D	B	C	T	Kg	Reference			
53,975	122,238	31,750	23,812	33,338	1,79	4T-66584/66520	29	NTN	
	122,238	43,764	36,512	43,658	2,64	4T-5578/5535	29	NTN	
	123,825	32,791	25,400	36,512	2,00	4T-72212C/72487	29	NTN	
	123,825	36,678	30,162	38,100	2,26	4T-557S/552A	29	NTN	
	127,000	44,450	34,925	44,450	2,79	4T-65212/65500	29	NTN	
	127,000	52,388	41,275	52,388	3,24	4T-6280/6220	29	NTN	
	130,175	33,338	23,812	36,512	2,27	4T-HM911242/HM911210	29	NTN	
	140,030	33,236	23,520	36,512	2,74	4T-78214/78551	29	NTN	
	140,030	33,236	23,520	36,512	2,77	4T-78214C/78551	29	NTN	
	140,030	33,236	23,520	36,512	2,74	4T-78215C/78551	29	NTN	
		19,050				0,30	4T-LM806649	29	NTN
		21,946				0,45	4T-389A	29	NTN
		28,575				0,55	4T-33895	29	NTN
		29,317				0,74	4T-456	29	NTN
		30,958				0,82	4T-45287	29	NTN
		31,750				1,24	4T-66584	29	NTN
		32,791				1,24	4T-72212C	29	NTN
		33,236				1,83	4T-78214	29	NTN
		33,236				1,84	4T-78215C	29	NTN
		33,338				1,35	4T-HM911242	29	NTN
		36,512				0,90	4T-HM807049	29	NTN
		36,678				1,50	4T-557S	29	NTN
		36,957				0,89	4T-539	29	NTN
	41,275				1,33	4T-621	29	NTN	
	43,764				1,81	4T-5578	29	NTN	
	52,388				2,03	4T-6280	29	NTN	
53,987	140,025	69,850			5,13	CR1-1163	30	NTN	
54,488		36,512			0,89	4T-HM807048	29	NTN	
54,500	104,775	36,512	28,575	36,512	1,38	4T-HM807048/HM807010	29	NTN	
55,000	80,000	17,000	14,000	17,000	0,27	32911X	29	NTN	
	90,000	23,000	17,500	23,000	0,59	32011 A	29	SNR	
	90,000	23,000	17,500	23,000	0,56	32011X	29	NTN	
	90,000	23,000	18,500	23,000	0,55	4T-JLM506849/JLM506810	29	NTN	
	90,000	23,000	18,500	23,000	0,55	4T-JLM506849A/JLM506810	29	NTN	
	90,000	23,000	20,500	25,000	0,58	4T-JLM506849A/JLM506811	29	NTN	
	90,000	27,000	21,000	27,000	0,64	33011	29	NTN	
	90,000	27,000	21,000	27,000	0,71	33011 A	29	SNR	
	90,000	27,000	21,000	27,000	0,67	33011 VC12	29	SNR	
	90,000	52,000				1,20	4T-CR1-1185	30	NTN
	95,000	29,000	23,500	29,000	0,82	4T-JM207049/JM207010	29	NTN	
	95,000	30,000	23,000	30,000	0,85	33111	29	NTN	
	95,000	30,000	23,000	30,000	0,83	33111 A	29	SNR	
	96,838	21,946	15,875	21,000	0,62	4T-385/382A	29	NTN	
	100,000	21,000	18,000	22,750	0,74	30211	29	NTN	
	100,000	21,000	18,000	22,750	0,80	30211 A	29	SNR	
	100,000	25,000	21,000	26,750	0,86	32211	29	NTN	
	100,000	25,000	21,000	26,750	0,87	32211 A	29	SNR	
	100,000	31,000	24,500	32,000	1,04	CR-1154	29	NTN	
	100,000	35,000	27,000	35,000	1,15	33211	29	NTN	
	100,000	35,000	27,000	35,000	1,21	33211 A	29	SNR	
	100,000	42,250	35,000	42,250	1,35	4T-CR-1175	29	NTN	
	100,000	51,000				1,55	4T-430211X	30	NTN
	100,000	51,000				1,56	430211XU	30	NTN
	100,000	60,000				1,85	432211U	30	NTN
	110,000	39,000	32,000	39,000	1,67	4T-JH307749/JH307710	29	NTN	
	115,000	31,000	23,500	34,000	1,54	4T-T7FC055	29	NTN	
	120,000	29,000	21,000	31,500	1,59	30311D	29	NTN	
	120,000	29,000	21,000	31,500	1,58	31311 A	29	SNR	

								Brands
d	D	B	C	T	Kg	Reference		
55,000	120,000	29,000	25,000	31,500	1,63	30311	29	NTN
	120,000	29,000	25,000	31,500	1,64	30311 A	29	SNR
	120,000	43,000	35,000	45,500	2,41	32311	29	NTN
	120,000	43,000	35,000	45,500	2,38	32311 A	29	SNR
	120,000	43,000	35,000	45,500	2,51	32311 BA	29	SNR
	120,000	43,000	35,000	45,500	2,46	32311C	29	NTN
	120,000	63,000			3,34	4T-30311DDF	30	NTN
	120,000	70,000			3,42	4T-430311DX	30	NTN
	120,000	70,000			3,54	430311XU	30	NTN
	120,000	97,000			5,05	432311U	30	NTN
		21,946			0,43	4T-385	29	NTN
		21,946			0,43	4T-385X	29	NTN
		23,000			0,36	4T-JLM506849	29	NTN
		23,000			0,36	4T-JLM506849A	29	NTN
		26,000			0,38	4T-JLM506848	29	NTN
		29,000			0,56	4T-JM207049	29	NTN
		29,000			0,55	4T-JM207049A	29	NTN
		39,000			1,11	4T-JH307749	29	NTN
55,562	97,630	24,608	19,446	24,608	0,77	4T-28680/28622	29	NTN
	123,825	32,791	25,400	36,512	1,99	4T-72218C/72487	29	NTN
	127,000	36,512	26,988	36,512	2,34	4T-HM813840/HM813810	29	NTN
		24,608			0,50	4T-28680	29	NTN
		32,791			1,20	4T-72218C	29	NTN
	36,512			1,70	4T-HM813840	29	NTN	
55,575	96,838	21,946	15,875	21,000	0,61	4T-389/382A	29	NTN
		21,946			0,42	4T-389	29	NTN
57,150	96,838	21,946	15,875	21,000	0,58	4T-387/382A	29	NTN
	96,838	21,946	15,875	21,000	0,59	4T-387S/382A	29	NTN
	96,838	21,946	15,875	21,946	0,57	4T-387A/382A	29	NTN
	96,838	21,946	15,875	21,946	0,57	4T-387AS/382A	29	NTN
	96,838	21,946	20,274	25,400	0,66	4T-387A/382S	29	NTN
	97,630	24,608	19,446	24,608	0,74	4T-28682/28622	29	NTN
	97,630	36,512	28,575	24,608	1,42	4T-59200/59412	29	NTN
	98,425	21,946	17,826	21,946	0,62	4T-387/382	29	NTN
	98,425	21,946	17,826	21,946	0,62	4T-387A/382	29	NTN
	100,000	21,946	16,238	21,946	0,64	4T-CR-1194	29	NTN
	100,000	21,946	17,826	21,946	0,65	4T-387A/383A	29	NTN
	104,775	29,317	24,605	30,162	1,06	4T-462/453X	29	NTN
	104,775	29,317	24,605	30,162	1,05	4T-462A/453X	29	NTN
	104,775	29,317	24,605	30,162	1,06	4T-469/453X	29	NTN
	104,775	30,958	23,812	30,162	1,09	4T-45289/45220	29	NTN
	104,775	30,958	23,812	30,958	1,08	4T-45290/45220	29	NTN
	104,775	30,958	23,812	30,958	1,07	4T-45291/45220	29	NTN
	107,950	29,317	22,225	27,783	1,11	4T-469/453A	29	NTN
	107,950	29,317	22,225	29,317	1,11	4T-462/453A	29	NTN
	110,000	21,996	18,824	22,000	0,95	4T-390/394A	29	NTN
	110,000	29,317	27,000	27,795	1,24	4T-469/454	29	NTN
	112,712	30,048	23,812	30,162	1,38	4T-3979/3920	29	NTN
	112,712	30,162	23,812	30,162	1,41	4T-39580/39520	29	NTN
	112,712	30,162	23,812	30,162	1,40	4T-39581/39520	29	NTN
	117,475	30,162	23,812	30,162	1,58	4T-33225/33462	29	NTN
	117,475	31,750	23,812	33,338	1,54	4T-66225/66462	29	NTN
	120,650	41,275	31,750	41,275	2,12	4T-623/612	29	NTN
	123,825	32,791	25,400	36,512	1,96	4T-72225C/72487	29	NTN
	123,825	36,678	30,162	38,100	2,18	4T-555S/552A	29	NTN
	140,030	33,236	23,520	36,512	2,69	4T-78225/78551	29	NTN
		21,946			0,40	4T-387	29	NTN
		21,946			0,40	4T-387A	29	NTN
		21,946			0,40	4T-387S	29	NTN



							 Brands	
d	D	B	C	T	Kg	Reference		
57,150		21,996			0,69	4T-390	29	NTN
		24,608			0,47	4T-28682	29	NTN
		29,317			0,68	4T-462A	29	NTN
		29,317			0,68	4T-462	29	NTN
		29,317			0,68	4T-469	29	NTN
		30,048			0,94	4T-3979	29	NTN
		30,162			1,14	4T-33225	29	NTN
		30,162			1,04	4T-39580	29	NTN
		30,162			1,03	4T-39581	29	NTN
		30,958			0,75	4T-45289	29	NTN
		30,958			0,74	4T-45290	29	NTN
		30,958			0,73	4T-45291	29	NTN
		31,750			0,98	4T-66225	29	NTN
		32,791			1,16	4T-72225C	29	NTN
		33,236			1,75	4T-78225	29	NTN
		36,678			1,41	4T-555S	29	NTN
	41,275			1,24	4T-623	29	NTN	
	41,275			1,98	4T-635	29	NTN	
57,163		21,946			0,39	4T-387AS	29	NTN
57,531	96,838	21,946	15,875	21,000	0,58	4T-388A/382A	29	NTN
	98,425	21,946	17,826	21,946	0,61	4T-388A/382	29	NTN
		21,946			0,39	4T-388A	29	NTN
58,738		30,048			0,91	4T-3981	29	NTN
59,972	122,238	31,750	23,812	33,338	1,66	4T-66589/66520	29	NTN
59,977		25,400			0,53	4T-28980	29	NTN
60,000	85,000	17,000	14,000	17,000	0,29	32912X	29	NTN
	95,000	23,000	17,500	23,000	0,63	32012 A	29	SNR
	95,000	23,000	17,500	23,000	0,58	32012X	29	NTN
	95,000	24,000	19,000	24,000	0,60	4T-JLM508748/JLM508710	29	NTN
	95,000	26,000	21,000	27,000	0,65	CR-1252L	29	NTN
	95,000	27,000	21,000	27,000	0,69	33012	29	NTN
	95,000	27,000	21,000	27,000	0,70	33012 A	29	SNR
	100,000	30,000	23,000	30,000	0,91	33112	29	NTN
	100,000	30,000	23,000	30,000	0,92	33112 A	29	SNR
	107,950	25,400	19,050	25,400	0,99	4T-29580/29520	29	NTN
	110,000	21,996	18,824	22,000	0,91	4T-397/394A	29	NTN
	110,000	22,000	19,000	23,750	0,92	30212	29	NTN
	110,000	22,000	19,000	23,750	0,92	30212 A	29	SNR
	110,000	28,000	24,000	29,750	1,16	32212	29	NTN
	110,000	28,000	24,000	29,750	1,26	32212 A	29	SNR
	110,000	38,000	29,000	38,000	1,51	33212	29	NTN
	110,000	38,000	29,000	38,000	1,57	33212 A	29	SNR
	110,000	53,000			1,99	4T-430212X	30	NTN
	110,000	53,000			1,98	430212XU	30	NTN
	110,000	59,500			2,42	32212UDF	30	NTN
	110,000	66,000			2,51	432212U	30	NTN
	115,000	39,000	33,000	40,000	1,86	4T-T2EE060	29	NTN
	125,000	33,500	26,000	37,000	1,99	4T-T7FC060	29	NTN
	125,000	70,000			3,53	4T-CR1-1264ZZ	30	NTN
	130,000	31,000	22,000	33,500	1,97	30312D	29	NTN
	130,000	31,000	22,000	33,500	2,00	31312 A	29	SNR
	130,000	31,000	22,000	33,500	1,89	31312 VB22	29	SNR
	130,000	31,000	26,000	33,500	2,04	30312	29	NTN
	130,000	31,000	26,000	33,500	2,06	30312 A	29	SNR
	130,000	46,000	37,000	48,500	2,98	32312	29	NTN
	130,000	46,000	37,000	48,500	2,96	32312 A	29	SNR








								Brands
d	D	B	C	T	Kg	Reference		
60,000	130,000	46,000	37,000	48,500	2,99	32312C	29	NTN
	130,000	67,000			4,09	4T-30312DDF	30	NTN
	130,000	74,000			4,22	4T-430312DX	30	NTN
	130,000	74,000			4,31	430312U	30	NTN
	130,000	104,000			6,29	432312U	30	NTN
	130,200	30,924	22,650	34,300	2,02	4T-HM911244/HM911210	29	NTN
	140,000	67,000			4,23	4T-CR1-1265	30	NTN
	146,050	39,688	25,400	41,275	3,22	4T-H913840/H913810	29	NTN
	175,000	69,000			7,58	CR1-1252	30	NTN
	495,300	170,612			181,00	E-CRT1215V	37	NTN
		21,996			0,65	4T-397	29	NTN
		24,000			0,40	4T-JLM508748	29	NTN
		25,400			0,71	4T-29580	29	NTN
		30,924			1,35	4T-HM911244	29	NTN
	39,688			2,32	4T-H913840	29	NTN	
60,013		25,400			0,72	4T-29582	29	NTN
60,325	100,000	25,400	19,845	25,400	0,77	4T-28985/28921	29	NTN
	101,600	25,400	19,845	25,400	0,80	4T-28985/28920	29	NTN
	101,600	28,400	19,845	28,400	0,87	4T-CR-1272	29	NTN
	112,712	30,048	23,812	30,162	1,30	4T-3980/3920	29	NTN
	122,238	38,354	29,718	38,100	2,02	4T-HM212044/HM212011	29	NTN
	122,238	43,764	36,512	43,658	2,44	4T-5583/5535	29	NTN
	123,825	36,678	30,162	38,100	2,10	4T-558/552A	29	NTN
	123,825	79,375			3,31	4T-NA558/552D	30	NTN
	127,000	36,512	26,988	36,512	2,21	4T-HM813841/HM813810	29	NTN
	127,000	44,450	34,925	44,450	2,65	4T-65237/65500	29	NTN
	130,175	33,338	23,812	36,512	2,12	4T-HM911245/HM911210	29	NTN
	136,525	33,236	23,520	36,512	2,44	4T-78238/78537	29	NTN
	140,000	36,513	33,000	38,500	2,70	CR-1257	29	NTN
		25,400			0,53	4T-28985	29	NTN
		30,048			0,87	4T-3980	29	NTN
		33,338			1,42	4T-HM911245	29	NTN
	36,512			1,57	4T-HM813841	29	NTN	
	38,354			1,42	4T-HM212044	29	NTN	
	43,764			1,61	4T-5583	29	NTN	
	44,450			1,54	4T-65237	29	NTN	
60,337		33,236			1,67	4T-78238	29	NTN
61,000	150,000	35,000	30,000	38,000	3,38	4T-CR-1281	29	NTN
61,912	110,000	21,996	18,824	22,000	0,88	4T-392/394A	29	NTN
	112,712	21,996	23,812	26,967	1,06	4T-392/3920	29	NTN
	136,525	46,038	36,512	46,038	3,47	4T-H715334/H715311	29	NTN
	146,050	39,688	25,400	41,275	3,17	4T-H913842/H913810	29	NTN
		21,996			0,62	4T-392	29	NTN
		36,512			1,54	4T-HM813843	29	NTN
		39,688			2,27	4T-H913842	29	NTN
	46,038			2,49	4T-H715334	29	NTN	
61,976	99,979	24,608	19,050	24,608	0,71	4T-28990/28919	29	NTN
		24,608			0,49	4T-28990	29	NTN
62,738	100,000	25,400	19,845	25,400	0,71	4T-28995/28921	29	NTN
		25,400			0,49	4T-28995	29	NTN
63,500	94,458	19,050	15,083	19,050	0,45	4T-L610549/L610510	29	NTN
	104,775	22,000	15,875	22,000	0,67	4T-39250/39412	29	NTN
	107,950	25,400	19,050	25,400	0,91	4T-29585/29520	29	NTN
	107,950	25,400	19,050	25,400	0,92	4T-29586/29520	29	NTN



								Brands
d	D	B	C	T	Kg	Reference		
63,500	107,950	25,400	19,050	25,400	0,96	4T-29586/29522	29	NTN
	110,000	21,996	18,824	22,000	0,85	4T-390A/394A	29	NTN
	110,000	21,996	18,824	22,000	0,84	4T-395/394A	29	NTN
	110,000	21,996	22,000	22,000	0,79	4T-395/394	29	NTN
	110,000	25,400	19,050	25,400	0,98	4T-29585/29521	29	NTN
	110,000	30,048	23,812	30,162	1,13	4T-3982X/3927XS	29	NTN
	112,712	30,048	23,812	30,162	1,25	4T-3982/3920	29	NTN
	112,712	30,162	23,812	30,162	1,27	4T-39585/39520	29	NTN
	114,673	21,996	18,824	21,996	0,88	4T-390A/394AB	29	NTN
	120,000	29,007	24,237	29,794	1,49	4T-477/472	29	NTN
	120,000	29,007	24,237	29,794	1,48	4T-483/472	29	NTN
	122,238	38,354	29,718	38,100	1,95	4T-HM212046/HM212011	29	NTN
	122,238	38,354	29,718	38,354	1,92	4T-HM212047/HM212010	29	NTN
	122,238	38,354	29,718	38,354	1,92	4T-HM212047/HM212011	29	NTN
	122,238	43,764	36,512	43,764	2,31	4T-5584/5535	29	NTN
	123,825	36,678	30,162	38,100	2,01	4T-559/552A	29	NTN
	123,825	36,678	33,338	38,100	2,03	4T-559/552	29	NTN
	127,000	36,170	28,575	36,512	2,11	4T-565/563	29	NTN
	127,000	36,512	26,988	36,512	2,12	4T-HM813842/HM813810	29	NTN
	136,525	41,275	31,750	41,275	2,85	4T-639/632	29	NTN
	140,030	33,236	23,520	36,512	2,54	4T-78250/78551	29	NTN
		19,050			0,29	4T-L610549	29	NTN
		21,996			0,59	4T-390A	29	NTN
		21,996			0,59	4T-395	29	NTN
		22,000			0,49	4T-39250	29	NTN
		25,400			0,64	4T-29585	29	NTN
		25,400			0,65	4T-29586	29	NTN
		25,908			0,59	4T-M111048	29	NTN
		29,007			0,98	4T-483	29	NTN
		30,048			0,80	4T-3982	29	NTN
		30,162			0,90	4T-39585	29	NTN
		33,236			1,60	4T-78250	29	NTN
	36,170			1,44	4T-565	29	NTN	
	36,512			1,48	4T-HM813842	29	NTN	
	36,678			1,23	4T-559	29	NTN	
	38,354			1,35	4T-HM212046	29	NTN	
	38,354			1,34	4T-HM212047	29	NTN	
	41,275			1,79	4T-639	29	NTN	
65,000	90,000	17,000	14,000	17,000	0,31	32913X	29	NTN
	90,000	17,000	15,000	18,000	0,33	4T-CR-13A21	29	NTN
	100,000	23,000	17,500	23,000	0,67	32013 A	29	SNR
	100,000	23,000	17,500	23,000	0,63	32013X	29	NTN
	100,000	23,000	19,000	23,000	0,62	CR-1363	29	NTN
	100,000	27,000	21,000	27,000	0,73	33013	29	NTN
	100,000	27,000	21,000	27,000	0,78	33013 A	29	SNR
	105,000	23,000	18,500	24,000	0,74	4T-JLM710949/JLM710910	29	NTN
	105,000	23,000	18,500	24,000	0,74	4T-JLM710949C/JLM710910	29	NTN
	110,000	28,000	22,500	28,000	1,09	4T-JM511946/JM511910	29	NTN
	110,000	34,000	26,500	34,000	1,28	33113	29	NTN
	110,000	34,000	26,500	34,000	1,33	33113 A	29	SNR
	111,500	58,000			2,91	4T-C1R-1301	30	NTN
	120,000	23,000	20,000	24,750	1,18	30213	29	NTN
	120,000	23,000	20,000	24,750	1,15	30213 A	29	SNR
	120,000	23,000	20,000	24,750	1,15	30213 C	29	SNR
	120,000	31,000	27,000	32,750	1,55	32213	29	NTN
	120,000	31,000	27,000	32,750	1,55	32213 A	29	SNR
	120,000	38,500	32,000	39,000	1,84	4T-JH211749/JH211710	29	NTN
	120,000	41,000	32,000	41,000	1,98	33213	29	NTN
	120,000	41,000	32,000	41,000	2,03	33213 A	29	SNR
	120,000	56,000			2,49	4T-430213X	30	NTN
	120,000	56,000			2,54	430213XU	30	NTN








								Brands
d	D	B	C	T	Kg	Reference		
65,000	120,000	73,000			3,33	432213U	30	NTN
	130,000	33,500	26,000	37,000	2,11	4T-T7FC065	29	NTN
	140,000	33,000	23,000	36,000	2,42	30313D	29	NTN
	140,000	33,000	23,000	36,000	2,47	31313 A	29	SNR
	140,000	33,000	28,000	36,000	2,50	30313	29	NTN
	140,000	33,000	28,000	36,000	2,47	30313 A	29	SNR
	140,000	48,000	39,000	51,000	3,66	32313	29	NTN
	140,000	48,000	39,000	51,000	3,64	32313 A	29	SNR
	140,000	48,000	39,000	51,000	3,76	32313 BA	29	SNR
	140,000	72,000			4,13	4T-30313DDF	30	NTN
	140,000	77,500			2,73	CR1-1372LL	30	NTN
	140,000	79,000			5,16	4T-430313DX	30	NTN
	140,000	79,000			5,41	430313XU	30	NTN
	140,000	108,000			7,55	432313U	30	NTN
		23,000			0,50	4T-JLM710949C	29	NTN
		23,000			0,50	4T-JLM710949	29	NTN
		28,000			0,75	4T-JM511946	29	NTN
		30,000			0,76	4T-JM511945	29	NTN
	38,500			1,22	4T-JH211749	29	NTN	
65,088	135,755	56,007	44,450	53,975	3,71	4T-6379/6320	29	NTN
		56,007			2,33	4T-6379	29	NTN
66,000	124,000	41,500	34,000	41,500	2,14	4T-H212749/H212710	29	NTN
		41,500			1,48	4T-H212749	29	NTN
66,675	103,213	17,602	11,989	17,602	0,48	4T-L812148/L812111	29	NTN
	107,950	25,400	19,050	25,400	0,85	4T-29590/29520	29	NTN
	107,950	25,400	19,050	25,400	0,86	4T-29590/29522	29	NTN
	110,000	21,996	18,824	22,000	0,79	4T-395A/394A	29	NTN
	110,000	21,996	18,824	22,000	0,79	4T-395S/394A	29	NTN
	110,000	21,996	22,000	22,000	0,79	4T-395A/394	29	NTN
	110,000	25,400	19,050	25,400	0,91	4T-29590/29521	29	NTN
	112,712	30,048	23,812	30,162	1,17	4T-3984/3920	29	NTN
	112,712	30,048	23,812	30,162	1,19	4T-3984/3925	29	NTN
	112,712	30,048	23,812	30,162	1,18	4T-3994/3920	29	NTN
	112,712	30,162	23,812	30,162	1,19	4T-39590/39520	29	NTN
	113,487	23,447	18,824	22,000	0,91	4T-395CS/394CS	29	NTN
	117,475	30,162	23,812	30,162	1,33	4T-33262/33462	29	NTN
	122,238	38,354	29,718	38,354	1,86	4T-HM212049/HM212010	29	NTN
	123,825	36,678	30,162	38,100	1,92	4T-560/552A	29	NTN
	123,825	36,678	33,338	38,100	1,95	4T-560/552	29	NTN
	127,000	36,512	26,988	36,512	2,03	4T-HM813844/HM813810	29	NTN
	130,175	41,275	31,750	41,275	2,41	4T-641/633	29	NTN
	135,755	56,007	44,450	56,007	3,64	4T-6386/6320	29	NTN
	136,525	41,275	31,750	41,275	2,75	4T-H414242/H414210	29	NTN
	136,525	41,275	31,750	41,275	2,74	4T-641/632	29	NTN
	136,525	46,038	36,512	46,038	3,26	4T-H715341A/H715311	29	NTN
		17,602			0,34	4T-L812148	29	NTN
		21,996			0,53	4T-395A	29	NTN
		21,996			0,53	4T-395S	29	NTN
		25,400			0,58	4T-29590	29	NTN
		30,048			0,73	4T-3984	29	NTN
		30,048			0,72	4T-3994	29	NTN
		30,162			0,91	4T-33262	29	NTN
		30,162			0,83	4T-39590	29	NTN
		36,512			1,39	4T-HM813844	29	NTN
		36,678			1,15	4T-560	29	NTN
	38,354			1,26	4T-HM212049	29	NTN	
	41,275			1,89	4T-H414242	29	NTN	
	41,275			1,68	4T-641	29	NTN	
	46,038			2,32	4T-H715341A	29	NTN	



							 Brands
d	D	B	C	T	Kg	Reference	
66,675		56,007			2,26	4T-6386	29 NTN
68,262	110,000	21,996	18,824	22,000	0,76	4T-399A/394A	29 NTN
	110,000	21,996	18,824	22,000	0,75	4T-399AS/394A	29 NTN
	120,000	29,007	24,237	29,794	1,37	4T-480/472	29 NTN
	123,825	36,678	30,162	38,100	1,86	4T-560S/552A	29 NTN
	136,525	41,275	31,750	41,275	2,70	4T-H414245/H414210	29 NTN
	136,525	46,038	36,512	46,038	3,24	4T-H715343/H715311	29 NTN
	152,400	46,038	31,750	47,625	3,77	4T-9185/9121	29 NTN
	161,925	46,038	31,750	49,212	4,64	4T-9278/9220	29 NTN
		21,996			0,49	4T-399AS	29 NTN
		21,996			0,50	4T-399A	29 NTN
		29,007			0,88	4T-480	29 NTN
		36,678			1,10	4T-560S	29 NTN
		41,275			1,89	4T-H414245	29 NTN
		46,038			2,49	4T-9185	29 NTN
		46,038			2,28	4T-H715343	29 NTN
69,850	101,600	19,050	15,083	19,050	0,51	4T-L713049/L713010	29 NTN
	112,712	25,400	19,050	25,400	0,95	4T-29675/29620	29 NTN
	117,475	30,162	23,812	30,162	1,26	4T-33275/33462	29 NTN
	120,000	29,007	23,444	29,007	1,50	4T-482/472A	29 NTN
	120,000	29,007	24,237	29,794	1,33	4T-482/472	29 NTN
	120,000	30,162	23,444	30,162	1,35	4T-33275/33472	29 NTN
	120,000	32,545	26,195	32,545	1,47	4T-47487/47420	29 NTN
	120,000	65,090			2,73	NA482/472D	30 NTN
	120,000	65,090			2,85	4T-482/472D+A	30 NTN
	120,650	25,400	19,050	25,400	1,17	4T-29675/29630	29 NTN
	123,825	29,007	24,605	30,162	1,50	4T-482/472X	29 NTN
	127,000	36,170	28,575	36,512	1,92	4T-566/563	29 NTN
	127,000	36,512	26,988	36,512	1,90	4T-HM813846/HM813810	29 NTN
	136,525	41,275	31,750	41,275	2,63	4T-643/632	29 NTN
	136,525	95,250			5,76	4T-NA643/632D	30 NTN
	136,525	95,250			5,26	4T-643/632D+A	30 NTN
	146,050	39,688	25,400	41,275	2,88	4T-H913849/H913810	29 NTN
	146,050	41,275	31,750	41,275	2,50	4T-655/653	29 NTN
	150,089	46,672	36,512	46,672	3,92	4T-745A/742	29 NTN
	168,275	56,363	41,275	53,975	6,13	4T-835/832	29 NTN
		19,050			0,33	4T-L713049	29 NTN
		25,400			0,67	4T-29675	29 NTN
		29,007			0,80	4T-482	29 NTN
		30,162			0,83	4T-33275	29 NTN
		32,545			0,98	4T-47487	29 NTN
		36,170			1,24	4T-566	29 NTN
		39,688			1,98	4T-H913849	29 NTN
		41,275			1,57	4T-643	29 NTN
		41,275			2,50	4T-655	29 NTN
		46,672			2,86	4T-745A	29 NTN
		56,363			4,39	4T-835	29 NTN
69,952	121,442	23,012	17,462	24,608	1,11	4T-34274/34478	29 NTN
		23,012			0,78	4T-34274	29 NTN
69,987	176,212	53,183	36,512	54,770	6,40	4T-H916642/H916610	29 NTN
70,000	100,000	20,000	16,000	20,000	0,48	32914X	29 NTN
	110,000	25,000	19,000	25,000	0,90	32014 A	29 SNR
	110,000	25,000	19,000	25,000	0,85	32014X	29 NTN
	110,000	25,000	20,500	26,000	0,88	4T-JLM813049/JLM813010	29 NTN
	110,000	31,000	25,500	31,000	1,07	33014	29 NTN
	110,000	31,000	25,500	31,000	1,11	33014 A	29 SNR
	115,000	29,000	23,000	29,000	1,11	4T-JM612949/JM612910	29 NTN








								Brands
d	D	B	C	T	Kg	Reference		
70,000	120,000	29,007	24,237	29,794	1,31	4T-484/472	29	NTN
	120,000	37,000	29,000	37,000	1,66	33114	29	NTN
	125,000	24,000	21,000	26,250	1,28	30214	29	NTN
	125,000	24,000	21,000	26,250	1,30	30214 A	29	SNR
	125,000	26,250			2,69	30214UDF	30	NTN
	125,000	31,000	27,000	33,250	1,68	32214	29	NTN
	125,000	31,000	27,000	33,250	1,74	32214 A	29	SNR
	125,000	41,000	32,000	41,000	2,08	33214	29	NTN
	125,000	41,000	32,000	41,000	2,17	33214 A	29	SNR
	125,000	59,000			2,67	4T-430214	30	NTN
	125,000	59,000			2,80	430214U	30	NTN
	125,000	74,000			3,56	432214U	30	NTN
	136,525	46,038	36,512	46,038	2,82	4T-H715347/H715311	29	NTN
	140,000	35,500	27,000	39,000	2,57	4T-T7FC070	29	NTN
	150,000	35,000	25,000	38,000	2,88	30314D	29	NTN
	150,000	35,000	25,000	38,000	2,95	31314 A	29	SNR
	150,000	35,000	30,000	38,000	3,02	30314	29	NTN
	150,000	35,000	30,000	38,000	3,05	30314 A	29	SNR
	150,000	51,000	42,000	54,000	4,46	32314	29	NTN
	150,000	51,000	42,000	54,000	4,31	32314 A	29	SNR
	150,000	51,000	42,000	54,000	4,42	32314 BA	29	SNR
	150,000	51,000	42,000	54,000	4,18	32314C	29	NTN
	150,000	76,000			6,20	4T-30314DDF	30	NTN
	150,000	76,000			6,14	30314UDF	30	NTN
	150,000	83,000			6,23	4T-430314DX	30	NTN
	150,000	83,000			6,42	430314DXU	30	NTN
	150,000	83,000			6,37	430314XU	30	NTN
	150,000	116,000			9,28	432314U	30	NTN
	204,000	76,200			16,00	CR1-1461	30	NTN
	240,000	90,000			13,19	E-CR1-1493LL	30	NTN
	249,000	100,000			24,40	CR1-1460	30	NTN
		25,000			0,58	4T-JLM813049	29	NTN
		29,000			0,75	4T-JM612949	29	NTN
	29,007			0,84	4T-484	29	NTN	
71,438	117,475	30,162	23,812	30,162	1,21	4T-33281/33462	29	NTN
	120,000	30,162	23,444	30,162	1,30	4T-33281/33472	29	NTN
	120,000	32,545	26,195	32,545	1,42	4T-47490/47420	29	NTN
	127,000	36,170	28,575	36,512	1,87	4T-567A/563	29	NTN
	127,000	36,512	26,988	36,512	1,84	4T-HM813849/HM813810	29	NTN
	136,525	41,275	31,750	41,275	2,58	4T-H414249/H414210	29	NTN
	136,525	41,275	31,750	41,275	2,57	4T-644/632	29	NTN
	136,525	41,275	31,750	41,275	2,52	4T-645/632	29	NTN
	136,525	46,038	36,512	46,038	3,11	4T-H715345/H715311	29	NTN
		30,162			0,78	4T-33281	29	NTN
		32,545			0,98	4T-47490	29	NTN
		36,512			1,24	4T-HM813849	29	NTN
		41,275			1,78	4T-H414249	29	NTN
		41,275			1,52	4T-644	29	NTN
		41,275			1,50	4T-645	29	NTN
		46,038			2,14	4T-H715345	29	NTN
73,025	112,712	25,400	19,050	25,400	0,86	4T-29685/29620	29	NTN
	114,287	58,738			2,09	4T-29685/29622D+A	30	NTN
	117,475	30,162	23,812	30,162	1,18	4T-33287/33462	29	NTN
	120,000	30,162	23,444	30,162	1,26	4T-33287/33472	29	NTN
	127,000	36,170	28,575	36,512	1,82	4T-567/563	29	NTN
	127,000	80,962			3,85	4T-NA567/563D	30	NTN
	139,992	36,098	28,575	36,512	2,53	4T-576/572	29	NTN
	149,225	54,229	44,450	54,229	4,42	4T-6460/6420	29	NTN
	150,089	46,672	36,512	44,450	3,79	4T-744/742	29	NTN
		25,400			0,60	4T-29685	29	NTN



							 Brands		
d	D	B	C	T	Kg	Reference			
73,025		30,162			0,74	4T-33287	29	NTN	
		36,170			1,16	4T-567	29	NTN	
		39,370			0,97	4T-M514546	29	NTN	
		46,672			2,73	4T-744	29	NTN	
		54,229			2,79	4T-6460	29	NTN	
73,817	112,712	25,400	19,050	25,400	0,86	4T-29688/29620	29	NTN	
	127,000	36,170	28,575	36,512	1,80	4T-568/563	29	NTN	
		25,400			0,59	4T-29688	29	NTN	
		36,170			1,13	4T-568	29	NTN	
74,612	139,992	36,098	28,575	36,512	2,48	4T-577/572	29	NTN	
75,000	105,000	20,000	16,000	20,000	0,51	32915X	29	NTN	
	105,000	40,000			0,99	32915DF	30	NTN	
	115,000	25,000	19,000	25,000	0,91	32015 A	29	SNR	
	115,000	25,000	19,000	25,000	0,90	32015X	29	NTN	
	115,000	25,000	19,000	25,000	0,88	4T-JLM714149/JLM714110	29	NTN	
	115,000	31,000	25,500	31,000	1,11	33015	29	NTN	
	115,000	31,000	25,500	31,000	1,18	33015 A	29	SNR	
	115,000	31,000	25,500	31,000	1,15	33015 VC12	29	SNR	
	115,000	62,000			2,27	33015UDF	30	NTN	
	120,000	29,500	25,000	31,000	1,28	4T-JM714249/JM714210	29	NTN	
	125,000	37,000	29,000	37,000	1,73	33115	29	NTN	
	125,000	37,000	29,000	37,000	1,81	33115 A	29	SNR	
	130,000	25,000	22,000	27,250	1,41	30215	29	NTN	
	130,000	25,000	22,000	27,250	1,40	30215 A	29	SNR	
	130,000	25,000	22,000	27,250	1,39	30215 C	29	SNR	
	130,000	31,000	27,000	33,250	1,72	32215	29	NTN	
	130,000	31,000	27,000	33,250	1,77	32215 A	29	SNR	
	130,000	41,000	31,000	41,000	2,20	33215	29	NTN	
	130,000	41,000	31,000	41,000	2,27	33215 A	29	SNR	
	130,000	54,500			2,85	4T-30215DF	30	NTN	
	130,000	62,000			2,99	4T-430215	30	NTN	
	130,000	62,000			3,08	430215U	30	NTN	
	130,000	66,500			3,55	32215UDF	30	NTN	
	130,000	74,000			3,68	432215U	30	NTN	
	130,000	80,000			4,00	CR1-1561	30	NTN	
	145,000	51,000	42,000	51,000	3,77	4T-JH415647/JH415610	29	NTN	
	160,000	37,000	26,000	40,000	3,54	30315D	29	NTN	
	160,000	37,000	31,000	40,000	3,54	30315	29	NTN	
	160,000	37,000	31,000	40,000	3,57	30315 A	29	SNR	
	160,000	55,000	45,000	58,000	5,40	32315	29	NTN	
	160,000	55,000	45,000	58,000	5,37	32315 A	29	SNR	
	160,000	55,000	45,000	58,000	5,20	32315 BC	29	SNR	
	160,000	55,000	45,000	58,000	5,65	32315C	29	NTN	
	160,000	80,000			7,20	30315DUDF	30	NTN	
	160,000	87,000			7,31	430315DU	30	NTN	
	160,000	87,000			7,71	430315XU	30	NTN	
	160,000	125,000			11,50	432315U	30	NTN	
		25,000			0,60	4T-JLM714149	29	NTN	
		29,500			0,84	4T-JM714249	29	NTN	
		51,000			2,63	4T-JH415647	29	NTN	
	76,000	132,000	39,000	32,000	39,000	2,08	4T-HM215249/HM215210	29	NTN
			39,000			1,43	4T-HM215249	29	NTN
76,200	109,538	19,050	15,083	19,050	0,58	4T-L814749/L814710	29	NTN	
	121,442	23,012	17,462	24,608	0,98	4T-34300/34478	29	NTN	
	121,442	23,012	17,462	24,608	0,98	4T-34301/34478	29	NTN	
	127,000	23,012	19,842	26,998	1,19	4T-34301/34500	29	NTN	
	127,000	31,000	22,225	31,000	1,44	4T-42687/42620	29	NTN	








								Brands
d	D	B	C	T	Kg	Reference		
76,200	127,000	31,000	22,225	31,000	1,42	4T-42688/42620	29	NTN
	133,350	33,338	26,195	33,338	1,92	4T-47678/47620	29	NTN
	133,350	33,338	26,195	33,338	1,90	4T-47679/47620	29	NTN
	133,350	39,688	32,545	39,688	2,43	4T-HM516442/HM516410	29	NTN
	135,733	46,100	34,925	44,450	2,75	4T-5760/5735	29	NTN
	136,525	29,769	22,225	30,162	1,80	4T-495A/493	29	NTN
	136,525	29,769	22,225	30,162	1,78	4T-495AX/493	29	NTN
	136,525	69,850			4,15	4T-495A/493D+A	30	NTN
	139,700	36,098	28,575	36,098	2,40	4T-575/572X	29	NTN
	139,992	36,098	28,575	36,512	2,43	4T-575/572	29	NTN
	139,992	36,098	28,575	36,512	2,41	4T-575S/572	29	NTN
	142,138	46,100	33,338	44,450	2,91	4T-HM515745/HM515716	29	NTN
	146,050	41,275	31,750	41,275	3,04	4T-659/653	29	NTN
	149,225	54,229	44,450	54,229	4,26	4T-6461/6420	29	NTN
	149,225	54,229	44,450	54,229	4,24	4T-6461A/6420	29	NTN
	150,089	46,672	36,512	46,672	3,64	4T-748S/742	29	NTN
	161,925	33,338			3,58	CRT1512	37	NTN
	161,925	48,260	38,100	48,260	4,72	4T-755/752	29	NTN
	161,925	55,100	42,862	55,100	5,43	4T-6575/6535	29	NTN
	161,925	55,100	42,862	55,100	5,44	4T-6576/6535	29	NTN
	161,925	105,562			9,08	4T-9285/9220D+A	30	NTN
	171,450	50,800	31,750	49,212	5,26	4T-9378/9321	29	NTN
	171,450	125,412			13,60	4T-843/834D+A	30	NTN
	180,975	53,183	35,720	53,975	6,60	4T-H917840/H917810	29	NTN
	190,500	57,531	46,038	57,150	8,69	4T-HH221430/HH221410	29	NTN
		23,012			0,66	4T-34300	29	NTN
		23,012			0,65	4T-34301	29	NTN
		29,769			1,24	4T-495A	29	NTN
		29,769			1,24	4T-495AX	29	NTN
		31,000			1,01	4T-42687	29	NTN
		31,000			0,99	4T-42688	29	NTN
		33,338			1,32	4T-47678	29	NTN
		33,338			1,34	4T-47679	29	NTN
		33,338			1,37	4T-47680	29	NTN
	36,098			1,64	4T-575	29	NTN	
	41,275			2,15	4T-659	29	NTN	
	46,672			2,58	4T-748S	29	NTN	
	48,260			3,11	4T-755	29	NTN	
	54,229			2,63	4T-6461	29	NTN	
	54,229			2,60	4T-6461A	29	NTN	
	55,100			3,74	4T-6575	29	NTN	
	55,100			3,77	4T-6576	29	NTN	
	46,100			1,84	4T-HM515745	29	NTN	
77,788	117,475	25,400	19,050	25,400	0,93	4T-LM814849/LM814810	29	NTN
	121,442	23,012	17,462	24,608	0,94	4T-34306/34478	29	NTN
	127,000	23,012	19,842	26,988	1,15	4T-34306/34500	29	NTN
	127,000	31,000	22,225	31,000	1,39	4T-42690/42620	29	NTN
	136,525	29,769	22,225	30,162	1,78	4T-495AS/493	29	NTN
	136,525	46,038	36,512	46,038	2,84	4T-H715348/H715311	29	NTN
		16,400			0,38	4T-34492A	29	NTN
		23,012			0,62	4T-34306	29	NTN
		25,400			0,63	4T-LM814849	29	NTN
		31,000			0,96	4T-42690	29	NTN
		46,038			1,86	4T-H715348	29	NTN
79,375	146,050	41,275	653,000	41,275	2,91	4T-661/653	29	NTN
	152,400	41,275	31,750	41,275	3,28	4T-661/652	29	NTN
	161,925	48,260	38,100	47,625	4,55	4T-756A/752	29	NTN
	190,500	57,531	46,038	57,150	8,52	4T-HH221431/HH221410	29	NTN
		41,275			2,02	4T-661	29	NTN
	48,260			2,94	4T-756A	29	NTN	



							 Brands
d	D	B	C	T	Kg	Reference	
79,985	139,992	82,550			4,79	4T-578/572D+A	30 NTN
	139,992	82,550			5,13	4T-578/572DC+A	30 NTN
80,000	110,000	20,000	16,000	20,000	0,54	32916X	29 NTN
	125,000	29,000	22,000	29,000	1,33	32016 A	29 SNR
	125,000	29,000	22,000	29,000	1,28	32016X	29 NTN
	125,000	36,000	29,500	36,000	1,60	33016	29 NTN
	125,000	36,000	29,500	36,000	1,68	33016 A	29 SNR
	125,000	36,000	29,500	36,000	1,61	33016 VC12	29 SNR
	130,000	34,000	28,500	35,000	1,72	4T-JM515649/JM515610	29 NTN
	130,000	37,000	29,000	37,000	1,84	33116	29 NTN
	130,000	37,000	29,000	37,000	1,91	33116 A	29 SNR
	140,000	26,000	22,000	28,250	1,68	30216	29 NTN
	140,000	26,000	22,000	28,250	1,74	30216 A	29 SNR
	140,000	33,000	28,000	35,250	2,16	32216	29 NTN
	140,000	33,000	28,000	35,250	2,20	32216 A	29 SNR
	140,000	46,000	35,000	46,000	2,92	33216	29 NTN
	140,000	46,000	35,000	46,000	2,95	33216 A	29 SNR
	140,000	61,000			3,54	CR1-1677C3	30 NTN
	140,000	64,000			3,70	430216XU	30 NTN
	140,000	78,000			4,53	432216XU	30 NTN
	147,000	40,000	35,200	40,000	2,94	4T-HM218238/HM218210	29 NTN
	170,000	39,000	27,000	42,500	4,11	30316D	29 NTN
	170,000	39,000	33,000	42,500	4,41	30316	29 NTN
	170,000	39,000	33,000	42,500	4,36	30316 A	29 SNR
	170,000	58,000	48,000	61,500	6,09	32316	29 NTN
	170,000	58,000	48,000	61,500	6,30	32316 BC12	29 SNR
	170,000	58,000	48,000	61,500	6,50	32316C	29 NTN
	170,000	85,000			8,46	30316DUDF	30 NTN
	170,000	92,000			8,99	430316DU	30 NTN
	170,000	92,000			9,10	430316XU	30 NTN
	170,000	131,000			13,60	432316U	30 NTN
		34,000			1,14	4T-JM515649	29 NTN
		46,672			2,42	4T-748	29 NTN
		49,212			5,72	4T-98316	29 NTN
80,962	133,350	33,338	26,195	33,338	1,78	4T-47681/47620	29 NTN
	136,525	29,769	22,225	30,162	1,66	4T-496/493	29 NTN
	136,525	69,850			3,89	4T-496/493DC+A	30 NTN
	139,992	36,098	28,575	36,512	2,26	4T-581/572	29 NTN
	150,089	46,672	36,512	46,672	3,50	4T-740/742	29 NTN
		29,769			1,12	4T-496	29 NTN
		33,338			1,20	4T-47681	29 NTN
		36,098			1,40	4T-581	29 NTN
		46,672			2,50	4T-740	29 NTN
82,550	115,888	21,433	16,670	20,638	0,64	4T-L116149/L116110	29 NTN
	125,412	25,400	19,845	25,400	1,07	4T-27687/27620	29 NTN
	133,350	29,769	22,225	30,162	1,49	4T-495/492A	29 NTN
	133,350	33,338	26,195	33,338	1,72	4T-47686/47620	29 NTN
	133,350	33,338	26,195	33,338	1,68	4T-47687/47620	29 NTN
	133,350	39,688	32,545	39,688	2,16	4T-HM516448/HM516410	29 NTN
	133,350	39,688	32,545	39,688	2,15	4T-HM516449/HM516410	29 NTN
	136,525	29,769	22,225	30,162	1,60	4T-495/493	29 NTN
	136,525	69,850			3,74	4T-495/493D+A	30 NTN
	139,700	36,098	28,575	36,512	2,18	4T-580/572X	29 NTN
	139,992	36,098	28,575	36,512	2,20	4T-580/572	29 NTN
	139,992	36,098	28,575	36,512	2,19	4T-582/572	29 NTN
	139,992	82,550			4,56	4T-580/572D	30 NTN
	139,992	82,550			4,64	4T-582/572D+A	30 NTN
	146,050	41,275	31,750	41,275	2,78	4T-663/653	29 NTN
	150,089	46,672	36,512	46,672	3,37	4T-749A/742	29 NTN








								Brands
d	D	B	C	T	Kg	Reference		
82,550	152,400	36,322	30,162	39,688	3,02	4T-595/592A	29	NTN
	152,400	41,275	31,750	41,275	3,15	4T-663/652	29	NTN
	155,575	101,600			7,30	4T-749A/742D	30	NTN
	155,575	101,600			7,50	4T-749A/742D+A	30	NTN
	161,925	48,260	38,100	47,625	4,42	4T-757/752	29	NTN
	161,925	55,100	42,862	53,975	5,09	4T-6559C/6535	29	NTN
	161,925	55,100	42,862	55,100	5,06	4T-6559/6535	29	NTN
	168,275	48,260	38,100	48,260	4,91	4T-757/753	29	NTN
	168,275	56,363	41,275	53,975	5,46	4T-842/832	29	NTN
	171,450	125,412			12,50	4T-842/834D+A	30	NTN
		25,400			0,70	4T-27687	29	NTN
		29,769			1,07	4T-495	29	NTN
		33,338			1,12	4T-47687	29	NTN
		33,338			1,14	4T-47686	29	NTN
		36,098			1,41	4T-580	29	NTN
		36,098			1,39	4T-582	29	NTN
		36,322			1,96	4T-595	29	NTN
		39,688			1,39	4T-HM516449	29	NTN
		39,688			1,39	4T-HM516448	29	NTN
	83,345	125,412	25,400	19,845	25,400	1,06	4T-27689/27620	29
125,412		25,400	19,845	25,400	1,05	4T-27690/27620	29	NTN
125,412		25,400	19,845	25,400	1,04	4T-27691/27620	29	NTN
		25,400			0,68	4T-27690	29	NTN
84,138	133,350	29,769	22,225	30,162	1,45	4T-498/492A	29	NTN
	136,525	29,769	22,225	30,162	1,60	4T-498/493	29	NTN
	171,450	46,038	31,750	49,212	4,67	4T-9386H/9321	29	NTN
		29,769			1,02	4T-498	29	NTN
		41,275			1,82	4T-664	29	NTN
84,975	125,412	25,400	19,845	25,400	0,97	4T-27695/27620	29	NTN
		25,400			0,63	4T-27695	29	NTN
		29,769			0,99	4T-499A	29	NTN
85,000	120,000	23,000	18,000	23,000	0,77	32917X	29	NTN
	130,000	29,000	22,000	29,000	1,38	32017 A	29	SNR
	130,000	29,000	22,000	29,000	1,33	32017X	29	NTN
	130,000	29,000	24,000	30,000	1,35	4T-JM716648/JM716610	29	NTN
	130,000	29,000	24,000	30,000	1,37	4T-JM716649/JM716610	29	NTN
	130,000	36,000	29,500	36,000	1,70	33017	29	NTN
	130,000	36,000	29,500	36,000	1,73	33017 A	29	SNR
	130,000	36,000	29,500	36,000	1,73	33017 VC12	29	SNR
	140,000	38,000	31,500	39,000	2,28	4T-JHM516849/JHM516810	29	NTN
	140,000	41,000	32,000	41,000	2,40	33117	29	NTN
	140,000	41,000	32,000	41,000	2,49	33117 A	29	SNR
	150,000	28,000	24,000	30,500	2,10	30217	29	NTN
	150,000	28,000	24,000	30,500	2,14	30217 A	29	SNR
	150,000	36,000	30,000	38,500	2,70	32217	29	NTN
	150,000	36,000	30,000	38,500	2,68	32217 A	29	SNR
	150,000	46,000	38,000	46,000	3,36	4T-JH217249/JH217210	29	NTN
	150,000	49,000	37,000	49,000	3,58	33217	29	NTN
	150,000	49,000	37,000	49,000	3,68	33217 A	29	SNR
	150,000	61,000			4,46	30217UDF	30	NTN
	150,000	70,000			4,59	430217XU	30	NTN
150,000	77,000			5,64	4T-32217DF	30	NTN	
150,000	77,000			5,68	32217UDF	30	NTN	
150,000	86,000			5,85	432217XU	30	NTN	



							 Brands
d	D	B	C	T	Kg	Reference	
85,000	170,000	45,000	33,000	48,000	4,73	4T-T7FC085	29 NTN
	180,000	41,000	28,000	44,500	4,85	30317D	29 NTN
	180,000	41,000	34,000	44,500	5,20	30317	29 NTN
	180,000	60,000	46,000	63,500	7,13	32317 BC12	29 SNR
	180,000	60,000	49,000	63,500	7,15	32317	29 NTN
	180,000	60,000	49,000	63,500	7,45	32317 A	29 SNR
	180,000	89,000			10,20	30317DUDF	30 NTN
	180,000	98,000			10,60	430317DU	30 NTN
	180,000	98,000			12,44	430317XU	30 NTN
	180,000	137,000			15,40	432317U	30 NTN
		29,000			0,89	4T-JM716648	29 NTN
		29,000			0,92	4T-JM716649	29 NTN
		38,000			1,52	4T-JHM516849	29 NTN
		46,000			2,28	4T-JH217249	29 NTN
85,026	150,089	46,672	36,512	46,672	3,23	4T-749/742	29 NTN
		46,672			2,16	4T-749	29 NTN
85,725	133,350	29,769	22,225	30,162	1,43	4T-497/492A	29 NTN
	136,525	29,769	22,225	30,162	1,50	4T-497/493	29 NTN
	142,138	42,862	34,133	42,862	2,69	4T-HM617049/HM617010	29 NTN
	146,050	41,275	31,750	41,275	2,65	4T-665/653	29 NTN
	152,400	36,322	30,162	39,688	2,90	4T-596/592A	29 NTN
	152,400	41,275	31,750	41,275	3,02	4T-665/652	29 NTN
	161,925	48,260	38,100	48,260	4,26	4T-758/752	29 NTN
	168,275	56,363	41,275	53,975	5,28	4T-841/832	29 NTN
	184,150	73,025			8,53	NA497SW/K326071	30 NTN
		29,769			0,97	4T-497	29 NTN
		29,769			0,95	4T-497A	29 NTN
		36,322			1,84	4T-596	29 NTN
		41,275			2,93	4T-677	29 NTN
		41,275			1,74	4T-665	29 NTN
		41,275			1,72	4T-665A	29 NTN
	42,862			1,77	4T-HM617049	29 NTN	
	48,260			2,65	4T-758	29 NTN	
	56,363			3,54	4T-841	29 NTN	
87,312	152,400	82,550			5,41	4T-596S/592DC+A	30 NTN
87,960	148,430	28,971	21,433	28,575	1,99	4T-42346/42584	29 NTN
		28,971			1,44	4T-42346	29 NTN
88,900	121,442	15,083	11,112	15,083	0,45	4T-LL217849/LL217810	29 NTN
	123,825	20,638	16,670	20,638	0,73	4T-L217849/L217810	29 NTN
	148,430	28,971	21,433	28,971	1,96	4T-42350/42584	29 NTN
	149,225	66,672			4,50	4T-42350/42587D+A	30 NTN
	152,400	36,322	30,162	39,688	2,77	4T-593/592A	29 NTN
	152,400	39,688	30,162	39,688	2,86	4T-HM518445/HM518410	29 NTN
	152,400	82,550			5,56	NA593/592D	30 NTN
	152,400	82,550			5,76	4T-593/592D+A	30 NTN
	161,925	48,260	38,100	48,260	4,09	4T-759/752	29 NTN
	161,925	55,100	42,862	53,975	4,73	4T-6580/6535	29 NTN
	161,925	104,775			7,48	4T-NA759/752D	30 NTN
	161,925	104,775			7,48	4T-NA759SW/752D	30 NTN
	168,275	56,363	41,275	53,975	5,08	4T-850/832	29 NTN
	190,500	57,531	44,450	57,150	7,93	4T-855/854	29 NTN
	190,500	57,531	46,038	57,531	7,94	4T-HH221434/HH221410	29 NTN
	200,000	49,212	34,925	52,761	7,64	4T-98350/98788	29 NTN
	200,000	105,522			14,90	4T-98350/98788DF	30 NTN
	206,375	104,775			12,14	4T-NA759SW/K312486	30 NTN
		20,638			0,50	4T-L217849	29 NTN
		28,971			1,41	4T-42350	29 NTN








								Brands
d	D	B	C	T	Kg	Reference		
88,900		36,322			1,70	4T-593A	29	NTN
		36,322			0,76	4T-593	29	NTN
		39,688			2,10	4T-HM518445	29	NTN
		48,260			2,48	4T-759	29	NTN
		49,212			5,08	4T-98350	29	NTN
		55,100			3,06	4T-6580	29	NTN
		56,363			3,34	4T-850	29	NTN
		57,531			5,85	4T-HH221434	29	NTN
		57,531			5,18	4T-855	29	NTN
89,891	171,450	125,412			15,28	4T-850A/834D+A	30	NTN
90,000	125,000	23,000	18,000	23,000	0,80	32918X	29	NTN
	140,000	32,000	24,000	32,000	1,69	32018 A	29	SNR
	140,000	32,000	24,000	32,000	1,79	32018X	29	NTN
	140,000	39,000	32,500	39,000	2,19	33018	29	NTN
	140,000	39,000	32,500	39,000	2,20	33018 A	29	SNR
	140,000	72,500			3,67	CR1-1871	30	NTN
	145,000	34,000	27,000	35,000	2,11	4T-JM718149/JM718110	29	NTN
	147,000	40,000	32,500	40,000	2,52	4T-HM218248/HM218210	29	NTN
	150,000	45,000	35,000	45,000	3,20	33118	29	NTN
	150,000	45,000	35,000	45,000	3,15	33118 A	29	SNR
	155,000	44,000	35,500	44,000	3,33	4T-JHM318448/JHM318410	29	NTN
	155,000	85,000			6,10	4T-CR1-1881	30	NTN
	160,000	30,000	26,000	32,500	2,64	30218	29	NTN
	160,000	30,000	26,000	32,500	2,63	30218 A	29	SNR
	160,000	40,000	34,000	42,500	3,49	32218	29	NTN
	160,000	40,000	34,000	42,500	3,51	32218 A	29	SNR
	160,000	40,000	34,000	42,500	3,29	32218 C	29	SNR
	160,000	55,000	42,000	55,000	4,62	33218	29	NTN
	160,000	55,100	44,450	55,100	4,52	4T-6581X/6525X	29	NTN
	160,000	65,000			5,47	4T-30218DF	30	NTN
	160,000	74,000			5,76	430218U	30	NTN
	160,000	85,000			7,20	32218UDF	30	NTN
	160,000	94,000			7,35	432218U	30	NTN
	161,925	55,100	42,862	55,100	4,66	4T-6581X/6535	29	NTN
	190,000	43,000	30,000	46,500	5,66	30318D	29	NTN
	190,000	43,000	36,000	46,500	6,03	30318	29	NTN
	190,000	64,000	53,000	67,500	8,60	32318	29	NTN
	190,000	64,000	53,000	67,500	8,88	32318 A	29	SNR
	190,000	102,000			12,50	430318DU	30	NTN
	190,000	102,000			12,34	430318U	30	NTN
	190,000	144,000			18,20	432318U	30	NTN
	300,000	119,000			40,70	CR1-1812ZZC3	30	NTN
		34,000			1,46	4T-JM718149	29	NTN
	40,000			1,74	4T-HM218248	29	NTN	
	44,000			2,31	4T-JHM318448	29	NTN	
	55,100			1,58	4T-6581X	29	NTN	
90,488	161,925	48,260	38,100	47,625	4,01	4T-760/752	29	NTN
		48,260			2,40	4T-760	29	NTN
91,976	101,600	24,608	19,845	25,400	0,77	4T-28990/28920	29	NTN
92,075	146,050	34,925	26,195	34,925	2,06	4T-47890/47820	29	NTN
	149,225	66,672			4,23	4T-42362/42587D+A	30	NTN
	150,000	36,322	27,000	35,992	2,32	4T-598A/593X	29	NTN
	152,400	36,322	30,162	39,688	2,65	4T-598/592A	29	NTN
	152,400	36,322	30,162	39,688	2,63	4T-598A/592A	29	NTN
	168,275	41,275	30,162	41,275	3,87	4T-681/672	29	NTN
	168,275	41,275	30,162	41,275	3,87	4T-681A/672	29	NTN
	28,971			1,30	4T-42362	29	NTN	



							 Brands
d	D	B	C	T	Kg	Reference	
92,075		34,925			1,40	4T-47890	29 NTN
		36,322			1,59	4T-598	29 NTN
		36,322			1,54	4T-598A	29 NTN
		41,275			2,62	4T-681A	29 NTN
		41,275			2,62	4T-681	29 NTN
		48,006			3,72	4T-778	29 NTN
92,738	101,600	25,400	19,845	25,400	0,76	4T-28995/28920	29 NTN
93,662	148,430	28,971	21,433	28,575	1,80	4T-42368/42584	29 NTN
		28,971			1,25	4T-42368	29 NTN
95,000	130,000	23,000	18,000	23,000	0,85	32919X	29 NTN
	135,000	20,000	14,000	20,000	0,84	4T-JL819349/JL819310	29 NTN
	145,000	32,000	24,000	32,000	1,91	32019 A	29 SNR
	145,000	32,000	24,000	32,000	1,84	32019X	29 NTN
	145,000	39,000	32,500	39,000	2,34	33019 A	29 SNR
	145,000	45,000	38,000	39,000	2,27	33019	29 NTN
	150,000	34,000	27,000	35,000	2,17	4T-JM719149/JM719113	29 NTN
	170,000	32,000	27,000	34,500	3,07	30219	29 NTN
	170,000	32,000	27,000	34,500	3,15	30219 A	29 SNR
	170,000	43,000	37,000	45,500	4,22	32219	29 NTN
	170,000	43,000	37,000	45,500	4,30	32219 A	29 SNR
	170,000	69,000			6,45	30219UDF	30 NTN
	170,000	78,000			8,01	430219XU	30 NTN
	170,000	91,000			8,85	32219UDF	30 NTN
	170,000	100,000			9,04	432219XU	30 NTN
	180,000	45,000	33,000	49,000	5,21	4T-T7FC095	29 NTN
	180,000	100,000			12,00	CR1-1959LL	30 NTN
	200,000	45,000	32,000	49,500	6,47	30319D	29 NTN
	200,000	45,000	38,000	49,500	6,62	30319	29 NTN
	200,000	67,000	55,000	71,500	10,10	32319	29 NTN
	200,000	99,000			14,12	30319UDF	30 NTN
	200,000	108,000			15,00	430319XU	30 NTN
	200,000	151,000			21,50	432319U	30 NTN
		20,000			0,58	4T-JL819349	29 NTN
	34,000			1,41	4T-JM719149	29 NTN	
95,250	128,588	15,083	11,908	15,875	0,52	4T-LL319349/LL319310	29 NTN
	130,175	21,433	16,670	21,433	0,78	4T-L319249/L319210	29 NTN
	146,050	34,925	26,195	34,925	1,94	4T-47896/47820	29 NTN
	147,638	36,322	26,192	35,717	2,09	4T-594A/592XE	29 NTN
	148,430	28,971	21,433	28,575	1,75	4T-42375/42584	29 NTN
	150,000	36,322	27,000	36,322	2,20	4T-594/593X	29 NTN
	152,400	36,322	30,162	39,688	2,51	4T-594/592A	29 NTN
	152,400	36,322	30,162	39,688	2,50	4T-594A/592A	29 NTN
	152,400	36,322	33,338	39,688	2,56	4T-594/592	29 NTN
	152,400	82,550			5,68	4T-594/592D+A	30 NTN
	157,162	36,116	26,195	36,512	2,76	4T-52375/52618	29 NTN
	161,925	82,547			6,60	4T-NA52375/52637D	30 NTN
	168,275	41,275	30,162	41,275	3,70	4T-683/672	29 NTN
	168,275	95,250			8,06	688TD/672+A	31 NTN
	171,450	48,260	38,100	47,625	4,58	4T-77375/77675	29 NTN
	190,500	57,531	46,038	57,150	7,50	4T-HH221440/HH221410	29 NTN
	200,025	73,025	58,738	73,025	10,80	4T-EH220749/EH220710	29 NTN
		21,433			0,53	4T-L319249	29 NTN
		28,971			1,20	4T-42375	29 NTN
		28,971			1,19	4T-42376	29 NTN
		34,925			1,28	4T-47896	29 NTN
		36,116			2,70	4T-52375	29 NTN
		36,322			1,44	4T-594	29 NTN
		36,322			1,44	4T-594A	29 NTN








								Brands
d	D	B	C	T	Kg	Reference		
95,250		41,275			1,40	4T-683	29	NTN
		57,531			4,75	4T-864	29	NTN
96,838	148,430	28,971	21,433	28,971	1,69	4T-42381/42584	29	NTN
	149,225	28,971	24,608	31,750	1,85	4T-42381/42587	29	NTN
	188,912	46,038	31,750	50,800	5,67	4T-90381/90744	29	NTN
		28,971			1,12	4T-42381	29	NTN
		46,038			3,90	4T-90381	29	NTN
98,425	157,162	36,116	26,195	36,512	2,62	4T-52387/52618	29	NTN
	168,275	41,275	30,162	41,275	3,56	4T-685/672	29	NTN
	184,150	63,500	52,388	63,500	7,53	4T-HH421246/HH421210	29	NTN
		36,116			1,92	4T-52387	29	NTN
		41,275			2,80	4T-685	29	NTN
		48,006			3,66	4T-779	29	NTN
		63,500			4,98	4T-HH421246	29	NTN
99,975	212,725	66,675	53,975	66,675	11,50	4T-HH224334/HH224310	29	NTN
99,979	196,850	103,378			12,00	4T-HM821547/HM821511D+A	30	NTN
100,000	140,000	25,000	20,000	25,000	1,14	32920X	29	NTN
	145,000	22,500	17,500	24,000	1,11	4T-T4CB100	29	NTN
	150,000	32,000	24,000	32,000	1,95	32020 A	29	SNR
	150,000	32,000	24,000	32,000	1,91	32020X	29	NTN
	150,000	39,000	32,500	39,000	2,14	33020	29	NTN
	150,000	39,000	32,500	39,000	2,42	33020 A	29	SNR
	150,000	39,000	32,500	39,000	2,39	33020 VC12	29	SNR
	150,000	60,000			2,72	4T-CR-2064DB	30	NTN
	155,000	35,000	28,000	36,000	2,40	4T-JM720249/JM720210	29	NTN
	157,000	42,000	34,000	42,000	2,82	4T-HM220149/HM220110	29	NTN
	160,000	40,000	32,000	41,000	3,04	4T-JHM720249/JHM720210	29	NTN
	165,000	52,000			3,94	CRI-2052	30	NTN
	170,000	43,000	37,000	45,500	4,20	CR-2051	29	NTN
	170,000	155,000			14,50	CRO-2008	32	NTN
	180,000	34,000	29,000	37,000	3,78	30220	29	NTN
	180,000	34,000	29,000	37,000	3,79	30220 A	29	SNR
	180,000	46,000	39,000	49,000	5,20	32220	29	NTN
	180,000	46,000	39,000	49,000	5,14	32220 A	29	SNR
	180,000	63,000	48,000	63,000	6,82	33220	29	NTN
	180,000	74,000			7,80	4T-30220DFC3	30	NTN
	180,000	74,000			7,56	30220UDF	30	NTN
	180,000	82,000			8,08	CRI-2059	30	NTN
	180,000	83,000			8,11	430220XU	30	NTN
	180,000	98,000			9,76	32220UDF	30	NTN
	180,000	107,000			10,50	432220XU	30	NTN
	180,000	140,000			13,80	CRI-2010	30	NTN
	190,000	124,500			14,30	4T-CR1-2072	30	NTN
	190,000	124,500			14,30	CRI-2072	30	NTN
	215,000	47,000	39,000	51,500	8,56	30320	29	NTN
	215,000	47,000	39,000	51,500	7,72	30320	29	NTN
	215,000	51,000	35,000	56,500	8,67	31320X	29	NTN
	215,000	73,000	55,000	77,500	12,20	32320 B	29	SNR
	215,000	73,000	60,000	77,500	12,80	32320	29	NTN
	215,000	105,000			19,70	CRD-2005	31	NTN
	215,000	112,000			18,40	430320XU	30	NTN
	215,000	115,000			18,20	CRI-2054	30	NTN
215,000	162,000			26,70	CR1-2088	30	NTN	
215,000	162,000			26,50	432320U	30	NTN	
250,000	116,000			26,80	CRD-2051	31	NTN	
250,000	120,000			31,20	CRD-2011	31	NTN	
	35,000			1,63	4T-JM720249	29	NTN	



							 Brands
d	D	B	C	T	Kg	Reference	
100,000		40,000			2,07	4T-JHM720249	29 NTN
		42,000			1,98	4T-HM220149	29 NTN
100,012	157,162	36,116	26,195	36,512	2,55	4T-52393/52618	29 NTN
	161,925	82,547			6,25	4T-52393/52637D+A	30 NTN
		36,116			1,85	4T-52393	29 NTN
101,600	134,938	15,083	11,908	15,875	0,55	4T-LL420549/LL420510	29 NTN
	136,525	21,433	16,670	21,433	0,82	4T-L420449/L420410	29 NTN
	157,162	36,116	26,195	36,512	2,48	4T-52400/52618	29 NTN
	157,162	36,116	26,195	36,512	2,45	4T-52401/52618	29 NTN
	157,162	80,167			5,56	4T-52400D/52618+A	31 NTN
	168,275	41,275	30,162	41,275	3,40	4T-687/672	29 NTN
	168,275	41,275	69,850	92,075	7,29	4T-687/672D+A	29 NTN
	168,275	92,075			7,29	NA691/672D	30 NTN
	180,975	48,006	38,100	48,006	5,11	4T-780/772	29 NTN
	190,500	57,150			6,53	4T-NA861/854D	30 NTN
	190,500	57,531	44,450	57,531	7,00	4T-861/854	29 NTN
	190,500	57,531	46,038	57,150	7,06	4T-HH221449A/HH221410	29 NTN
	190,500	57,531	46,038	57,531	7,00	4T-HH221449/HH221410	29 NTN
	200,000	49,212	34,925	52,761	6,91	4T-98400/98788	29 NTN
	200,025	57,531	50,800	61,912	8,56	4T-HH221449/HH221416	29 NTN
	200,025	115,888			15,10	4T-98400/98789D+A	30 NTN
	212,725	66,675	53,975	66,675	11,32	4T-HH224335/HH224310	29 NTN
	212,725	66,675	53,975	66,675	11,20	4T-941/932	29 NTN
	212,725	142,875			23,70	4T-HH224335/HH224310D+A	30 NTN
	250,825	73,025	50,800	76,200	17,12	4T-HH923649/HH923610	29 NTN
		36,116			1,78	4T-52400	29 NTN
		36,116			1,75	4T-52401	29 NTN
		41,275			2,70	4T-687	29 NTN
		48,006			3,17	4T-780	29 NTN
		49,212			4,53	4T-98400	29 NTN
		57,531			4,90	4T-HH221449	29 NTN
		57,531			4,31	4T-861	29 NTN
		66,675			8,26	4T-HH224335	29 NTN
	66,675			7,10	4T-941	29 NTN	
104,775	180,975	48,006	38,100	48,006	4,92	4T-782/772	29 NTN
	180,975	48,006	38,100	48,006	4,90	4T-786/772	29 NTN
		48,006			2,96	4T-786	29 NTN
		48,006			2,98	4T-782	29 NTN
105,000	145,000	25,000	20,000	25,000	1,19	32921X	29 NTN
	160,000	35,000	26,000	35,000	2,42	32021 A	29 SNR
	160,000	35,000	26,000	35,000	2,42	32021X	29 NTN
	160,000	43,000	34,000	43,000	3,00	33021	29 NTN
	160,000	43,000	34,000	43,000	3,14	33021 A	29 SNR
	160,000	43,000	34,000	43,000	3,16	33021 VC12	29 SNR
	170,000	90,000			7,92	CRD-2151	31 NTN
	190,000	36,000	30,000	39,000	4,39	30221	29 NTN
	190,000	36,000	30,000	39,000	4,46	30221 A	29 SNR
	190,000	50,000	43,000	53,000	6,20	32221	29 NTN
	190,000	50,000	43,000	53,000	6,27	32221 A	29 SNR
	190,000	68,000	52,000	68,000	8,35	33221	29 NTN
	190,000	78,000			9,24	30221UDF	30 NTN
	190,000	88,000			9,73	430221XU	30 NTN
	190,000	115,000			13,10	432221XU	30 NTN
	190,000	117,000			12,90	CRI-2152	30 NTN
	190,000	210,000			26,00	CRO-2151	32 NTN
	225,000	49,000	41,000	53,500	9,79	30321	29 NTN
	225,000	53,000	36,000	58,000	9,68	31321X	29 NTN
	225,000	77,000	63,000	81,500	14,50	32321	29 NTN








								Brands
d	D	B	C	T	Kg	Reference		
105,000	225,000	116,000			21,00	430321XU	30	NTN
	225,000	170,000			30,20	432321	30	NTN
	240,000	110,000			23,60	CRI-2105	30	NTN
106,362	165,100	36,512	26,988	36,512	2,76	4T-56418/56650	29	NTN
		36,512			1,89	4T-56418	29	NTN
107,950	158,750	21,438	15,875	23,020	1,37	4T-37425/37625	29	NTN
	159,987	34,925	26,988	34,925	2,37	4T-LM522546/LM522510	29	NTN
	161,925	34,925	26,988	34,925	2,37	4T-48190/48120	29	NTN
	165,100	36,512	26,988	36,512	2,69	4T-56425/56650	29	NTN
	165,100	36,512	26,988	36,512	2,60	4T-56426/56650	29	NTN
	165,100	82,550			5,90	4T-56425/56650D+A	30	NTN
	168,275	36,152	26,988	36,512	2,80	4T-56425/56662	29	NTN
	212,725	66,675	53,975	66,675	10,70	4T-936/932	29	NTN
		21,438			0,88	4T-37425	29	NTN
		34,925			1,59	4T-48190	29	NTN
		36,512			1,82	4T-56425	29	NTN
		36,512			1,84	4T-56426	29	NTN
		66,675			6,54	4T-936	29	NTN
	107,975	165,125	89,154			6,61	4T-NA56425SW/56650D	30
109,538	158,750	21,438	15,875	23,020	1,31	4T-37431/37625	29	NTN
	158,750	21,438	15,875	23,020	1,30	4T-37431A/37625	29	NTN
		21,438			0,84	4T-37431	29	NTN
		21,438			1,25	4T-37431A	29	NTN
109,987	159,987	34,925	26,988	34,925	2,24	4T-LM522548/LM522510	29	NTN
	159,987	34,925	26,988	34,925	2,27	4T-LM522549/LM522510	29	NTN
		34,925			1,49	4T-LM522549	29	NTN
		34,925			1,46	4T-LM522548	29	NTN
109,992	177,800	41,275	30,162	41,275	3,77	4T-64433/64700	29	NTN
		41,275			2,65	4T-64433	29	NTN
110,000	150,000	20,500	15,500	20,500	0,98	CR-2256	29	NTN
	150,000	25,000	20,000	25,000	1,24	32922X	29	NTN
	150,000	150,000			7,70	CR0-2252	32	NTN
	160,000	57,500			3,41	CRI-2258	30	NTN
	165,000	35,000	26,500	35,000	2,52	4T-JM822049/JM822010	29	NTN
	170,000	38,000	29,000	38,000	3,10	32022 A	29	SNR
	170,000	38,000	29,000	38,000	3,07	32022X	29	NTN
	170,000	47,000	37,000	47,000	3,47	33022	29	NTN
	170,000	47,000	37,000	47,000	3,90	33022 A	29	SNR
	180,000	41,275	30,162	41,275	3,91	4T-64432/64708	29	NTN
	180,000	46,000	38,000	47,000	4,61	4T-JHM522649/JHM522610	29	NTN
	180,000	56,000	43,000	56,000	5,52	33122	29	NTN
	180,000	56,000			5,60	323122	31	NTN
	180,000	56,000			5,20	413122	30	NTN
	180,000	70,000			6,28	423122	30	NTN
	180,000	125,000			11,20	CRI-2219	30	NTN
	190,000	102,000			12,10	CRD-2252	31	NTN
	190,000	249,400			24,50	CR1-2290LL	30	NTN
	200,000	38,000	32,000	41,000	5,00	30222	29	NTN
	200,000	38,000	32,000	41,000	5,14	30222 A	29	SNR
	200,000	48,000	32,000	51,000	5,69	CR-2226	29	NTN
	200,000	53,000	46,000	56,000	7,43	32222	29	NTN
	200,000	53,000	46,000	56,000	7,46	32222 A	29	SNR
	200,000	82,000			11,30	CRD-2254	31	NTN
	200,000	92,000			11,40	430222XU	30	NTN
	200,000	100,000			13,60	CR1-2272LL	30	NTN



												 Brands	
d	D	B	C	T	Kg	Reference							
110,000	200,000	112,000			13,70	4T-32222DF		30	NTN				
	200,000	112,000			15,40	32222UDF		30	NTN				
	200,000	121,000			14,80	43222XU		30	NTN				
	240,000	50,000	32,000	54,500	8,12	CR-2220		29	NTN				
	240,000	50,000	42,000	54,500	11,10	30322		29	NTN				
	240,000	57,000	38,000	63,000	11,90	31322X		29	NTN				
	240,000	80,000	65,000	84,500	18,00	32322		29	NTN				
	240,000	118,000			26,60	CRD-2214		31	NTN				
	240,000	118,000			22,00	CRI-2262		30	NTN				
	240,000	118,000			22,10	430322		30	NTN				
	240,000	118,000			24,50	430322U		30	NTN				
	240,000	119,000			25,00	CRI-2252		30	NTN				
	240,000	126,000			25,90	31322XUDF		30	NTN				
	240,000	169,000			37,00	32322DF		30	NTN				
	240,000	181,000			35,60	432322		30	NTN				
	240,000	181,000			38,20	432322U		30	NTN				
		35,000				1,68	4T-JM822049		29	NTN			
		46,000				3,10	4T-JHM522649		29	NTN			
111,125	190,500	106,362			11,70	4T-71437/71751D+A		30	NTN				
	214,312	52,388	39,688	55,562	8,18	4T-H924045/H924010		29	NTN				
	214,312	52,388	107,950	115,888	17,30	4T-H924045/H924010D		30	NTN				
	241,300	158,750			31,80	E-HH924349/HH924310D+A		30	NTN				
	241,300	158,750			32,00	4T-HH924349/HH924310D+A		30	NTN				
114,300	177,800	41,275	30,162	41,275	3,52	4T-64450/64700		29	NTN				
	177,800	92,075			7,74	4T-64450/64700CD+A		30	NTN				
	177,800	92,075			7,64	4T-64450/64700D+A		30	NTN				
	190,500	49,212	34,925	49,212	5,17	4T-71450/71750		29	NTN				
	190,500	106,362			11,10	4T-NA71450/71751D		30	NTN				
	212,725	66,675	53,975	66,675	10,20	4T-HH224346/HH224310		29	NTN				
	212,725	66,675	53,975	66,675	10,10	4T-938/932		29	NTN				
	212,725	142,875			20,20	4T-HH224346NA/HH224310D		30	NTN				
	212,725	142,875			20,00	4T-938/932D+A		30	NTN				
	228,600	49,428	38,100	53,975	9,76	4T-HM926740/HM926710		29	NTN				
	228,600	115,888			21,10	4T-HM926740/HM926710D+A		30	NTN				
	273,050	82,550	53,975	82,550	22,20	T-HH926744/HH926710		29	NTN				
	279,400	82,550	53,975	82,550	23,50	T-HH926744/HH926716		29	NTN				
		31,750			1,88	4T-68450		29	NTN				
		41,275			2,37	4T-64450		29	NTN				
		49,212			3,39	4T-71450		29	NTN				
		49,428			6,95	4T-HM926740		29	NTN				
		66,675			7,13	4T-HH224346		29	NTN				
	66,675			6,00	4T-938		29	NTN					
115,000	230,000	116,000			21,20	CRI-2301		30	NTN				
115,087	190,500	49,212	34,925	47,625	5,11	4T-71453/71750		29	NTN				
	190,500	106,362			11,10	4T-71453/71751D+A		30	NTN				
	190,500	106,362			11,10	4T-71453/71751DC+A		30	NTN				
117,475	180,975	31,750	25,400	34,925	2,76	4T-68462/68712		29	NTN				
		31,750			1,72	4T-68462		29	NTN				
120,000	165,000	29,000	23,000	29,000	1,77	32924X		29	NTN				
	165,000	68,000			3,97	CR1-2498		30	NTN				
	170,000	25,000	19,500	27,000	1,69	T4CB 120		29	SNR				
	170,000	25,000	19,500	27,000	1,69	4T-T4CB120		29	NTN				
	170,000	120,000			8,57	CRD-2421		31	NTN				
	170,000	124,000			8,97	625924		32	NTN				
	170,000	124,000			8,97	E-625924		32	NTN				
180,000	38,000	29,000	38,000	3,31	32024 A		29	SNR					








								Brands	
d	D	B	C	T	Kg	Reference			
120,000	180,000	38,000	29,000	38,000	3,40	32024X	29	NTN	
	180,000	46,000			4,08	323024	31	NTN	
	180,000	46,000			3,85	413024	30	NTN	
	180,000	48,000	29,000	48,000	7,10	CR-2465	29	NTN	
	180,000	48,000	38,000	48,000	4,10	33024	29	NTN	
	180,000	48,000	38,000	48,000	4,28	33024 A	29	SNR	
	180,000	48,000	38,000	48,000	4,32	33024 VC12	29	SNR	
	180,000	58,000			4,41	423024	30	NTN	
	180,000	76,000			6,73	4T-32024XDF	30	NTN	
	180,000	76,000			6,80	32024XUDF	30	NTN	
	180,000	100,000			8,87	623024	32	NTN	
	200,000	62,000			7,82	323124	31	NTN	
	200,000	62,000			7,20	413124	30	NTN	
	200,000	78,000			8,78	CRI-2460	30	NTN	
	200,000	78,000			8,96	423124	30	NTN	
	200,000	100,000			12,57	CR1-2416	30	NTN	
	200,000	100,000			12,60	CRI-2416	30	NTN	
	200,000	132,000			16,70	623124	32	NTN	
	210,000	174,000			22,20	CRO-2418	32	NTN	
	215,000	40,000	34,000	43,500	6,23	30224	29	NTN	
	215,000	40,000	34,000	43,500	6,25	30224 A	29	SNR	
	215,000	58,000	50,000	61,500	8,98	32224	29	NTN	
	215,000	58,000	50,000	61,500	9,28	32224 A	29	SNR	
	215,000	87,000			13,10	30224UDF	30	NTN	
	215,000	97,000			13,60	430224XU	30	NTN	
	215,000	113,000			17,70	CRD-2420	31	NTN	
	215,000	123,000			18,30	32224UDF	30	NTN	
	215,000	132,000			18,90	432224XU	30	NTN	
	260,000	55,000	34,000	59,500	12,40	CR-2417	29	NTN	
	260,000	55,000	46,000	59,500	14,20	30324	29	NTN	
	260,000	62,000	42,000	68,000	15,90	31324X	29	NTN	
	260,000	86,000	69,000	90,500	22,40	32324	29	NTN	
	260,000	128,000			30,50	430324XU	30	NTN	
	260,000	130,000			34,20	CRD-2410	31	NTN	
	260,000	136,000			31,80	31324XUDF	30	NTN	
	260,000	188,000			47,00	432324U	30	NTN	
	280,000	150,000			47,30	CRD-2422	31	NTN	
	120,650	160,338	21,433	16,670	21,433	1,15	4T-L624549/L624510	29	NTN
		174,625	77,788			5,76	4T-M224749/M224710D+A	30	NTN
		174,625	141,288			11,50	M224749D/M224710/M224710D	32	NTN
206,375		107,950			13,30	4T-795/792D	30	NTN	
206,375		107,950			13,30	4T-795/792D+A	30	NTN	
210,000		174,000			22,20	E-CRO-2418	32	NTN	
234,950		63,500	49,212	63,500	12,60	4T-95475/95925	29	NTN	
254,000		82,550	61,912	77,788	19,20	4T-HH228340/HH228310	29	NTN	
273,050		82,550	53,975	82,550	22,00	4T-HH926749/HH926710	29	NTN	
273,050		82,550	53,975	82,550	21,70	T-HH926749/HH926710	29	NTN	
		47,625			4,45	4T-795	29	NTN	
		63,500			8,56	4T-95475	29	NTN	
		82,550			12,58	4T-HH228340	29	NTN	
123,825	182,562	38,100	33,338	39,688	3,52	4T-48286/48220	29	NTN	
	204,775	60,325	45,237	55,562	7,13	E-HM125948/HM125910	29	NTN	
		38,100			2,38	4T-48286	29	NTN	
		82,550			12,30	4T-HH228344	29	NTN	
125,000	210,000	110,000			14,50	CRI-2555	30	NTN	
	230,000	116,000			19,00	4T-CR1-2554	30	NTN	
	230,000	116,000			19,90	CRI-2554	30	NTN	
	305,000	180,000			68,90	CRD-2503	31	NTN	
	305,000	180,000			63,90	CR-2503DF	30	NTN	



    						  Brands			
d	D	B	C	T	Kg	Reference			
127,000	165,895	17,462	13,495	18,258	0,92	4T-LL225749/LL225710	29	NTN	
	169,862	26,195	20,638	25,400	1,58	4T-L225849/L225810	29	NTN	
	174,625	141,288			11,50	E-M224749D/M224710/M224710D	32	NTN	
	182,562	38,100	33,338	39,688	3,33	4T-48290/48220	29	NTN	
	182,562	85,725			7,77	4T-NA48291/48220D	30	NTN	
	182,562	93,660			8,49	4T-NA48290SW/48220D	30	NTN	
	182,562	158,750			14,30	T-48290D/48220/48220D	32	NTN	
	196,850	46,038	38,100	46,038	5,10	4T-67388/67322	29	NTN	
	196,850	101,600			10,10	4T-67388/67322D+A	30	NTN	
	206,375	107,950			12,58	NA798/792D	30	NTN	
	215,900	47,625	34,925	47,625	7,05	4T-74500/74850	29	NTN	
	215,900	106,362			15,50	4T-74500/74851D+A	30	NTN	
	228,600	49,428	38,100	53,975	8,70	4T-HM926747/HM926710	29	NTN	
	228,600	49,428	38,100	53,975	8,43	4T-97500/97900	29	NTN	
	234,950	63,500	49,212	63,500	11,96	4T-95500/95925	29	NTN	
	234,950	142,875			24,60	NA95500/95927D	30	NTN	
	234,950	142,875			26,30	4T-95500/95927D+A	30	NTN	
	254,000	82,550	61,912	77,788	18,40	4T-HH228349/HH228310	29	NTN	
	266,700	58,738			17,70	CRT2503	37	NTN	
	295,275	87,312	57,150	82,550	27,10	T-HH231637/HH231615	29	NTN	
	304,800	82,550	57,150	88,900	32,80	T-HH932132/HH932110	29	NTN	
		26,195			1,02	4T-L225849	29	NTN	
		38,100			2,10	4T-48290	29	NTN	
		46,038			3,64	4T-67388	29	NTN	
		49,428			6,02	4T-HM926747	29	NTN	
		63,500			7,95	4T-95500	29	NTN	
		82,550			13,46	4T-HH228349	29	NTN	
	127,792	228,600	115,888			18,70	4T-HM926749/HM926710D+A	30	NTN
	128,000	229,000	116,000			17,80	CRI-2663	30	NTN
	128,588	206,375	47,625	34,925	47,625	5,77	4T-799/792	29	NTN
		47,625			3,87	4T-799	29	NTN	
130,000	180,000	32,000	25,000	32,000	2,36	32926X	29	NTN	
	180,000	64,000			4,90	32926DF	30	NTN	
	182,562	158,750			14,30	T-E-48290D/48220/48220D	32	NTN	
	184,000	134,000			11,30	625926	32	NTN	
	190,000	120,000			11,40	CRD-2652	31	NTN	
	195,000	120,000			12,50	CRD-2654	31	NTN	
	200,000	45,000	34,000	45,000	5,13	32026 A	29	SNR	
	200,000	45,000	34,000	45,000	4,96	32026X	29	NTN	
	200,000	52,000			5,92	323026	31	NTN	
	200,000	52,000			5,55	413026	30	NTN	
	200,000	65,000			6,62	423026	30	NTN	
	200,000	90,000			10,26	32026XUDF	30	NTN	
	210,000	64,000			8,58	323126	31	NTN	
	210,000	64,000			7,83	413126	30	NTN	
	210,000	80,000			9,77	423126	30	NTN	
	210,000	109,000			14,20	CRI-2619	30	NTN	
	214,000	115,000			15,50	CRI-2651	30	NTN	
	230,000	40,000	34,000	43,750	7,00	30226	29	NTN	
	230,000	40,000	34,000	43,750	7,16	30226 A	29	SNR	
	230,000	64,000	54,000	67,750	10,70	32226	29	NTN	
	230,000	64,000	54,000	67,750	11,50	32226 A	29	SNR	
	230,000	95,000			15,00	CRI-2614	30	NTN	
	230,000	98,000			15,01	430226XU	30	NTN	
	230,000	100,000			15,80	CRI-2655	30	NTN	
	230,000	135,500			23,00	32226UDF	30	NTN	
	230,000	145,000			23,00	CRI-2616	30	NTN	
	230,000	145,000			23,00	432226XU	30	NTN	








								Brands
d	D	B	C	T	Kg	Reference		
130,000	230,000	149,000			24,60	CRI-2654	30	NTN
	280,000	58,000	36,000	63,750	15,20	CR-2615	29	NTN
	280,000	58,000	49,000	63,750	17,10	30326	29	NTN
	280,000	66,000	44,000	72,000	19,00	31326X	29	NTN
	280,000	93,000	78,000	98,750	27,20	32326	29	NTN
	280,000	137,000			33,70	CRI-2618	30	NTN
	280,000	137,000			34,50	CRI-2618	30	NTN
	280,000	137,000			37,90	430326XU	30	NTN
	280,000	144,000			41,00	31326XUDF	30	NTN
	280,000	205,000			56,60	432326	30	NTN
	280,000	220,500			37,50	CR-2615DF	30	NTN
	299,000	137,000			43,70	CR1-2624	30	NTN
299,000	137,000			45,80	CRI-2624	30	NTN	
130,175	196,850	46,038	38,100	46,038	4,87	4T-67389/67322	29	NTN
	206,375	47,625	34,925	47,625	5,65	4T-799A/792	29	NTN
131,750	207,962	129,550	135,900	190,500	20,00	E-CR1-2648LL	30	NTN
133,350	177,008	26,195	20,638	25,400	1,70	4T-L327249/L327210	29	NTN
	190,500	39,688	33,338	39,688	3,64	4T-48385/48320	29	NTN
	196,850	46,038	38,100	46,038	4,63	4T-67390/67322	29	NTN
	196,850	46,038	38,100	46,038	4,59	4T-67391/67322	29	NTN
	196,850	101,600			9,91	4T-67390/67322D+A	30	NTN
	196,850	101,600			9,37	4T-67391/67322D+A	30	NTN
	215,900	47,625	34,925	47,625	6,56	4T-74525/74850	29	NTN
	215,900	106,362			13,50	NA74525/74851D	30	NTN
	215,900	106,362			13,90	4T-74525/74851D+A	30	NTN
	234,950	63,500	49,212	63,500	11,30	4T-95525/95925	29	NTN
	234,950	142,875			23,60	4T-95525/95927D+A	30	NTN
		26,195			1,15	4T-L327249	29	NTN
		39,688			2,47	4T-48385	29	NTN
		46,038			2,20	4T-67390	29	NTN
		46,038			3,13	4T-67391	29	NTN
	47,625			4,60	4T-74525	29	NTN	
	63,500			7,27	4T-95525	29	NTN	
135,000	180,000	160,000			13,50	CRO-2701	32	NTN
135,000	184,000	134,000			11,30	E-625926	32	NTN
136,525	180,000	160,000			13,50	E-CRO-2701	32	NTN
	190,500	39,688	33,338	39,688	3,43	4T-48393/48320	29	NTN
	190,500	85,725			7,23	4T-NA48390/48320D	30	NTN
	190,500	85,725			7,40	4T-48393/48320D+A	30	NTN
	190,500	161,925			14,80	T-48393D/48320/48320D	32	NTN
	228,600	57,150	44,450	57,150	9,07	4T-896/892	29	NTN
		39,688			2,26	4T-48393	29	NTN
	57,150			5,94	4T-896	29	NTN	
139,700	190,500	161,925			14,80	T-E-48393D/48320/48320D	32	NTN
	200,025	157,165			17,30	T-48680D/48620/48620D	32	NTN
	214,975	47,625	34,925	47,625	5,97	4T-74550/74845	29	NTN
	215,900	47,625	34,925	47,625	6,05	4T-74550/74850	29	NTN
	215,900	47,625	34,925	47,625	6,03	4T-74550A/74850	29	NTN
	228,600	57,150	44,450	57,150	8,76	4T-898/892	29	NTN
	236,538	56,642	44,450	57,150	9,86	4T-HM231132/HM231110	29	NTN
	288,925	87,312	57,150	82,550	24,40	T-HH231649/HH231610	29	NTN
	295,275	87,312	57,150	82,550	25,80	T-HH231649/HH231615	29	NTN
	295,275	87,312	57,150	87,312	24,10	HH231649/HH231615	29	NTN
	307,975	93,662	66,675	88,900	30,90	T-HH234031/HH234010	29	NTN
307,975	200,025			65,90	T-HH234031/HH234011D+A	30	NTN	
	47,625			4,10	4T-74550	29	NTN	



							 Brands	
d	D	B	C	T	Kg	Reference		
139,700		47,625			4,08	4T-74550A	29	NTN
		57,150			5,63	4T-898	29	NTN
		66,675			5,58	4T-99550	29	NTN
		93,662			22,60	HH234031	29	NTN
140,000	190,000	35,000	25,000	32,000	2,50	32928X	29	NTN
	195,000	27,000	21,000	29,000	2,33	4T-T4CB140	29	NTN
	198,000	144,000			14,00	625928	32	NTN
	198,000	174,000			16,00	CRO-2810LL	32	NTN
	198,000	174,000			15,50	CRO-2812LL	32	NTN
	200,025	157,165			17,30	T-E-48680D/48620/48620D	32	NTN
	210,000	45,000	34,000	45,000	5,39	32028 A	29	SNR
	210,000	45,000	34,000	45,000	5,40	32028X	29	NTN
	210,000	53,000			6,40	323028	31	NTN
	210,000	53,000			5,88	413028	30	NTN
	210,000	55,000	34,000	55,000	4,30	CR-2831	29	NTN
	210,000	56,000	44,000	56,000	6,03	33028	29	NTN
	210,000	66,000			7,11	423028	30	NTN
	210,000	90,000			9,70	32028XUDF	30	NTN
	210,000	106,000			12,60	CRI-2818	30	NTN
	210,000	106,000			12,50	CRI-2818	30	NTN
	210,000	114,000			13,80	623028	32	NTN
	210,000	115,000			13,90	CRO-2817	32	NTN
	225,000	68,000			10,70	323128	31	NTN
	225,000	68,000			9,24	413128	30	NTN
	225,000	84,000			11,80	423128	30	NTN
	225,000	85,000			11,80	CRI-2872	30	NTN
	230,000	120,000			15,50	CRI-2855	30	NTN
	230,000	140,000			20,50	CRI-2825	30	NTN
	240,000	132,000			22,10	CRI-2869	30	NTN
	240,000	132,000			22,10	4T-CR1-2869C3	30	NTN
	250,000	42,000	36,000	45,750	9,26	30228	29	NTN
	250,000	42,000	36,000	45,750	8,87	30228 A	29	SNR
	250,000	68,000	58,000	71,750	14,10	32228	29	NTN
	250,000	68,000	58,000	71,750	14,80	32228 A	29	SNR
	250,000	102,000			19,90	430228XU	30	NTN
	250,000	143,500			29,00	32228UDF	30	NTN
	250,000	153,000			30,10	CRI-2884L	30	NTN
	250,000	153,000			30,10	432228XU	30	NTN
	260,000	120,000			26,60	CRI-2826	30	NTN
	270,000	120,000			27,60	CRI-2874	30	NTN
	300,000	62,000	53,000	67,750	21,10	30328	29	NTN
	300,000	70,000	47,000	77,000	23,00	31328X	29	NTN
	300,000	102,000	85,000	107,750	32,90	32328	29	NTN
	300,000	102,000			32,50	CRI-2834	30	NTN
	300,000	102,000			32,50	CRI-2834	30	NTN
	300,000	145,000			46,60	430328XU	30	NTN
300,000	154,000			49,70	31328XUDF	30	NTN	
305,000	160,000			58,10	CRD-2819	31	NTN	
142,875	193,675	65,085			5,12	4T-36686/36620D	30	NTN
	200,025	39,688	34,130	41,275	3,85	4T-48684/48620	29	NTN
	200,025	39,688	34,130	41,275	3,89	4T-48685/48620	29	NTN
	200,025	87,315			8,18	4T-48685/48620DC+A	30	NTN
	200,025	93,665			1,20	4T-NA48685SW/48620D	30	NTN
		39,688			2,46	4T-48684	29	NTN
	39,688			2,50	4T-48685	29	NTN	
146,050	193,675	28,575	23,020	28,575	2,25	4T-36690/36620	29	NTN
	198,000	144,000			14,00	E-625928	32	NTN
	236,538	131,762			20,08	NA82576/82932D	30	NTN
	236,538	131,762			20,10	82576/82932D+A	30	NTN

								Brands	
d	D	B	C	T	Kg	Reference			
146,050	244,475	192,088			36,80	81576D/81962/81963D	32	NTN	
	254,000	66,675	47,625	66,675	13,50	4T-99575/99100	29	NTN	
	268,288	160,338			37,80	E-E07057/107105CD+A	30	NTN	
	304,800	82,550	57,150	88,900	30,60	T-HH932145/HH932110	29	NTN	
	311,150	82,550	57,150	88,900	32,20	T-HH932145/HH932115	29	NTN	
		28,575			3,10	4T-36690	29	NTN	
149,225	236,538	56,642	44,450	57,150	8,94	4T-HM231149/HM231110	29	NTN	
	240,000	56,642	44,450	57,150	9,40	4T-82587/J82945	29	NTN	
150,000	210,000	38,000	30,000	38,000	3,92	32930X	29	NTN	
	210,000	76,000			8,02	32930XUDF	30	NTN	
	210,000	190,000			20,30	CR0-3052	32	NTN	
	210,000	190,000			21,08	CR0-3058	32	NTN	
	212,000	155,000			16,90	625930	32	NTN	
	225,000	48,000	36,000	48,000	6,46	32030 A	29	SNR	
	225,000	48,000	36,000	48,000	6,40	32030X	29	NTN	
	225,000	56,000			7,76	323030	31	NTN	
	225,000	56,000			6,66	413030	30	NTN	
	225,000	59,000	46,000	59,000	8,07	33030	29	NTN	
	225,000	70,000			8,42	423030	30	NTN	
	244,475	192,088			36,80	E-81576D/81962/81963D	32	NTN	
	250,000	80,000			15,70	323130	31	NTN	
	250,000	80,000			14,30	413130	30	NTN	
	250,000	100,000			18,00	423130	30	NTN	
	250,000	110,000			21,70	CRD-3052	31	NTN	
	250,000	115,000			21,20	CRI-3015	30	NTN	
	250,000	137,000			27,70	CRI-3061	30	NTN	
	260,000	150,000			31,40	CRI-3063	30	NTN	
	270,000	45,000	38,000	49,000	10,90	30230	29	NTN	
	270,000	45,000	38,000	49,000	11,20	30230 A	29	SNR	
	270,000	73,000	60,000	77,000	17,80	32230	29	NTN	
	270,000	73,000	60,000	77,000	18,50	32230 A	29	SNR	
	270,000	109,000			24,40	430230U	30	NTN	
	270,000	154,000			36,92	32230UDF	30	NTN	
	270,000	164,000			8,40	432230XU	30	NTN	
	320,000	65,000	55,000	72,000	25,50	30330	29	NTN	
	320,000	75,000	50,000	82,000	27,70	31330X	29	NTN	
	320,000	108,000	90,000	114,000	42,00	32330	29	NTN	
	320,000	144,000			56,90	CRD-3013	31	NTN	
	320,000	144,000			53,00	CRD-3016	31	NTN	
	320,000	154,000			52,80	430330	30	NTN	
	320,000	154,000			55,40	430330U	30	NTN	
	380,000	235,000			142,00	CRD-3011	31	NTN	
	380,000	260,000			146,00	CR1-3069	30	NTN	
	152,400	192,088	24,000	19,000	25,000	1,53	4T-L630349/L630310	29	NTN
		212,000	155,000			16,90	E-625930	32	NTN
		222,250	46,830	34,925	46,830	5,72	4T-M231648/M231610	29	NTN
222,250		46,830	34,925	46,830	5,77	4T-M231649/M231610	29	NTN	
222,250		174,625			24,70	E-M231649D/M231610/M231610D	32	NTN	
222,250		174,625			24,70	T-M231649D/M231610/M231610D	32	NTN	
254,000		66,675	47,625	66,675	12,78	4T-99600/99100	29	NTN	
254,000		142,875			27,40	4T-NA99600/99102D	30	NTN	
254,000		149,225			27,46	4T-99600/99102CD	30	NTN	
307,975		93,662	61,912	88,900	29,40	T-EE450601/451212	29	NTN	
307,975		93,662	66,675	88,900	29,40	E-HH234048/HH234010	29	NTN	
307,975		93,662	66,675	88,900	29,40	T-HH234048/HH234010	29	NTN	
307,975		93,662	66,675	93,662	28,10	HH234048/HH234010	29	NTN	
307,975		171,450			60,50	T-450900D/451212+A	31	NTN	
307,975		200,025			62,60	T-HH234048/HM234011D+A	30	NTN	
307,975		200,025			62,60	T-EE450601/451215D+A	30	NTN	



							 Brands	
d	D	B	C	T	Kg	Reference		
152,400	317,500	69,850			28,20	E-CRT3018	37	NTN
		46,830			3,89	4T-M231649	29	NTN
		66,675			8,52	4T-99600	29	NTN
	210,000	90,000			8,13	CR-3105DB	30	NTN
155,000	330,000	180,000			66,00	CRI-3101	30	NTN
155,575	330,200	79,375	53,975	85,725	34,90	T-H936340/H936310	29	NTN
	330,200	171,450			62,90	H936340/H936310DF	30	NTN
	342,900	79,375	53,975	85,725	38,40	T-H936340/H936316	29	NTN
158,750	205,583	23,812	18,258	23,812	1,89	4T-L432349/L432310	29	NTN
	225,425	39,688	33,338	41,275	5,20	4T-46780/46720	29	NTN
	225,425	85,725			10,80	4T-46780/46720D+A	30	NTN
	304,800	69,106	42,862	66,675	20,80	EE280626/281200	29	NTN
		23,812			1,40	4T-L432349	29	NTN
		39,688			3,54	4T-46780	29	NTN
160,000	220,000	38,000	30,000	38,000	4,14	32932X	29	NTN
	222,250	174,625			24,70	T-E-M231649D/M231610/M231610D	32	NTN
	226,000	165,000			20,20	625932	32	NTN
	226,000	165,000			20,20	E-625932	32	NTN
	240,000	51,000	38,000	51,000	7,87	32032 A	29	SNR
	240,000	51,000	38,000	51,000	7,80	32032X	29	NTN
	240,000	60,000			9,46	323032	31	NTN
	240,000	60,000			8,29	413032	30	NTN
	240,000	75,000			10,70	423032	30	NTN
	240,000	110,000			17,30	CRD-3254	31	NTN
	240,000	110,000			15,60	CRI-3256	30	NTN
	260,000	130,000			26,50	CRD-3253	31	NTN
	265,000	173,000			37,00	CRO-3209 (CRO-3210)	32	NTN
	270,000	86,000			20,00	323132	31	NTN
	270,000	86,000			18,10	413132	30	NTN
	270,000	86,000			18,20	413132	30	NTN
	270,000	108,000			22,10	423132	30	NTN
	270,000	108,000			22,80	423132	30	NTN
	270,000	110,000			22,90	CRI-3210	30	NTN
	270,000	116,000			27,10	CRD-3208	31	NTN
	270,000	140,000			32,00	CRI-3201	30	NTN
	270,000	140,000			31,80	CRI-3225	30	NTN
	270,000	140,000			31,80	CRI-3225	30	NTN
	270,000	150,000			32,80	CRI-3219	30	NTN
	280,000	150,000			34,80	CRI-3258	30	NTN
	290,000	48,000	40,000	52,000	12,90	30232	29	NTN
	290,000	80,000	67,000	84,000	23,60	32232	29	NTN
	290,000	80,000	67,000	84,000	22,50	32232 A	29	SNR
	290,000	115,000			31,90	430232U	30	NTN
	290,000	168,000			48,30	32232UDF	30	NTN
	290,000	178,000			46,90	432232U	30	NTN
	290,000	200,000			56,90	CRI-3266	30	NTN
	340,000	68,000	58,000	75,000	29,90	30332	29	NTN
	340,000	114,000	95,000	121,000	48,50	32332	29	NTN
	340,000	150,000			63,30	30332UDF	30	NTN
	340,000	160,000			65,50	430332XU	30	NTN
340,000	242,000			101,00	32332DF	30	NTN	
160,325	288,925	63,500	47,625	63,500	16,00	T-HM237532/HM237510	29	NTN
	288,925	142,875			36,10	T-HM237532/HM237510D+A	30	NTN
161,925	374,650	79,375	60,325	87,312	47,90	EE117063/117148	29	NTN
165,000	290,000	150,000			37,50	CRI-3309	30	NTN








								Brands
d	D	B	C	T	Kg	Reference		
165,000	350,000	146,000			61,20	CRI-3305	30	NTN
165,100	215,900	26,195	20,638	26,195	2,33	4T-L433749/L433710	29	NTN
	225,425	39,688	33,338	41,275	4,69	4T-46790/46720	29	NTN
	225,425	85,725			9,72	4T-46790/46720D+A	30	NTN
	225,425	95,250			9,87	4T-NA46790SW/46720CD	30	NTN
	225,425	165,100			20,70	T-46791D/46720/46721D	32	NTN
	225,425	165,100			20,70	T-E-46791D/46720/46721D	32	NTN
	247,650	103,880			17,06	4T-67780/67720D+A	30	NTN
	254,000	46,038	33,338	46,038	7,43	86650/86100	29	NTN
	265,000	173,000			33,60	E-CRO-3209	32	NTN
	288,925	63,500	47,625	63,500	16,60	HM237535/HM237510	29	NTN
	288,925	63,500	47,625	63,500	15,60	T-HM237535/HM237510	29	NTN
	288,925	63,500	47,625	63,500	17,10	T-94649/94113	29	NTN
	288,925	142,875			35,10	T-HM237535/HM237510D+A	30	NTN
	288,925	142,875			35,10	T-94649/94114D+A	30	NTN
	311,150	82,550	65,088	82,550	27,50	T-H238140/H238110	29	NTN
	336,550	95,250	69,850	92,075	36,60	T-HH437549/HH437510	29	NTN
		39,688			3,04	4T-46790	29	NTN
		82,550			17,30	E-H238140	29	NTN
168,275	330,200	79,375	53,975	85,725	33,20	T-H936349/H936310	29	NTN
	330,200	171,450			62,50	H936349/H936310DF	30	NTN
170,000	230,000	38,000	30,000	38,000	4,40	32934X	29	NTN
	230,000	38,000	31,000	39,000	4,37	4T-JHM534149/JHM534110	29	NTN
	240,000	44,501	37,000	46,000	6,23	4T-JM734449/JM734410	29	NTN
	240,000	84,000			12,00	CRTD3401	38	NTN
	240,000	175,000			24,40	625934	32	NTN
	240,000	175,000			24,40	E-625934	32	NTN
	250,000	85,000			12,60	CRI-3420	30	NTN
	250,000	85,000			12,60	CRI-3420	30	NTN
	260,000	57,000	43,000	57,000	10,60	32034 A	29	SNR
	260,000	57,000	43,000	57,000	10,50	32034X	29	NTN
	260,000	67,000	43,000	67,000	11,48	CR-3418	29	NTN
	260,000	67,000			12,80	323034	31	NTN
	260,000	67,000			11,60	413034	30	NTN
	260,000	84,000			13,90	423034	30	NTN
	260,000	144,000			27,50	623034	32	NTN
	280,000	76,000			18,50	CRD-3413	31	NTN
	280,000	88,000			21,50	323134	31	NTN
	280,000	88,000			21,40	323134	31	NTN
	280,000	88,000			18,90	413134	30	NTN
	280,000	88,000			19,50	413134	30	NTN
	280,000	110,000			23,00	423134	30	NTN
	280,000	110,000			24,70	423134	30	NTN
	280,000	134,000			32,80	CRI-3452	30	NTN
	280,000	150,000			32,70	CR1-3410	30	NTN
	280,000	150,000			34,30	CRI-3410	30	NTN
	280,000	181,000			44,00	CRO-3409	32	NTN
	280,000	181,000			44,00	E-CRO-3409	32	NTN
	280,000	185,000			45,20	623134	32	NTN
	300,000	100,000			30,20	CRD-3423	31	NTN
	310,000	52,000	43,000	57,000	17,00	30234	29	NTN
	310,000	86,000	71,000	91,000	28,70	32234	29	NTN
	310,000	86,000	71,000	91,000	29,30	32234 A	29	SNR
	310,000	125,000			38,00	430234U	30	NTN
	310,000	182,000			60,50	32234UDF	30	NTN
	310,000	192,000			60,40	432234XU	30	NTN
	360,000	72,000	62,000	80,000	35,30	30334	29	NTN
	360,000	75,000	46,000	83,000	34,20	CR-3463	29	NTN
	360,000	120,000	100,000	127,000	56,50	32334	29	NTN










								Brands
d	D	B	C	T	Kg	Reference		
170,000	360,000	144,000			79,70	CRD-3414	31	NTN
	360,000	160,000			71,90	CRD-3416	31	NTN
		38,000			3,07	4T-JHM534149	29	NTN
		44,501			4,24	4T-JM734449	29	NTN
174,625	247,650	47,625	38,100	47,625	7,00	4T-67786/67720	29	NTN
	247,650	47,625	38,100	47,625	7,00	4T-67787/67720	29	NTN
	247,650	103,188			15,10	4T-67787/67720DC+A	30	NTN
	288,925	63,500	47,625	63,500	14,70	T-HM237542/HM237510	29	NTN
	288,925	63,500	47,625	63,500	14,70	T-94687/94113	29	NTN
	288,925	142,875			33,10	T-HM237542/HM237510D+A	30	NTN
	288,925	142,875			33,10	T-94687/94114D+A	30	NTN
	298,450	82,550	63,500	82,550	21,10	T-EE219068/219117	29	NTN
	311,150	82,550	63,500	82,550	23,90	T-EE219068/219122	29	NTN
	311,150	82,550	65,088	82,550	26,00	E-H238148/H238110	29	NTN
	311,150	82,550	65,088	82,550	23,90	T-H238148/H238110	29	NTN
	358,775	82,550			43,40	CRT3503	37	NTN
	358,775	82,550			43,40	E-CRT3503	37	NTN
		47,625			4,49	4T-67786	29	NTN
		47,625			4,54	4T-67787	29	NTN
	177,000	248,000	90,488			13,45	CRD-3502	31
177,800	215,900	20,638	15,083	20,638	1,40	LL735449/LL735410	29	NTN
	215,900	20,638	15,083	20,638	1,40	4T-LL735449/LL735410	29	NTN
	227,012	30,162	23,020	30,162	2,92	4T-36990/36920	29	NTN
	227,012	66,672			6,30	4T-36990/36920CD+A	30	NTN
	247,650	47,625	38,100	47,625	6,57	4T-67790/67720	29	NTN
	247,650	103,188			14,30	4T-67790/67720CD+A	30	NTN
	247,650	192,088			29,40	E-67791D/67720/67721D	32	NTN
	247,650	192,088			29,40	67791D/67720/67721D (CRO-3664)	32	NTN
	260,350	53,975	41,275	53,975	9,28	E-M236848/M236810	29	NTN
	260,350	53,975	41,275	53,975	9,34	4T-M236849/M236810	29	NTN
	279,400	133,353			28,20	82680X/82620D	30	NTN
	279,400	234,950			55,30	82681D/82620/82620D	32	NTN
	279,400	234,950			55,30	E-82681D/82620/82620D	32	NTN
	288,925	63,500	47,625	63,500	14,40	T-HM237545/HM237510	29	NTN
	288,925	63,500	47,625	63,500	14,40	T-94700/94113	29	NTN
	288,925	123,825			29,40	HM237546D/HM237510+A	31	NTN
	288,925	123,825			31,60	T-HM237546D/HM237510+A	30	NTN
	288,925	123,825			31,60	T-94706D/94113+A	30	NTN
	288,925	142,875			32,10	HM237545/HM237510D+A	30	NTN
	288,925	142,875			32,96	E-HM237545/HM237510DC+A	30	NTN
	288,925	142,875			32,40	T-HM237545/HM237510D+A	30	NTN
	288,925	142,875			32,70	HM237545NA/HM237510CD	30	NTN
	288,925	142,875			52,51	NA94700/94114D	30	NTN
	288,925	142,875			32,40	T-94700/94114D+A	30	NTN
	289,974	63,500	48,000	63,500	14,60	T-HM237545/HM237513	29	NTN
	304,800	238,227			69,90	E-EE280700D/281200/281201D	32	NTN
	304,800	238,227			69,90	EE280700D/281200/281201D (CRO-3663)	32	NTN
	304,800	238,227			67,30	CRO-3663	32	NTN
	319,964	85,725	65,088	88,900	28,00	H239640/H239610	29	NTN
	319,964	85,725	65,088	88,900	30,20	T-H239640/H239610	29	NTN
	320,675	185,738			57,80	EE222070/222127D+A	30	NTN
	320,675	185,738			57,80	T-H239640/H239612D+A	30	NTN
	368,300	82,550			48,30	E-CRT3614	37	NTN
	368,300	82,550			45,30	E-CRT3617	37	NTN
	428,625	95,250	61,912	106,362	77,70	EE350701/351687	29	NTN
		30,162			2,00	4T-36990	29	NTN
		47,625			4,21	4T-67790	29	NTN
		53,975			6,48	4T-M236849	29	NTN

								Brands	
d	D	B	C	T	Kg	Reference			
180,000	250,000	45,000	34,000	45,000	6,48	32936X	29	NTN	
	250,000	45,000	37,000	47,000	6,72	4T-JM736149/JM736110	29	NTN	
	250,000	185,000			27,50	CRO-3658	32	NTN	
	254,000	185,000			28,90	625936	32	NTN	
	254,000	185,000			28,90	E-625936	32	NTN	
	260,000	185,000			32,30	CRO-3666	32	NTN	
	280,000	64,000	48,000	64,000	14,20	32036 A	29	SNR	
	280,000	64,000	48,000	64,000	14,50	32036X	29	NTN	
	280,000	74,000			16,50	323036	31	NTN	
	280,000	74,000			13,40	413036	30	NTN	
	280,000	74,000			15,90	413036	30	NTN	
	280,000	93,000			18,50	423036	30	NTN	
	280,000	93,000			19,00	423036	30	NTN	
	280,000	134,500			27,00	CRI-3623	30	NTN	
	300,000	96,000			27,20	323136	31	NTN	
	300,000	96,000			24,60	413136	30	NTN	
	300,000	120,000			31,40	423136	30	NTN	
	300,000	120,000			31,40	423136	30	NTN	
	300,000	164,000			43,70	CRI-3625	30	NTN	
	300,000	280,000			69,40	CRO-3617	32	NTN	
	300,000	280,000			69,40	E-CRO-3617	32	NTN	
	317,500	63,500	46,038	63,500	19,00	T-93708/93125	29	NTN	
	320,000	52,000	43,000	57,000	17,70	30236	29	NTN	
	320,000	86,000	71,000	91,000	30,10	32236	29	NTN	
	320,000	86,000	71,000	91,000	30,70	32236 A	29	SNR	
	320,000	127,000			37,50	430236	30	NTN	
	320,000	127,000			39,40	430236U	30	NTN	
	320,000	182,000			63,50	32236UDF	30	NTN	
	320,000	192,000			60,60	432236U	30	NTN	
	330,000	190,000			71,60	CRD-3615	31	NTN	
	340,000	180,000			67,70	CRI-3618	30	NTN	
	340,000	180,000			68,50	CRI-3618	30	NTN	
	340,000	180,000			68,30	4T-CRI-3618C3	30	NTN	
	380,000	75,000	64,000	83,000	40,20	30336	29	NTN	
	380,000	126,000	106,000	134,000	66,80	32336	29	NTN	
	380,000	158,000			78,70	CRD-3623	31	NTN	
	400,000	232,000			146,50	CRD-3622	31	NTN	
	180,843	284,162	239,715			50,90	E-M240631T/M240644TD/M240647T/M240611D	32	NTN
	187,325	269,875	55,562	42,862	55,562	9,83	M238849/M238810	29	NTN
		269,875	55,562	42,862	55,562	9,83	4T-M238849/M238810	29	NTN
269,875		211,138			41,80	E-M238849D/M238810/M238810D	32	NTN	
269,875		211,138			41,80	M238849D/M238810/M238810D	32	NTN	
282,575		47,625	36,512	50,800	9,73	87737/87111	29	NTN	
282,575		47,625	36,512	50,800	10,90	T-87737/87111	29	NTN	
282,575		107,950			21,10	T-87737/87112D+A	30	NTN	
319,964		85,725	65,088	88,900	28,70	T-H239649/H239610	29	NTN	
319,964		161,925			53,70	T-H239649D/H239610+A	31	NTN	
320,675		85,725	65,088	88,900	28,90	T-H239649/H239612	29	NTN	
320,675		185,738			55,00	T-H239649/H239612D+A	30	NTN	
320,675		185,738			54,60	H239649NA/H239612CD	30	NTN	
		55,562			6,66	4T-M238849	29	NTN	
190,000	260,000	44,000	36,500	46,000	6,78	4T-JM738249/JM738210	29	NTN	
	260,000	45,000	34,000	45,000	6,77	32938X	29	NTN	
	268,000	196,000			34,70	625938	32	NTN	
	268,000	196,000			34,70	E-625938	32	NTN	
	270,000	190,000			34,70	CRO-3812	32	NTN	
	270,000	190,000			34,70	E-CRO-3812	32	NTN	
	270,000	190,000			34,50	CRO-3813	32	NTN	
	290,000	64,000	48,000	64,000	14,57	32038 A	29	SNR	










							 Brands	
d	D	B	C	T	Kg	Reference		
190,000	290,000	64,000	48,000	64,000	14,80	32038X	29	NTN
	290,000	75,000			17,90	323038	31	NTN
	290,000	75,000			16,20	413038	30	NTN
	290,000	94,000			19,10	423038	30	NTN
	290,000	94,000			19,60	423038	30	NTN
	292,100	225,425			59,60	E-M241538D/M241510/M241510D	32	NTN
	292,100	225,425			59,60	M241538D/M241510/M241510D	32	NTN
	320,000	104,000			34,00	323138	31	NTN
	320,000	104,000			34,10	CRD-3801	31	NTN
	320,000	104,000			34,10	CRD-3813	31	NTN
	320,000	104,000			30,80	413138	30	NTN
	320,000	130,000			37,30	423138	30	NTN
	340,000	55,000	46,000	60,000	21,20	30238	29	NTN
	340,000	92,000	75,000	97,000	36,08	32238	29	NTN
	340,000	133,000			45,50	430238U	30	NTN
	340,000	204,000			75,40	CR1-3852	30	NTN
	340,000	204,000			75,00	432238	30	NTN
	340,000	204,000			73,30	432238U	30	NTN
	350,000	135,000			57,70	CRD-3811	31	NTN
	400,000	78,000	65,000	86,000	43,50	30338	29	NTN
	400,000	132,000	109,000	140,000	76,90	32338	29	NTN
		44,000			4,61	4T-JM738249	29	NTN
190,500	266,700	187,325			33,60	T-67885D/67820/67820D	32	NTN
	266,700	187,325			33,60	T-E-67885D/67820/67820D	32	NTN
	282,575	47,625	36,512	50,800	9,39	87750/87111	29	NTN
	282,575	47,625	36,512	50,800	10,60	T-87750/87111	29	NTN
	282,575	107,950			20,60	T-87750/87112D+A	30	NTN
	317,500	63,500	46,038	63,500	17,90	T-93750/93125	29	NTN
	317,500	146,050			41,20	T-93750/93127D+A	30	NTN
	336,550	95,250	73,025	98,425	36,40	T-HH840249/HH840210	29	NTN
	365,049	88,897	63,500	92,075	42,90	T-EE420751/421437	29	NTN
	365,049	152,400			72,80	T-EE420750D/421437+A	31	NTN
	368,300	193,675			84,10	T-EE420751/421451D+A	30	NTN
	368,300	193,675			84,10	E-EE420751/421451D+A	30	NTN
	428,625	95,250	61,912	106,362	75,30	EE350750/351687	29	NTN
	193,675	282,575	47,625	36,512	50,800	9,00	87762/87111	29
282,575		47,625	36,512	50,800	10,30	T-87762/87111	29	NTN
282,575		107,950			20,00	T-87762/87112D+A	30	NTN
195,000	305,000	120,000			32,50	CRD-3906	31	NTN
196,850	241,300	23,017	17,462	23,812	2,11	CR-3913	29	NTN
	241,300	23,017	17,462	23,812	2,14	CR-3914	29	NTN
	241,300	23,017	17,462	23,812	2,04	4T-LL639249/LL639210	29	NTN
	254,000	27,783	21,433	28,575	5,95	4T-L540049/L540010	29	NTN
	257,175	39,688	30,162	39,688	5,33	LM739749/LM739710	29	NTN
	257,175	39,688	30,162	39,688	5,33	4T-LM739749/LM739710	29	NTN
	317,500	63,500	46,038	63,500	18,70	93775/93125	29	NTN
	39,688			3,59	4T-LM739749	29	NTN	
198,438	284,162	225,425			46,00	M240648D/M240611/M240611D	32	NTN
200,000	280,000	51,000	39,000	51,000	9,57	32940	29	SNR
	280,000	51,000	39,000	51,000	9,14	32940X	29	NTN
	282,000	206,000			39,00	CRO-4022LL	32	NTN
	282,000	206,000			40,50	625940	32	NTN
	282,000	206,000			40,50	E-625940	32	NTN
	290,000	160,000			35,10	CRO-4013	32	NTN
	290,000	160,000			35,10	E-CRO-4013	32	NTN
300,000	62,000	51,000	65,000	15,67	4T-JHM840449/JHM840410	29	NTN	

								Brands	
d	D	B	C	T	Kg	Reference			
200,000	310,000	70,000	53,000	70,000	19,10	32040 A	29	SNR	
	310,000	70,000	53,000	70,000	17,30	32040X	29	NTN	
	310,000	82,000			21,70	323040	31	NTN	
	310,000	82,000			21,70	323040	31	NTN	
	310,000	82,000			20,70	413040	30	NTN	
	310,000	103,000			24,60	423040	30	NTN	
	310,000	103,000			25,70	423040	30	NTN	
	310,000	151,000			38,20	CRI-4020	30	NTN	
	310,000	170,000			42,40	CRI-4027	30	NTN	
	310,000	200,000			54,00	CRO-4014	32	NTN	
	310,000	200,000			48,40	E-CRO-4014	32	NTN	
	320,000	146,000			40,10	CRI-4036	30	NTN	
	330,000	180,000			55,50	CRI-4030	30	NTN	
	330,000	180,000			55,50	CRI-4030	30	NTN	
	340,000	112,000			41,70	323140	31	NTN	
	340,000	112,000			38,60	413140	30	NTN	
	340,000	140,000			52,10	CRD-4019	31	NTN	
	340,000	140,000			47,50	423140	30	NTN	
	340,000	150,000			55,30	CRD-4015	31	NTN	
	340,000	184,000			67,00	CRI-4019	30	NTN	
	360,000	58,000	48,000	64,000	25,40	30240	29	NTN	
	360,000	98,000	82,000	104,000	43,60	32240	29	NTN	
	360,000	142,000			55,60	430240	30	NTN	
	360,000	142,000			62,80	430240U	30	NTN	
	360,000	218,000			90,70	432240	30	NTN	
	360,000	218,000			95,20	432240U	30	NTN	
	420,000	80,000	67,000	89,000	51,00	30340	29	NTN	
	420,000	138,000	115,000	146,000	86,00	32340	29	NTN	
	420,000	235,000			158,00	CRD-4020	31	NTN	
	420,000	292,000			187,50	32340DF	30	NTN	
		62,000			10,30	4T-JHM840449	29	NTN	
	200,025	292,100	57,945	46,038	57,945	11,50	T-M241543/M241510	29	NTN
		292,100	125,415			24,80	T-M241543/M241510D+A	30	NTN
		317,500	63,500	46,038	63,500	18,30	T-93787/93125	29	NTN
		317,500	146,050			38,80	T-93787/93727D+A	30	NTN
		319,960	63,500	46,038	63,500	18,80	93787/J93129A	29	NTN
		384,175	112,712	90,488	112,712	53,00	T-H247535/H247510	29	NTN
		384,175	238,125			132,60	E-H247535/H247510D+A	30	NTN
		384,175	238,125			112,00	T-H247535/H247510D+A	30	NTN
		393,700	111,125	84,138	111,125	55,90	HH144642/HH144614	29	NTN
		112,712			36,10	E-H247535	29	NTN	
202,405		358,826	200,100			79,82	E-H244848TD/H244810A	31	NTN
	358,775	200,025			85,00	H244848TD/H244810A+A	31	NTN	
203,200	276,225	42,862	34,133	42,862	6,56	LM241149/LM241110	29	NTN	
	276,225	90,485			13,80	LM241149/LM241110D+A	30	NTN	
	282,575	46,038	36,512	46,038	7,76	T-67983/67920	29	NTN	
	282,575	46,038			8,55	67983/67920	29	NTN	
	282,575	101,600			17,10	T-67983/67920D+A	30	NTN	
	292,100	57,945	46,038	57,945	11,20	T-M241547/M241510	29	NTN	
	292,100	125,415			24,10	T-M241547/M241510D+A	30	NTN	
	317,500	63,500	46,038	63,500	16,50	T-93800/93125	29	NTN	
	317,500	120,650			31,00	E-NA132083/132126D	30	NTN	
	317,500	123,825			36,30	T-93800D/93125+A	31	NTN	
	317,500	146,050			38,27	NA93800/93127D	30	NTN	
	317,500	146,050			37,10	T-93800/93127D+A	30	NTN	
	317,500	215,900			62,50	EE132082D/132125/132126D	32	NTN	
	317,500	215,900			62,50	E-EE132082D/132125/132126D	32	NTN	
	346,075	80,962	60,325	79,375	28,80	T-HM542948/HM542911	29	NTN	
	365,049	88,897	63,500	92,075	40,70	T-EE420801/421437	29	NTN	

							 Brands	
d	D	B	C	T	Kg	Reference		
203,200	365,049	152,400			69,00	T-EE420800D/421437+A	31	NTN
	368,300	193,675			79,20	E-EE420801/421451CD+A	30	NTN
	368,300	193,675			79,90	T-EE420801/421451D+A	30	NTN
	406,400	85,725	57,150	92,075	54,80	EE114080/114160	29	NTN
	406,400	196,850			107,00	EE114080/114161D+A	30	NTN
	419,100	92,075			66,10	CRT4107	37	NTN
	419,100	92,075			54,40	E-CRT4112	37	NTN
	482,600	95,250	73,025	117,475	108,00	T-EE380080/380190G2	29	NTN
		27,783			2,41	4T-LL641149	29	NTN
		46,038			3,50	4T-67983	29	NTN
	88,897			24,90	E-EE420801	29	NTN	
204,788	292,100	57,945	46,038	57,945	11,00	T-M241549/M241510	29	NTN
	292,100	125,415			23,80	T-M241549/M241510D+A	30	NTN
206,000	283,000	102,000			16,90	CRI-4107	30	NTN
206,375	282,575	46,038	36,512	46,038	10,37	4T-67985/67920	29	NTN
	282,575	46,038	36,512	46,038	8,40	T-67985/67920	29	NTN
	282,575	101,600			16,50	4T-67985/67920D+A	30	NTN
	282,575	101,600			16,50	T-67985/67920D+A	30	NTN
	282,575	190,500			35,40	T-67986D/67920/67920D	32	NTN
	336,550	100,012	77,788	98,425	32,10	T-H242649/H242610	29	NTN
	336,550	184,150			64,10	T-H242649D/H242610+A	31	NTN
	336,550	211,138			70,60	E-H242649/H242610CD	30	NTN
	336,550	211,138			65,20	T-H242649/H242610D+A	30	NTN
	482,600	95,250	73,025	117,475	107,00	T-EE380081/380190G2	29	NTN
	100,012			23,00	4T-H242649	29	NTN	
209,550	282,575	46,038	36,512	46,038	7,23	T-67989/67920	29	NTN
	282,575	101,600			16,00	T-67989/67920D+A	30	NTN
	317,500	63,500	46,038	63,500	15,80	T-93825/93125	29	NTN
	317,500	146,050			36,30	T-93825/93127D+A	30	NTN
210,000	355,000	116,000			44,00	CRI-4202	30	NTN
	480,000	230,000			212,00	CRD-4209	31	NTN
212,725	285,750	46,038	34,925	46,038	7,33	T-LM742745/LM742710	29	NTN
	285,750	98,425			15,70	T-LM742745/LM742710D+A	30	NTN
215,900	285,750	46,038	34,925	46,038	7,45	LM742749/LM742710A	29	NTN
	285,750	46,038	34,925	46,038	7,05	T-LM742749/LM742710	29	NTN
	285,750	85,725			14,80	T-LM742749D/LM742710+A	31	NTN
	285,750	98,425			15,10	T-LM742749/LM742710D+A	30	NTN
	287,338	69,850			11,00	543085/543115D+A	30	NTN
	288,925	177,800			34,30	E-LM742749D/LM742714/LM742714D	32	NTN
	288,925	177,800			34,30	T-LM742749D/LM742714/LM742714D	32	NTN
	290,010	31,750	22,225	31,750	5,20	543085/543114	29	NTN
	46,038			5,23	4T-LM742749E1	29	NTN	
216,103	330,200	263,525			78,20	CRO-4303LL	32	NTN
	330,200	263,525			82,10	9974D/9920/9920D	30	NTN
216,408	285,750	49,212	34,925	46,038	7,40	T-LM742747/LM742710	29	NTN
219,075	358,775	200,025			85,90	E-H244848TD/H244810A+A	31	NTN
	358,775	200,025			79,50	H244849D/H244810A+A	31	NTN
219,969	290,010	31,750	25,000	31,750	5,46	CR-4411	29	NTN
219,974		112,712			38,00	4T-H247540	29	NTN




								Brands
d	D	B	C	T	Kg	Reference		
220,000	295,000	315,000			57,50	CRO-4424LL	32	NTN
	300,000	51,000	39,000	51,000	10,20	32944X	29	NTN
	300,000	96,000			19,00	CRTD4406	38	NTN
	300,000	110,000			21,10	CRI-4410	30	NTN
	300,000	230,000			42,10	CRO-4412	32	NTN
	310,000	226,000			53,50	625944	32	NTN
	310,000	226,000			53,50	E-625944	32	NTN
	310,000	280,000			63,50	CRO-4427LL	32	NTN
	320,000	76,200			20,30	CRD-4405	31	NTN
	320,000	200,000			53,00	CRO-4411	32	NTN
	320,000	290,000			77,00	CRO-4436LL	32	NTN
	340,000	76,000	57,000	76,000	25,00	32044X	29	NTN
	340,000	90,000			29,80	323044	31	NTN
	340,000	90,000			26,70	413044	30	NTN
	340,000	90,000			26,70	413044	30	NTN
	340,000	113,000			32,70	423044	30	NTN
	340,000	113,000			33,30	423044	30	NTN
	340,000	152,000			52,00	4T-32044XDF	30	NTN
	340,000	152,000			52,00	32044XUDF	30	NTN
	340,000	158,000			46,70	CRI-4409	30	NTN
	340,000	164,000			48,50	CRI-4411	30	NTN
	340,000	190,000			63,20	623044	32	NTN
	340,000	194,000			64,50	CRO-4409	32	NTN
	370,000	90,000			31,00	CRT4405	37	NTN
	370,000	120,000			51,20	323144	31	NTN
	370,000	120,000			47,10	413144	30	NTN
	370,000	150,000			59,60	423144	30	NTN
	370,000	150,000			59,00	CRI-4416	30	NTN
	400,000	65,000	54,000	72,000	34,40	30244	29	NTN
	400,000	108,000	90,000	114,000	59,20	32244	29	NTN
	400,000	144,000			70,00	30244DF	30	NTN
	400,000	158,000			76,30	430244	30	NTN
	400,000	210,000			107,00	E-CR1-4417	30	NTN
	400,000	228,000			124,30	32244DF	30	NTN
	400,000	254,000			138,00	CRD-4418	31	NTN
	420,000	130,000			73,10	CRI-4407	30	NTN
	460,000	88,000	73,000	97,000	66,70	30344	29	NTN
	460,000	145,000	122,000	154,000	112,80	32344	29	NTN
	550,000	220,000			305,00	E-CR1-4414LL	30	NTN
	220,662	314,325	61,912	49,212	61,912	14,70	4T-M244249/M244210	29
314,325		61,912	49,212	61,912	13,60	T-M244249/M244210	29	NTN
314,325		115,888			28,60	T-M244249D/M244210+A	31	NTN
314,325		131,762			28,90	T-M244249/M244210D+A	30	NTN
314,325		239,712			60,20	T-E-M244249D/M244210/M244210D	32	NTN
314,325		239,712			60,20	T-M244249D/M244210/M244210D	32	NTN
		61,912			9,83	4T-M244249	29	NTN
228,397	431,800	85,725	49,212	92,075	59,40	EE113089/113170	29	NTN
228,460	431,800	85,725	49,212	92,075	59,40	EE113091/113170	29	NTN
	431,800	196,850			116,00	EE113091/113171D+A	30	NTN
228,600	300,038	31,750	23,812	33,338	5,61	544090/544118	29	NTN
	300,038	31,750	23,812	33,338	6,05	T-544090/544118	29	NTN
	300,038	66,676			11,10	544090/544118DF	30	NTN
	327,025	52,388	36,512	52,388	9,90	8573/8520	29	NTN
	327,025	52,388	36,512	52,388	12,50	T-8573/8520	29	NTN
	327,025	114,300			27,30	T-8573/8520D+A	30	NTN
	355,600	66,675	47,625	68,262	24,30	T-96900/96140	29	NTN
	355,600	69,850	49,212	69,850	22,70	T-EE130902/131400	29	NTN
	355,600	69,850	50,800	69,850	22,70	HM746646/HM746610	29	NTN




















							 Brands	
d	D	B	C	T	Kg	Reference		
228,600	355,600	152,400			49,40	T-EE130902/131401D+A	30	NTN
	355,600	152,400			49,50	E-E30902/131401D+A	30	NTN
	355,600	152,400			49,40	HM746646/HM746610D+A	30	NTN
	355,600	152,400			49,40	T-96900/96140D+A	30	NTN
	358,775	71,438	53,975	71,438	23,90	T-M249732/M249710	29	NTN
	358,775	152,400			50,90	T-M249732/M249710D+A	30	NTN
	364,000	296,875			117,90	CRO-4606	32	NTN
	400,050	87,312	63,500	88,900	46,00	EE430900/431575	29	NTN
	400,050	139,700			74,20	EE529091D/529157+A	31	NTN
	400,050	187,325			88,30	EE430900/431576D+A	30	NTN
	425,450	177,800			115,00	E-EE700090D/700167+A	31	NTN
	425,450	349,250			232,00	EE700090D/700167/700168D	32	NTN
	425,450	349,250			232,00	E-EE700090D/700167/700168D	32	NTN
	431,800	177,800			131,00	CRD-4604	31	NTN
	482,600	104,775			93,20	CRT4604	37	NTN
	482,600	104,775			101,70	E-CRT4604	37	NTN
	488,950	111,125	73,025	123,825	111,00	T-HH949549/HH949510G2	29	NTN
	488,950	254,000			200,60	E-HH949549/HH949510D+A	30	NTN
488,950	254,000			207,00	T-HH949549/HH949510DG2+A	30	NTN	
230,000	355,000	146,000			47,00	CRI-4604	30	NTN
	380,000	175,000			66,97	CRI-4612	30	NTN
	380,000	175,000			67,00	CRI-4612	30	NTN
	380,000	175,000			73,90	CRI-4613	30	NTN
	380,000	175,000			68,60	CRI-4619	30	NTN
	380,000	200,000			80,40	CRI-4606	30	NTN
	380,000	200,000			84,40	CRI-4606	30	NTN
	400,000	188,000			88,50	CRI-4605	30	NTN
230,188	317,500	52,388	36,512	47,625	10,90	4T-LM245846/LM245810	29	NTN
231,775	300,038	31,750	23,812	33,338	5,81	T-544091/544118	29	NTN
	336,550	65,088	50,800	65,088	16,90	T-M246942/M246910	29	NTN
	358,775	71,438	53,975	71,438	23,40	T-M249734/M249710	29	NTN
	358,775	152,400			50,00	T-M249734/M249710D+A	30	NTN
		71,438			16,90	4T-M249734	29	NTN
234,950	311,150	46,038	33,338	46,038	8,38	LM446349/LM446310	29	NTN
	311,150	98,425			17,90	LM446349/LM446310D+A	30	NTN
	314,325	49,212	36,512	49,212	9,38	LM545849/LM545810	29	NTN
	314,325	49,212	36,512	49,212	9,38	T-LM545849/LM545810	29	NTN
	327,025	52,388	36,512	52,388	11,90	T-8575/8520	29	NTN
	327,025	114,300			25,40	8574/8520CD	30	NTN
	327,025	114,300			25,40	8574/8520CD+A	30	NTN
	327,025	114,300			25,90	T-8575/8520D+A	30	NTN
	327,025	196,850			53,60	T-8576D/8520/8520D	32	NTN
	327,025	196,850			53,60	T-E-8576D/8520/8520D	32	NTN
	355,600	66,675	47,625	68,262	22,50	T-96925/96140	29	NTN
	355,600	152,400			47,50	T-96925/96140D+A	30	NTN
	381,000	74,612	57,150	74,612	29,30	T-M252330/M252310	29	NTN
	384,175	112,712	90,488	112,712	52,00	H247549/H247510A	29	NTN
	384,175	112,712	90,488	112,712	45,50	T-H247549/H247510	29	NTN
	384,175	209,550			98,00	H247549D/H247510+A	31	NTN
	384,175	238,125			104,00	E-H247549/H247510CD+A	30	NTN
	384,175	238,125			96,20	T-H247549/H247510D+A	30	NTN
		112,712			33,30	4T-H247549	29	NTN
	235,000	330,000	115,000			27,30	CRI-4701	30
330,000		230,000			55,80	E-CRI-4701	30	NTN
237,330	336,550	65,088	50,800	65,088	16,20	T-M246949/M246910	29	NTN
	358,775	71,438	53,975	71,438	22,60	T-M249736/M249710	29	NTN

								Brands
d	D	B	C	T	Kg	Reference		
237,330	358,775	152,400			48,20	T-M249736/M249710D+A	30	NTN
		65,088			12,00	4T-M246949	29	NTN
240,000	320,000	51,000	39,000	51,000	10,90	32948X	29	NTN
	320,000	110,000			21,60	CRI-4813	30	NTN
	338,000	248,000			67,80	CRO-4811LL	32	NTN
	338,000	248,000			70,00	E-625948A	32	NTN
	338,000	248,000			70,00	625948A (CRO-4825)	32	NTN
	338,000	340,000			94,40	CRO-4817LL	32	NTN
	360,000	40,000	41,000	46,000	14,02	CR-4805	29	NTN
	360,000	76,000	57,000	76,000	26,80	32048 A	29	SNR
	360,000	76,000	57,000	76,000	26,80	32048X	29	NTN
	360,000	92,000			32,60	323048	31	NTN
	360,000	92,000			28,70	413048	30	NTN
	360,000	115,000			35,60	423048	30	NTN
	360,000	115,000			36,30	423048	30	NTN
	360,000	152,000			54,80	4T-32048XDF	30	NTN
	360,000	164,000			53,00	CRI-4806	30	NTN
	360,000	170,000			53,80	CRI-4805	30	NTN
	360,000	194,000			67,10	CRO-4834	32	NTN
	395,000	124,000			60,20	CRD-4804	31	NTN
	400,000	128,000			64,60	323148	31	NTN
	400,000	128,000			58,90	413148	30	NTN
	400,000	160,000			71,70	423148	30	NTN
	400,000	160,000			80,70	CRD-4805	31	NTN
	400,000	160,000			80,70	CRD-4811	31	NTN
	400,000	209,000			96,00	CRI-4807	30	NTN
	440,000	72,000	60,000	79,000	47,70	30248	29	NTN
	440,000	120,000	100,000	127,000	78,80	32248	29	NTN
	440,000	165,000			100,40	430248	30	NTN
	440,000	254,000			163,00	32248DF	30	NTN
	440,000	266,000			164,80	432248	30	NTN
	460,000	140,000			107,00	CRD-4808	31	NTN
	460,000	140,000			107,00	E-CRD-4808	31	NTN
	500,000	95,000	80,000	105,000	87,20	30348	29	NTN
500,000	95,000	80,000	210,000	174,00	30348DF	29	NTN	
500,000	155,000	132,000	165,000	130,02	32348	29	NTN	
241,300	327,025	52,388	36,512	52,388	11,20	T-8578/8520	29	NTN
	327,025	114,300			24,30	T-8578/8520D+A	30	NTN
	349,148	57,150	44,450	57,150	15,90	EE127095/127135	29	NTN
	349,148	127,000			35,40	EE127095/127136D+A	30	NTN
	355,524	109,538			36,80	CRD-4803	31	NTN
	368,300	50,800	33,338	50,800	17,20	EE170950/171450	29	NTN
	368,300	120,650			40,80	EE170950/171450D+A	30	NTN
	393,700	69,850	50,005	73,817	34,30	T-EE275095/275155	29	NTN
	393,700	157,162			66,50	T-EE275095/275156D+A	30	NTN
	406,400	215,900			107,84	E-H249148/H249111DC+A	30	NTN
	406,400	215,900			101,00	T-H249148/H249111D+A	30	NTN
	444,500	100,012	76,200	101,600	68,00	T-EE923095/923175G2	29	NTN
444,500	209,550			128,00	T-EE923095/923176DG2+A	30	NTN	
241,478	349,148	107,950			33,80	EE127097D/127135+A	31	NTN
	350,838	228,600			76,40	EE127097D/127137/127137D	32	NTN
	350,838	228,600			76,40	E-EE127097D/127137/127137D	32	NTN
241,564	358,775	139,700			42,20	E-M249746TD/M249710UP	31	NTN
244,475	327,025	92,075			21,40	LM247748D/LM247710A+A	31	NTN
	327,025	193,675			46,10	E-LM247748D/LM247710/LM247710DA	32	NTN
	327,025	193,675			46,10	LM247748D/LM247710/LM247710DA	32	NTN
	381,000	76,200	57,150	79,375	32,60	EE126097/126150	29	NTN










								 Brands		
d	D	B	C	T	Kg	Reference				
244,475	381,000	146,050			61,40	EE126096D/126150+A		31	NTN	
	381,000	171,450			64,00	EE126097/126151D+A		30	NTN	
	381,000	304,800			132,00	EE126096D/126150/126151D		32	NTN	
	381,000	304,800			132,00	E-EE126096D/126150/126151D		32	NTN	
245,000	345,000	310,000			90,50	CRO-4906LL		32	NTN	
	380,000	255,500			106,70	CRO-4901		32	NTN	
247,650	304,800	22,225	15,875	22,225	3,29	4T-28880/28820E1		29	NTN	
	346,075	63,500	50,800	63,500	16,20	T-M348449/M348410		29	NTN	
	346,075	63,700	50,800	63,500	17,70	4T-M348449/M348410		29	NTN	
	368,300	50,800	50,800	50,800	16,50	EE170975/171450		29	NTN	
	368,300	120,650			39,20	EE170975/171451D+A		30	NTN	
	381,000	74,612	57,150	74,612	27,30	T-M252337/M252310		29	NTN	
	406,400	117,475	93,662	117,475	42,80	HH249949/HH249910		29	NTN	
	406,400	219,075			112,00	HH249949D/HH249910+A		31	NTN	
	406,400	247,650			112,00	HH249949/HH249910D+A		30	NTN	
249,250	381,000	76,200	57,150	79,375	31,70	EE126098/126150		29	NTN	
	381,000	171,450			62,20	EE126098/126151D+A		30	NTN	
250,000	310,000	32,000	24,500	32,000	5,11	CR-5009		29	NTN	
	365,000	270,000			82,10	CRO-5004		32	NTN	
	365,000	270,000			82,10	E-CRO-5004		32	NTN	
	365,000	270,000			96,70	CRO-5012		32	NTN	
	365,000	270,000			90,00	CRO-5015LL		32	NTN	
	370,000	220,000			87,00	CRO-5001		32	NTN	
	370,000	220,000			87,00	E-CRO-5001		32	NTN	
	380,000	98,000			35,30	CRI-5004		30	NTN	
	380,000	100,000			40,00	E-CRTD5010		37	NTN	
254,000	258,775	269,875			74,40	E-M249749D/M249710/M249710D		32	NTN	
	323,850	22,225	15,875	22,225	3,92	29875/29820		29	NTN	
	323,850	63,500			11,20	29875/29820D+A		30	NTN	
	358,775	71,438	53,975	71,438	21,48	E-M249749/M249710		29	NTN	
	358,775	71,438	53,975	71,438	21,50	M249749/M249710		29	NTN	
	358,775	71,438	53,975	71,438	20,10	T-M249749/M249710		29	NTN	
	358,775	130,175			41,20	T-M249748D/M249710+A		31	NTN	
	358,775	152,400			44,70	M249749/M249710CD+A		30	NTN	
	358,775	152,400			44,70	M249749/M249710D+A		30	NTN	
	358,775	152,400			42,80	T-M249749/M249710D+A		30	NTN	
	358,775	269,875			85,60	T-E-M249748D/M249710/M249710D		32	NTN	
	358,775	269,875			85,60	T-M249748D/M249710/M249710D		32	NTN	
	358,775	269,875			81,70	CRO-5116LL		32	NTN	
	358,775	269,875			83,00	CRO-5117LL		32	NTN	
	365,125	58,738	42,862	58,738	17,70	T-EE134100/134143		29	NTN	
	365,125	130,175			39,20	T-EE134100/134144D+A		30	NTN	
	368,300	92,862			32,50	EE170975D/171450+A		31	NTN	
	368,300	204,622			71,80	EE171000D/171450/171451D		32	NTN	
	368,300	204,622			71,80	E-EE171000D/171450/171451D		32	NTN	
	393,700	69,850	50,005	73,817	32,10	T-EE275100/275155		29	NTN	
	393,700	157,162			62,20	T-EE275100/275156D+A		30	NTN	
	422,275	79,771	66,675	86,121	47,10	T-HM252343/HM252310		29	NTN	
	422,275	178,592			88,90	T-HM252343/HM252310D+A		30	NTN	
	444,500	279,400			185,00	EE822101D/822175/822176D		32	NTN	
	444,500	279,400			185,00	E-EE822101D/822175/822176D		32	NTN	
	533,400	120,650	77,788	133,350	141,00	HH953749/HH953710		29	NTN	
	533,400	276,225			266,00	HH953749/HH953710D+A		30	NTN	
	539,750	117,475			140,00	E-CRT5103		37	NTN	
	585,000	260,000			392,00	CRD-5102		31	NTN	
	257,175	342,900	57,150	44,450	57,150	12,90	M349549/M349510		29	NTN

										Brands	
d	D	B	C	T	Kg	Reference					
257,175	342,900	57,150	44,450	57,150	12,90	M349549A/M349510	29	NTN			
258,500	365,000	361,000			116,00	E-CRD-5232	31	NTN			
	365,000	361,000			116,00	E-CRD-5232LD2	31	NTN			
259,027	457,200	244,475			165,43	HH255149TD/HH255110+A	31	NTN			
259,500	481,000	250,000			202,00	CRD-5215	31	NTN			
	481,000	250,000			180,00	CRD-5222	31	NTN			
260,000	360,000	40,000	34,000	45,000	11,40	CR-5201	29	NTN			
	360,000	63,500	48,000	63,500	18,60	32952X	29	NTN			
	360,000	272,000			74,20	CRO-5218	32	NTN			
	365,000	339,000			103,00	CR0-5224LL	32	NTN			
	368,000	268,000			90,30	625952	32	NTN			
	368,000	268,000			90,30	625952	32	NTN			
	368,000	268,000			90,30	E-625952	32	NTN			
	389,500	105,000			41,90	CRD-5226	31	NTN			
	400,000	87,000	65,000	87,000	39,40	32052X	29	NTN			
	400,000	104,000			47,30	323052	31	NTN			
	400,000	104,000			41,50	413052	30	NTN			
	400,000	130,000			52,30	423052	30	NTN			
	400,000	150,000			74,60	CRD-5212	31	NTN			
	400,000	174,000			81,25	32052XUDF	30	NTN			
	400,000	185,000			79,00	CRI-5218	30	NTN			
	400,000	220,000			98,90	623052	32	NTN			
	400,000	255,000			106,00	CRO-5215	32	NTN			
	400,000	255,000			106,00	E-CRO-5215	32	NTN			
	440,000	144,000			90,00	323152	31	NTN			
	440,000	144,000			80,00	413152	30	NTN			
	440,000	172,000			98,90	CR1-5224	30	NTN			
	440,000	172,000			99,00	CRI-5224	30	NTN			
	440,000	180,000			99,80	423152	30	NTN			
	445,000	180,000			111,00	CRD-5228	31	NTN			
	458,000	155,000			109,00	CRD-5214	31	NTN			
	459,000	155,000			110,00	CRD-5216	31	NTN			
	459,000	155,000			110,00	CRD-5224	31	NTN			
	480,000	80,000	67,000	89,000	63,40	30252	29	NTN			
	480,000	130,000	106,000	137,000	103,00	32252	29	NTN			
	530,000	275,000			248,00	CRI-5215	30	NTN			
	260,350	365,125	58,738	42,862	58,738	16,80	T-EE134102/134143	29	NTN		
		365,125	130,175			37,30	T-EE134102/134144D+A	30	NTN		
		365,125	228,600			76,50	EE134102D/134143/134144D	32	NTN		
365,125		228,600			76,50	E-EE134102D/134143/134144D	32	NTN			
400,050		67,470	46,038	69,850	27,00	EE221026/221575	29	NTN			
400,050		114,300			52,00	EE221025D/221575+A	31	NTN			
400,050		155,575			62,70	EE221026/221576D+A	30	NTN			
400,050		255,588			117,00	EE221027D/221575/221576D	32	NTN			
400,050		255,588			117,00	E-EE221027D/221575/221576D	32	NTN			
419,100		84,138	61,912	85,725	44,40	EE435102/435165	29	NTN			
419,100		180,000			95,70	CRD-5217	31	NTN			
419,100		184,150			86,80	EE435102/435165D+A	30	NTN			
422,275		79,771	66,675	86,121	45,70	T-HM252348/HM252310	29	NTN			
422,275		136,525	123,825	314,325	180,00	HM252349D/HM252310/HM252310D	32	NTN			
422,275		178,592			86,30	T-HM252348/HM252310D+A	30	NTN			
422,275		314,325			180,00	E-HM252349D/HM252310/HM252310D	32	NTN			
422,275		314,325			177,00	CRO-5227LL	32	NTN			
488,950		120,650	92,075	120,650	90,30	EE295102/295193	29	NTN			
488,950		254,000			190,00	EE295102/295192D+A	30	NTN			
263,525		325,438	28,575	25,400	28,575	4,56	T-38880/38820	29	NTN		

							 Brands
d	D	B	C	T	Kg	Reference	
263,525	355,600	57,150	44,450	57,150	15,77	LM451345/LM451310A	29 NTN
	355,600	57,150	44,450	57,150	14,20	T-LM451345/LM451310	29 NTN
	355,600	127,000			31,70	T-LM451345/LM451310D+A	30 NTN
266,700	323,850	22,225	15,875	22,225	3,52	29880/29820	29 NTN
	323,850	63,500			9,37	29880/29820D+A	30 NTN
	325,438	28,575	25,400	28,575	4,35	T-38885/38820	29 NTN
	355,600	57,150	44,450	57,150	14,90	4T-LM451349/LM451310	29 NTN
	355,600	57,150	44,450	57,150	14,96	LM451349/LM451310A	29 NTN
	355,600	57,150	44,450	57,150	15,00	T-LM451349/LM451310	29 NTN
	355,600	57,150	44,450	57,150	13,80	T-LM451349A/LM451310	29 NTN
	355,600	109,538			29,90	T-LM451349D/LM451310+A	31 NTN
	355,600	127,000			30,70	T-LM451349/LM451310D+A	30 NTN
	355,600	230,188			61,53	E-LM451349D/LM451310/LM451310D	32 NTN
	355,600	230,188			62,00	T-E-LM451349D/LM451310/LM451310D	32 NTN
	355,600	230,188			62,00	T-LM451349D/LM451310/LM451310D (CRO-5307)	32 NTN
	355,600	230,188			62,30	CRO-5305	32 NTN
	393,700	69,850	50,005	73,817	29,70	T-EE275105/275155	29 NTN
	393,700	157,162			57,60	T-EE275105/275156D+A	30 NTN
	393,700	269,878			116,00	EE275106D/275155/275156D	32 NTN
	393,700	269,878			116,00	E-EE275106D/275155/275156D	32 NTN
444,500	117,475	88,900	120,650	73,30	H852849/H852810	29 NTN	
269,875	381,000	74,612	57,150	74,612	25,40	T-M252349/M252310	29 NTN
	381,000	136,525			48,60	T-M252349D/M252310+A	31 NTN
	381,000	158,750			52,30	M252349/M252310D+A	30 NTN
	381,000	158,750			52,30	T-M252349/M252310D+A	30 NTN
	381,000	282,575			97,50	E-M252349D/M252310/M252310D	32 NTN
	381,000	282,575			97,50	T-M252349D/M252310/M252310D	32 NTN
		74,612			17,60	4T-M252349	29 NTN
270,000	395,000	94,000			38,50	CRO-5403	31 NTN
	410,000	222,000			91,00	CRO-5403	32 NTN
	410,000	222,000			91,00	E-CRO-5403	32 NTN
273,050	393,700	69,850	50,005	73,817	28,50	T-EE275108/275155	29 NTN
	393,700	157,162			55,30	T-EE275108/275156D+A	30 NTN
275,000	385,000	200,000			62,50	CRO-5501	32 NTN
	385,000	200,000			62,50	E-CRO-5501	32 NTN
276,225	352,425	34,925	23,812	36,512	7,59	E-L853049/L853010	29 NTN
	352,425	34,925	23,812	36,512	8,40	L853049/L853010	29 NTN
	352,425	40,000	29,000	40,000	8,76	CR-5501	29 NTN
	393,700	130,175			50,50	T-EE275109D/275155+A	30 NTN
	406,400	268,290			122,00	EE275109D/275160/275161D	32 NTN
	406,400	268,290			122,00	E-EE275109D/275160/275161D	32 NTN
276,887	406,400	144,462			62,00	E-M255449TD/M255410AUP	31 NTN
279,400	374,650	47,625	34,925	47,625	13,00	L555233/L555210	29 NTN
	374,650	104,775			28,50	L555233/L555210D+A	30 NTN
	381,000	269,875			79,60	CRO-5628	32 NTN
	393,700	127,000			48,10	EE135111D/135155+A	31 NTN
	393,700	269,875			103,00	EE135111D/135155/135156D	32 NTN
	393,700	269,875			96,40	CRO-5652LL	32 NTN
	419,100	292,100			141,00	CRO-5614	32 NTN
	457,200	244,475			158,00	HH255149D/HH255110+A	31 NTN
	469,900	93,662	69,850	95,250	65,30	EE722110/722185	29 NTN
	469,900	200,025			125,00	EE722110/722186D+A	30 NTN
	469,900	346,075			258,00	EE722111D/722185/722186D	32 NTN
	469,900	346,075			258,00	E-EE722111D/722185/722186D	32 NTN








								Brands
d	D	B	C	T	Kg	Reference		
279,400	488,950	120,650	92,075	120,650	84,90	EE295110/295193	29	NTN
	488,950	254,000			179,00	EE295110/295192D+A	30	NTN
	533,400	241,300			272,00	CRD-5613	31	NTN
	603,250	136,525			172,00	CRT5613	37	NTN
	603,250	136,525			205,00	E-CRT5617	37	NTN
279,578	380,898	244,475			83,20	T-E-LM654644D/LM654610/LM654610D	32	NTN
	380,898	244,475			83,20	T-LM654644D/LM654610/LM654610D (CRO-5679)	32	NTN
279,982	380,898	65,088	49,212	65,088	19,00	T-LM654642/LM654610	29	NTN
	380,898	139,700			40,70	T-LM654642/LM654610D+A	30	NTN
280,000	380,000	63,500	48,000	63,500	20,00	32956X	29	NTN
	380,000	92,000			28,90	E-CRD-5621	31	NTN
	380,000	290,000			105,00	CRO-5650 (CRO-5676)	32	NTN
	380,000	290,000			90,00	CRO-5660LL	32	NTN
	395,000	288,000			109,62	625956	32	NTN
	395,000	288,000			111,00	E-625956	32	NTN
	395,000	288,000			111,00	625956 (CRO-5684)	32	NTN
	395,000	290,000			108,00	CRO-5665LL	32	NTN
	395,000	340,000			126,00	CRO-5664LL	32	NTN
	400,000	150,000			53,80	CRI-5615	30	NTN
	406,400	67,673	53,975	69,850	29,10	EE128112/128160	29	NTN
	410,000	110,000			49,00	CRD-5616	31	NTN
	410,000	110,000			45,20	E-CRD-5616	31	NTN
	410,000	268,000			116,00	CRO-5639LL	32	NTN
	420,000	87,000	65,000	87,000	60,00	32056 A	29	SNR
	420,000	87,000	65,000	87,000	40,40	32056X	29	NTN
	420,000	106,000			51,20	323056	31	NTN
	420,000	106,000			47,20	413056	30	NTN
	420,000	133,000			57,30	423056	30	NTN
	420,000	174,000			86,80	32056XUDF	30	NTN
	460,000	146,000			95,80	323156	31	NTN
	460,000	146,000			87,40	413156	30	NTN
	460,000	183,000			109,00	423156	30	NTN
	500,000	80,000	67,000	89,000	66,60	30256	29	NTN
	500,000	130,000	106,000	137,000	110,00	32256	29	NTN
	580,000	175,000	145,000	187,000	222,00	32356	29	NTN
280,192	406,400	67,673	53,975	69,850	29,10	EE128111/128160	29	NTN
	406,400	149,225			56,50	EE128111/128160D+A	30	NTN
281,252	495,300	263,525			225,00	E-HH258249TD/HH258210+A	31	NTN
285,000	380,000	92,000			29,00	CRD-5704	31	NTN
	400,000	340,000			134,00	CRO-5709LL	32	NTN
285,750	358,775	31,750	22,225	33,338	7,54	545112/545141A	29	NTN
	358,775	76,200			15,17	545112/545142D+A	30	NTN
	380,898	65,088	49,212	65,088	18,00	T-LM654649/LM654610	29	NTN
	380,898	117,475			36,70	T-LM654648D/LM654610+A	31	NTN
	380,898	139,700			38,80	E-LM654649/LM654610CD+A	30	NTN
	380,898	139,700			38,70	T-LM654649/LM654610D+A	30	NTN
	380,898	162,176			41,90	E-LM654649/LM654610DB	30	NTN
	380,898	162,176			41,90	LM654649/LM654610DB	30	NTN
	380,898	244,475			82,50	T-E-LM654648D/LM654610/LM654610D	32	NTN
	380,898	244,475			82,50	T-LM654648D/LM654610/LM654610D (CRO-5710)	32	NTN
	501,650	203,200			151,00	EE147112/147198D+A	30	NTN
288,925	406,400	77,788	60,325	77,788	27,80	M255449/M255410A	29	NTN
	406,400	77,788	60,325	77,788	30,20	4T-CR-5812	29	NTN
	406,400	144,462			59,00	E-M255449D/M255410A+A	31	NTN



							 Brands
d	D	B	C	T	Kg	Reference	
288,925	406,400	144,462			58,10	M255449D/M255410A+A	31 NTN
	406,400	165,100			59,00	M255449/M255410DA+A	30 NTN
	406,400	298,450			125,00	E-M255449D/M255410/M255410DA	32 NTN
	406,400	298,450			125,00	M255449D/M255410/M255410DA	32 NTN
290,000	400,000	120,000			40,00	CRI-5808	30 NTN
	400,000	346,000			129,00	CRO-5814LL	32 NTN
	430,000	150,000			72,10	CR1-5810	30 NTN
	430,000	150,000			72,70	CR1-5810	30 NTN
291,150	520,000	266,000			239,00	E-CRTD5807	37 NTN
	374,650	47,625	34,925	47,625	11,90	E-L555249/L555210	29 NTN
	374,650	47,625	34,925	47,625	11,50	L555249/L555210	29 NTN
	374,650	104,775			25,20	L555249/L555210D+A	30 NTN
	469,900	93,662	69,850	95,250	62,00	EE722115/722185	29 NTN
	469,900	200,025			118,00	EE722115/722186D+A	30 NTN
	476,250	296,047			208,00	EE921150D/921875/921876D	32 NTN
	476,250	296,047			208,00	E-EE921150D/921875/921876D	32 NTN
	558,800	136,525	98,425	136,525	135,00	EE790114/790221	29 NTN
298,450	444,500	61,912	39,688	63,500	33,10	EE291175/291750	29 NTN
	444,500	146,050			69,30	EE291175/291751D+A	30 NTN
299,974	495,300	141,288	114,300	141,288	96,00	HH258248/HH258210G2	29 NTN
	495,300	301,625			205,00	HH258248/HH258210DG2+A	30 NTN
300,000	380,000	38,000	28,000	38,000	9,44	CR-6016	29 NTN
	400,000	254,000			84,60	CRO-6038LL	32 NTN
	420,000	76,000	57,000	76,000	31,40	32960X	29 NTN
	420,000	310,000			128,00	CRO-6042LL	32 NTN
	420,000	420,000			163,00	CR-6027DB	30 NTN
	424,000	310,000			138,00	625960	32 NTN
	424,000	310,000			138,00	E-625960	32 NTN
	430,000	280,000			132,00	CRO-6019	32 NTN
	430,000	295,000			136,00	CRO-6031LL	32 NTN
	430,000	300,000			141,00	CRO-6022	32 NTN
	440,000	105,000			54,00	CRD-6025	31 NTN
	440,000	105,000			54,00	CRD-6027	31 NTN
	460,000	100,000	74,000	100,000	63,00	32060X	29 NTN
	460,000	100,000	76,000	100,000	58,20	4T-CR-6013	29 NTN
	460,000	118,000			70,70	323060	31 NTN
	460,000	118,000			64,40	413060	30 NTN
	460,000	148,000			76,70	423060	30 NTN
	460,000	360,000			180,00	CRO-6015	32 NTN
	460,000	360,000			180,00	E-CRO-6015	32 NTN
	470,000	270,000			152,00	CRO-6012	32 NTN
	470,000	270,000			152,00	E-CRO-6012	32 NTN
	470,000	292,000			164,00	E-CRO-6013	32 NTN
	470,000	292,000			164,00	CRO-6013 (CRO-6033)	32 NTN
	495,350	141,288	114,300	141,288	96,00	E-HH258248/HH258210	29 NTN
	500,000	160,000			126,00	323160	31 NTN
	500,000	160,000			112,30	413160	30 NTN
	500,000	180,000			143,00	CRD-6006	31 NTN
	500,000	200,000			144,00	423160	30 NTN
	500,000	200,000			158,00	CRD-6028	31 NTN
	500,000	200,000			158,00	E-CRD-6028	31 NTN
	500,000	200,000			158,00	CRD-6030	31 NTN
	500,000	332,000			257,00	623160	32 NTN
	500,000	332,000			257,00	623160A	32 NTN
	520,000	180,000			187,00	CRD-6026	31 NTN
540,000	85,000	71,000	96,000	83,10	30260	29 NTN	
540,000	140,000	115,000	149,000	130,00	32260	29 NTN	








								Brands
d	D	B	C	T	Kg	Reference		
300,000	540,000	208,000			184,00	CRI-6010	30	NTN
	540,000	298,000			289,00	32260DF	30	NTN
300,038	422,275	82,550	63,500	82,550	31,90	T-HM256849/HM256810G2	29	NTN
	422,275	150,812			65,60	T-HM256849D/HM256810G2+A	31	NTN
	422,275	174,625			69,20	E-HM256849/HM256810D+A	30	NTN
	422,275	174,625			67,40	T-HM256849/HM256810DG2+A	30	NTN
	422,275	311,150			143,00	T-E-HM256849D/HM256810/HM256810DG2	32	NTN
	422,275	311,150			143,00	T-HM256849D/HM256810/HM256810DG2	32	NTN
304,271	447,675	158,750			84,26	E-CRD-6111K	31	NTN
304,648	438,048	128,575			62,80	CRD-6132	31	NTN
	438,048	131,762			64,30	EE329119D/329172+A	31	NTN
	438,048	279,400			143,00	EE329119D/329172/329173D	32	NTN
	438,048	279,400			143,00	E-EE329119D/329172/329173D	32	NTN
	438,048	280,990			136,00	CRO-6143LL	32	NTN
	438,048	280,990			140,00	E-M757448D/M757410/M757410D	32	NTN
	438,048	280,990			140,00	M757448D/M757410/M757410D	32	NTN
304,800	393,700	50,800	38,100	50,800	13,80	L357049/L357010	29	NTN
	393,700	107,950			29,30	L357049/L357010D+A	30	NTN
	406,400	63,500	47,625	63,500	20,10	T-LM757049/LM757010	29	NTN
	419,100	130,175			53,10	M257149D/M257110+A	31	NTN
	419,100	269,875			115,00	E-M257149D/M257110/M257110D	32	NTN
	419,100	269,875			115,00	M257149D/M257110/M257110D	32	NTN
	438,048	76,992	53,975	76,200	34,80	T-EE129120X/129172	29	NTN
	438,048	165,100			71,40	T-EE129120X/129120D+A	30	NTN
	444,500	61,912	39,688	63,500	31,90	EE291201/291750	29	NTN
	444,500	107,950			55,70	EE291200D/291750+A	30	NTN
	444,500	146,050			66,80	EE291201/291751D+A	30	NTN
	444,500	247,650			127,00	EE291202D/291750/291751D	32	NTN
	444,500	247,650			127,00	E-EE291202D/291750/291751D	32	NTN
	495,300	74,612	53,975	76,200	55,80	EE941205/941950A	29	NTN
	495,300	92,075	69,850	95,250	69,70	EE724120/724195	29	NTN
	495,300	92,075	69,850	95,250	69,80	E-EE724120/724195	29	NTN
	495,300	196,850			131,00	EE724120/724196D+A	30	NTN
	495,300	342,900			273,00	EE724121D/724195/724196D	32	NTN
	495,300	342,900			273,00	E-EE724121D/724195/724196D	32	NTN
	499,948	79,375	53,975	101,600	67,00	E-M959442/M959410	29	NTN
	499,948	158,750			158,00	CRD-6109	31	NTN
499,948	200,000			155,00	CRD-6123	31	NTN	
558,800	136,525	98,425	136,525	131,00	EE790120/790221	29	NTN	
304,902	412,648	128,588			49,00	M257248D/M257210+A	31	NTN
	412,648	266,700			107,00	E-M257248D/M257210/M257210D	32	NTN
	412,648	266,700			107,00	M257248D/M257210/M257210D	32	NTN
305,000	438,048	134,145			65,30	M757449D/M757410+A	31	NTN
	500,000	200,000			135,00	CRD-6120	31	NTN
	500,000	200,000			155,00	CRD-6137	31	NTN
	500,000	200,000			155,00	CRD-6148	31	NTN
	500,000	200,000			155,00	E-CRD-6148	31	NTN
	500,000	200,000			155,00	CRD-6151	31	NTN
	500,000	200,000			141,00	E-CRD-6151	31	NTN
	559,968	169,977			193,00	CRD-6140	31	NTN
	560,000	200,000			218,00	CRD-6135	31	NTN
	560,000	200,000			218,00	CRD-6146	31	NTN
	560,000	200,000			218,00	CRD-6154	31	NTN
	560,000	223,000			227,00	CRI-6108	30	NTN
305,003	438,048	280,990			139,00	E-M757449D/M757410/M757410D	32	NTN



							 Brands	
d	D	B	C	T	Kg	Reference		
305,003	438,048	280,990			139,00	M757449D/M757410/M757410D	32	NTN
	559,867	169,977			192,00	CRD-6113	31	NTN
305,069	559,999	200,000			218,00	CRD-6112	31	NTN
	559,999	200,000			218,00	CRD-6152	31	NTN
	560,000	200,000			218,00	CRD-6136	31	NTN
305,079	500,000	200,000			155,00	CRD-6101	31	NTN
	500,000	200,000			155,00	CRD-6116	31	NTN
	500,000	200,000			155,00	CRD-6125	31	NTN
305,105	559,867	169,977			217,00	CRD-6104	31	NTN
	559,867	169,977			217,00	CRD-6117	31	NTN
	559,968	200,000			217,00	CRD-6110	31	NTN
	599,968	170,434			169,00	CRD-6115	31	NTN
310,000	430,000	310,000			136,00	CRO-6204	32	NTN
	430,000	310,000			133,00	CRO-6213	32	NTN
	430,000	310,000			133,00	CRO-6220LL	32	NTN
	430,000	350,000			150,00	CRO-6222LL	32	NTN
311,150	558,800	190,500			181,00	E-CR1-6216	30	NTN
317,500	422,275	128,588			49,10	LM258648D/LM258610+A	31	NTN
	422,275	269,875			110,00	E-LM258649D/LM258610/LM258610D	32	NTN
	422,275	269,875			110,00	LM258649D/LM258610/LM258610D (CRO-6431)	32	NTN
	444,500	61,912	39,688	63,500	29,50	EE291250/291750	29	NTN
	444,500	146,050			61,80	EE291250/291751D+A	30	NTN
	447,675	85,725	68,262	85,725	40,20	E-HM259048/HM259010	29	NTN
	447,675	85,725	68,262	85,725	40,20	4T-HM259049/HM259010	29	NTN
	447,675	85,725	150,812	180,975	83,18	HM259048/HM259010D+A	30	NTN
	447,675	87,725	68,262	85,725	37,30	T-HM259048/HM259010	29	NTN
	447,675	158,750	146,050	327,025	161,00	T-HM259049D/HM259010/HM259010D	32	NTN
	447,675	158,750			78,90	HM259049D/HM259010+A	31	NTN
	447,675	158,750			77,90	T-HM259049D/HM259010+A	32	NTN
	447,675	180,975			78,80	T-HM259049/HM259010D+A	30	NTN
	447,675	327,025			161,00	T-E-HM259049D/HM259010/HM259010D	32	NTN
	558,800	254,000			248,00	CRI-6412	30	NTN
	622,300	131,762	82,550	147,638	203,00	H961649/H961610G2	29	NTN
	622,300	304,800			382,00	H961649/H961610DG2+A	30	NTN
		61,912			17,00	E-EE291250	29	NTN
	320,000	440,000	76,000	57,000	76,000	33,10	32964X	29
460,000		338,000			183,00	625964	32	NTN
460,000		338,000			183,00	E-625964	32	NTN
470,000		340,000			141,00	E-CRO-6604	32	NTN
480,000		100,000	74,000	100,000	33,50	32064 A	29	SNR
480,000		100,000	74,000	100,000	60,20	32064X	29	NTN
480,000		100,000	76,000	100,000	58,60	4T-CR-6408	29	NTN
480,000		121,000			76,30	323064	31	NTN
480,000		121,000			70,90	413064	30	NTN
480,000		151,000			85,40	423064	30	NTN
480,000		200,000			125,00	32064XUDF	30	NTN
480,000		360,000			228,00	CRO-6426LL	32	NTN
510,800		220,000			173,00	CRD-6409	31	NTN
540,000		176,000			164,00	323164	31	NTN
540,000		176,000			150,00	413164	30	NTN
540,000		220,000			186,00	423164	30	NTN
550,000		240,000			223,00	CRI-6410	30	NTN
580,000		92,000	75,000	104,000	103,90	30264	29	NTN
580,000		150,000	125,000	159,000	172,10	32264	29	NTN
580,000		240,000			260,00	CRD-6415	31	NTN








								Brands
d	D	B	C	T	Kg	Reference		
320,000	620,000	280,000			390,00	CRD-6420	31	NTN
327,000	445,000	230,000			99,80	CRO-6501	32	NTN
330,000	458,000	120,000			59,70	CRD-6604	31	NTN
	460,000	52,000	35,000	52,000	24,80	CR-6604	29	NTN
	470,000	340,000			141,00	CRO-6604	32	NTN
	500,000	190,000			117,00	CRI-6603	30	NTN
	510,000	340,000			221,00	CRO-6602	32	NTN
	510,000	340,000			221,00	E-CRO-6602	32	NTN
	650,000	248,000			383,00	CRD-6608	31	NTN
330,200	415,925	47,625	34,925	47,625	13,30	T-L860048/L860010	29	NTN
	415,925	47,625	34,925	47,625	13,30	T-L860049/L860010	29	NTN
	482,600	55,562	38,100	60,325	35,90	T-EE161300/161900	29	NTN
	482,600	80,167	60,325	85,725	47,30	EE526130/526190	29	NTN
	482,600	133,350			72,20	T-EE161300/161901D+A	30	NTN
	482,600	177,800			96,30	EE526130/526191D+A	30	NTN
	482,600	306,388			197,00	EE526131D/526190/526191D	32	NTN
	482,600	306,388			197,00	E-EE526131D/526190/526191D	32	NTN
533,400	254,000			221,00	CRO-6606	32	NTN	
333,375	469,900	90,488	71,438	90,488	43,40	HM261049/HM261010A	29	NTN
	469,900	166,688			90,10	HM261049D/HM261010A+A	31	NTN
	469,900	190,500			91,30	E-HM261049/HM261010DA+A	30	NTN
	469,900	190,500			91,30	HM261049/HM261010DA+A	30	NTN
	469,900	342,900			187,00	HM261049D/HM261010/HM261010DA	32	NTN
	496,900	342,900			186,15	E-HM261049D/HM261010/HM261010D	32	NTN
340,000	440,000	40,000	29,000	40,000	14,60	CR-6816	29	NTN
	460,000	76,000	57,000	76,000	34,90	32968X	29	NTN
	460,000	160,000			70,00	CRI-6808	30	NTN
	470,000	110,000			57,80	CRD-6804	31	NTN
	480,000	350,000			200,00	625968	32	NTN
	480,000	350,000			200,00	E-625968	32	NTN
	500,000	249,000			154,00	CRI-6812	30	NTN
	500,000	249,220			168,00	CR1-6817	30	NTN
	520,000	106,000	90,000	112,000	78,70	32068	29	NTN
	520,000	133,000			101,00	323068	31	NTN
	520,000	133,000			89,20	413068	30	NTN
	520,000	165,000			113,00	423068	30	NTN
	520,000	278,000			213,00	623068	32	NTN
	580,000	190,000			207,00	323168	31	NTN
	580,000	190,000			188,00	413168	30	NTN
	580,000	238,000			228,70	423168	30	NTN
341,312	457,098	254,000			125,00	E-LM761648D/LM761610/LM761610D	32	NTN
	457,098	254,000			125,00	LM761648D/LM761610/LM761610D	32	NTN
342,900	450,850	66,675	52,388	66,675	25,00	LM361649/LM361610	29	NTN
	457,098	63,500	47,625	68,262	30,00	LM961548/LM961511	29	NTN
	457,098	142,875			57,10	LM961548/LM961511D+A	30	NTN
	508,000	82,550	55,562	82,550	49,70	CR-6903	29	NTN
	508,000	469,900			167,00	CR-6902DF	30	NTN
	533,400	76,200	50,800	76,200	55,60	EE971354/972100	29	NTN
	533,400	165,100			83,90	EE971354/972102D	30	NTN
	533,400	165,100			120,00	EE971354/972102D+A	30	NTN
	533,400	307,985			252,00	EE971355D/972100/972103D	32	NTN
	533,400	307,985			252,00	E-EE971355D/972100/972103D	32	NTN
	63,500			19,80	4T-LM961548	29	NTN	
343,052	457,098	122,238			55,00	LM761649D/LM761610+A	31	NTN


















							 Brands	
d	D	B	C	T	Kg	Reference		
343,052	457,098	254,000			105,00	CRO-6910 (CRO-6944)	32	NTN
	457,098	254,000			107,00	CRO-6920LL	32	NTN
	457,098	254,000			105,00	CRO-6930LL	32	NTN
	457,098	254,000			111,86	E-LM761649D/LM761610/LM761610D	32	NTN
	457,098	254,000			117,00	LM761649D/LM761610/LM761610D (CRO-6945)	32	NTN
	457,098	299,000			130,00	CRO-6936LL	32	NTN
345,000	550,000	270,000			218,00	E-CRD-6908	31	NTN
346,075	482,600	55,562	38,100	60,325	32,80	T-EE161363/161900	29	NTN
	482,600	133,350			66,00	T-EE161363/161901D+A	30	NTN
	488,950	95,250	74,612	95,249	52,50	T-HM262748/HM262710	29	NTN
	488,950	95,250	74,612	95,250	53,80	E-HM262749/HM262710	29	NTN
	488,950	95,250	74,612	95,250	49,70	T-HM262749/HM262710G2	29	NTN
	488,950	174,625			103,00	T-HM262749D/HM262710G2+A	31	NTN
	488,950	200,025			111,00	E-HM262749/HM262710CD+A	30	NTN
	488,950	200,025			104,00	E-HM262749/HM262710D+A	30	NTN
	488,950	200,025			104,00	T-HM262749/HM262710DG2+A	30	NTN
	488,950	358,775			227,00	T-E-HM262749D/HM262710/HM262710DG2	32	NTN
	488,950	358,775			227,00	T-HM262749D/HM262710/HM262710DG2	32	NTN
		95,250			37,10	4T-HM262748	29	NTN
347,662	469,900	138,112			68,00	M262449D/M262410+A	31	NTN
	469,900	292,100			148,00	E-M262449D/M262410/M262410D	32	NTN
	469,900	292,100			148,00	M262449D/M262410/M262410D	32	NTN
349,250	501,650	84,138	69,850	90,488	56,40	EE333137/333197	29	NTN
	514,350	193,675			121,00	EE333137/333203D+A	30	NTN
		84,138			37,20	E-EE333137	29	NTN
350,000	480,000	110,000			58,70	CRD-7015	31	NTN
	480,000	420,000			207,50	E-CRD-7018LL	31	NTN
	590,000	192,000			218,00	CRD-7011	31	NTN
	590,000	192,000			209,00	CRD-7017	31	NTN
	618,000	200,000			252,00	CRD-7004	31	NTN
352,822	523,875	185,738			136,00	E-HM265049TD/HM265010	31	NTN
355,000	490,000	316,000			170,00	CRO-7105	32	NTN
	490,000	316,000			170,00	E-CRO-7105	32	NTN
	490,000	316,000			159,00	CRO-7109LL	32	NTN
355,600	444,500	60,325	47,625	60,325	18,80	T-L163149/L163110	29	NTN
	444,500	114,300			40,10	T-L163149D/L163110+A	31	NTN
	444,500	136,525			42,50	T-L163149/L163110D+A	30	NTN
	444,500	241,300			89,50	E-L163149D/L163110/L163110D	32	NTN
	444,500	241,300			89,50	L163149D/L163110/L163110D	32	NTN
	457,200	120,650			49,10	LM263149D/LM263110+A	31	NTN
	457,200	252,412			106,00	E-LM263149D/LM263110/LM263110D	32	NTN
	457,200	252,412			106,00	LM263149D/LM263110/LM263110D	32	NTN
	469,900	55,562	38,100	60,325	27,30	T-EE161400/161850	29	NTN
	482,600	55,562	38,100	60,325	30,80	T-EE161400/161900	29	NTN
	482,600	128,588			67,40	LM763449D/LM763410+A	31	NTN
	482,600	133,350			62,10	T-EE161400/161901D+A	30	NTN
	482,600	133,350			62,10	E-E61400/161901DC+A	30	NTN
	482,600	265,112			145,00	E-LM763449D/LM763410/LM763410D	32	NTN
	482,600	265,112			145,00	LM763449D/LM763410/LM763410D (CRO-7123)	32	NTN
	488,950	153,988			85,40	M263349D/M263310+A	31	NTN
	488,950	317,500			173,00	E-M263349D/M263310/M263310D	32	NTN
	488,950	317,500			173,00	M263349D/M263310/M263310D	32	NTN
	501,650	66,675	50,800	74,612	44,90	T-EE231400/231975	29	NTN
	501,650	84,138	69,850	90,488	50,80	EE333140/333197	29	NTN











									Brands
d	D	B	C	T	Kg	Reference			
355,600	501,650	111,125			68,50	T-EE231401D/231975+A	31	NTN	
	501,650	155,575			85,20	T-EE231400/231976D+A	30	NTN	
	501,650	155,575			85,20	E-EE231400/231976D+A	30	NTN	
	514,350	193,675			117,00	EE333140/333203D+A	30	NTN	
		84,138			34,90	E-EE333140	29	NTN	
360,000	480,000	76,000	57,000	76,000	36,60	32972X	29	NTN	
	480,000	375,000			180,00	CRO-7226LL	32	NTN	
	480,000	480,000			211,00	CR-7222DB	30	NTN	
	508,000	370,000			236,00	E-625972	32	NTN	
	508,000	370,000			236,00	625972 (CRO-7227)	32	NTN	
	520,000	370,000			260,00	CRO-7220	32	NTN	
	520,000	410,000			297,00	CRO-7217	32	NTN	
	540,000	106,000	90,000	112,000	83,70	32072	29	NTN	
	540,000	134,000			107,00	323072	31	NTN	
	540,000	134,000			98,20	413072	30	NTN	
	540,000	169,000			120,00	423072	30	NTN	
	540,000	200,000			161,00	CRD-7201	31	NTN	
	540,000	340,000			270,00	CRO-7211	32	NTN	
	600,000	192,000			218,00	323172	31	NTN	
	600,000	192,000			199,00	413172	30	NTN	
	600,000	240,000			248,00	423172	30	NTN	
	600,000	396,000			447,00	623172 (CRO-7228)	32	NTN	
	600,000	540,000			520,00	CRO-7210	32	NTN	
	600,000	540,000			520,00	E-CRO-7210	32	NTN	
	680,000	320,000			570,00	CRD-7207	31	NTN	
361,950	406,400	23,812	17,462	23,812	3,56	LL562749/LL562710	29	NTN	
368,249	523,875	101,600	79,375	101,600	65,00	E-HM265049/HM265010	29	NTN	
	523,875	101,600	79,375	101,600	61,70	HM265049/HM265010G2	29	NTN	
	523,875	101,600	169,862	214,312	142,00	HM265049/HM265010DG2+A	30	NTN	
368,300	501,650	250,825			145,00	LM765149D/LM765110/LM765110D	32	NTN	
	523,875	185,738			133,00	E-HM265049D/HM265010+A	31	NTN	
	523,875	185,738			130,00	HM265049D/HM265010G2+A	31	NTN	
	523,875	382,588			280,00	E-HM265049D/HM265010/HM265010DG2	32	NTN	
	523,875	382,588			280,00	HM265049D/HM265010/HM265010DG2 (CRO-7406)	32	NTN	
	596,900	342,900			373,00	EE181455D/182350/182351D	32	NTN	
	609,600	142,875			162,00	EE321145/321240A	32	NTN	
	609,600	279,400			313,00	E-EE321146D/321240A+A	31	NTN	
370,000	630,000	240,000			316,00	CRD-7401	31	NTN	
	680,000	280,000			420,00	CRI-7402	30	NTN	
371,475	501,650	66,675	50,800	74,612	40,70	T-EE231462/231975	29	NTN	
	501,650	66,675	50,800	74,612	40,70	EE231462/231975	29	NTN	
	501,650	155,575			77,30	T-EE231462/231976D+A	30	NTN	
	514,350	155,575			83,30	EE231462/232026D+A	30	NTN	
374,650	501,650	250,825			145,00	E-LM765149D/LM765110/LM765110D	32	NTN	
	522,288	84,138	61,912	85,725	54,50	LM565943/LM565910	29	NTN	
379,000	681,500	307,000			525,00	CRD-7615	31	NTN	
	681,500	307,000			525,00	CRD-7621	31	NTN	
380,000	508,000	139,700			69,50	CRI-7619	30	NTN	
	520,000	82,000	72,000	87,000	50,50	32976	29	NTN	
	536,000	390,000			277,00	625976	32	NTN	
	536,000	390,000			277,00	E-625976	32	NTN	
	550,000	255,000			185,00	E-CRD-7631	31	NTN	
	559,500	160,000			133,00	CRD-7614	31	NTN	










							 Brands	
d	D	B	C	T	Kg	Reference		
380,000	560,000	106,000	90,000	112,000	89,10	32076	29	NTN
	560,000	135,000			113,00	323076	31	NTN
	560,000	135,000			95,90	413076	30	NTN
	560,000	171,000			126,00	423076	30	NTN
	560,000	282,000			240,00	623076	32	NTN
	560,000	285,000			208,00	CRO-7612	32	NTN
	560,000	285,000			208,00	E-CRO-7612	32	NTN
	560,000	360,000			312,00	CRO-7621	32	NTN
	560,000	360,000			302,22	CRO-7622	32	NTN
	620,000	194,000			229,00	323176	31	NTN
	620,000	194,000			206,00	413176	30	NTN
	620,000	241,000			252,00	CRI-7614	30	NTN
	620,000	243,000			262,00	423176	30	NTN
	650,000	240,000			338,20	CRD-7612	31	NTN
	650,000	240,000			329,00	CRD-7623	31	NTN
381,000	479,425	47,625	34,925	49,212	20,00	L865547/L865512	29	NTN
	508,000	58,738	38,100	63,500	34,40	EE192150/192200	29	NTN
	508,000	139,700			69,00	EE192150/192201D+A	30	NTN
	522,288	84,138	61,912	85,725	52,50	LM565949/LM565910	29	NTN
	523,875	84,138	61,912	85,725	53,20	LM565949/LM565912	29	NTN
	546,100	104,775	82,550	104,775	76,00	T-HM266446/HM266410	29	NTN
	546,100	104,775	82,550	104,775	70,10	T-HM266447/HM266410G2	29	NTN
	546,100	222,250			149,00	T-HM266446/HM266410D+A	30	NTN
	590,550	114,300	88,900	114,300	102,00	T-M268730/M268710G2	29	NTN
	590,550	244,475			247,00	T-M268730/M268710DG2+A	30	NTN
384,175	441,325	28,575	20,638	28,575	6,03	E-LL365348/LL365310	29	NTN
	441,325	28,575	20,638	28,575	5,89	LL365348/LL365310	29	NTN
	441,325	68,262			14,10	LL365340/LL365310D+A	30	NTN
	546,100	104,775	82,550	104,775	74,50	E-HM266448/HM266410	29	NTN
	546,100	104,775	82,550	104,775	69,00	T-HM266448/HM266410	29	NTN
	546,100	104,775	82,550	104,775	74,50	HM266449/HM266410	29	NTN
	546,100	104,775	82,550	104,775	69,00	T-HM266449/HM266410G2	29	NTN
	546,100	193,675			153,00	T-HM266449D/HM266410G2+A	31	NTN
	546,100	193,675			152,00	HM266449TD/HM266410	31	NTN
	546,100	222,250			146,00	T-HM266448/HM266410D+A	30	NTN
	546,100	222,250			156,42	HM266449/HM266410DC+A	30	NTN
	546,100	222,250			146,00	T-HM266449/HM266410DG2+A	30	NTN
	546,100	400,050			336,00	E-HM266449D/HM266410/HM266410D	32	NTN
	546,100	400,050			312,00	T-E-HM266449D/HM266410/HM266410DG2	32	NTN
	546,100	400,050			312,00	T-HM266449D/HM266410/HM266410DG2	32	NTN
385,000	530,000	180,000			116,00	CRD-7701	31	NTN
385,762	514,350	82,550	63,500	82,550	45,44	E-LM665949/LM665910	29	NTN
	514,350	82,550	63,500	82,550	41,80	LM665949/LM665910	29	NTN
	514,350	177,800			90,00	E-LM665949/LM665910CD+A	30	NTN
	514,350	177,800			90,00	LM665949/LM665910D+A	30	NTN
	514,350	317,500			240,00	E-LM665949D/LM665910/LM665910D	32	NTN
	514,350	317,500			240,00	LM665949D/LM665910/LM665910D	32	NTN
387,248	546,100	87,312	68,262	87,312	56,60	M667935/M667911G2	29	NTN
390,000	510,000	350,000			186,00	CRO-7801	32	NTN
	600,000	185,000			175,00	CRI-7803	30	NTN
	600,000	185,000			165,00	CR1-7808	30	NTN
393,700	546,100	138,112			97,40	LM767745D/LM767710+A	31	NTN
	546,100	288,925			219,00	E-LM767745D/LM767710/LM767710D	32	NTN
	546,100	288,925			219,00	LM767745D/LM767710/LM767710D	32	NTN
	546,100	469,900			153,00	CR-7901DF	30	NTN

									Brands	
	d	D	B	C	T	Kg	Reference			
395,000	545,000	268,700				200,00	CRO-7901	32	NTN	
	545,000	268,700				200,00	E-CRO-7901	32	NTN	
396,875	539,750	142,875				83,60	EE234156/234213D+A	30	NTN	
	546,100	61,120	55,562	76,200		51,50	EE234156/234215	29	NTN	
	546,100	158,750				97,70	EE234156/234216D+A	30	NTN	
	549,275	84,138	61,912	84,138		61,45	LM567943/LM567910B	29	NTN	
398,462	590,550	209,550				207,00	E-M268749TD/M268710+A	31	NTN	
400,000	540,000	82,000	71,000	87,000		54,00	32980	29	NTN	
	540,000	140,000				80,60	CRI-8005	30	NTN	
	560,000	380,000				300,00	CRO-8005	32	NTN	
	560,000	380,000				300,00	E-CRO-8005	32	NTN	
	564,000	412,000				324,00	625980	32	NTN	
	564,000	412,000				324,00	E-625980	32	NTN	
	590,000	142,000				134,00	CRD-8008	31	NTN	
	590,000	142,000				134,00	CRD-8012	31	NTN	
	600,000	118,000	100,000	125,000		115,00	32080	29	NTN	
	600,000	148,000				146,00	323080	31	NTN	
	600,000	148,000				105,00	413080	30	NTN	
	600,000	185,000				163,00	423080	30	NTN	
	635,000	470,000				564,00	CRO-8010	32	NTN	
	650,000	200,000				259,00	323180	31	NTN	
	650,000	200,000				236,00	413180	30	NTN	
	650,000	200,000				260,00	CRD-8010	31	NTN	
	650,000	240,000				303,00	CRD-8013	31	NTN	
	650,000	240,000				303,00	CRD-8014	31	NTN	
	650,000	240,000				303,00	CRD-8023	31	NTN	
	650,000	240,000				303,00	CRD-8026	31	NTN	
	650,000	240,000				292,00	E-CRD-8026	31	NTN	
	650,000	240,000				303,00	CRD-8027	31	NTN	
	650,000	240,000				303,00	CRD-8032	31	NTN	
	650,000	240,000				303,00	CRD-8034	31	NTN	
	650,000	240,000				303,00	CRD-8035	31	NTN	
	650,000	240,000				302,00	CRD-8038	31	NTN	
	650,000	240,000				303,00	CRD-8039	31	NTN	
	650,000	240,000				303,00	CRD-8042	31	NTN	
	650,000	240,000				292,00	CRD-8044	31	NTN	
	650,000	240,000				292,00	E-CRD-8044	31	NTN	
	650,000	240,000				303,00	CRD-8046	31	NTN	
	650,000	240,000				303,00	CRD-8047	31	NTN	
	650,000	240,000				303,00	CRD-8048	31	NTN	
	650,000	240,000				303,00	CRD-8049	31	NTN	
	650,000	250,000				294,00	423180	30	NTN	
	650,000	250,000				325,00	CRD-8017	31	NTN	
	730,000	340,000				672,00	CRD-8029	31	NTN	
	780,000	380,000				895,00	CRD-8040	31	NTN	
	403,225	460,375	28,575	20,638	28,575		6,60	LL566848/LL566810	29	NTN
	406,400	539,750	142,875				78,80	EE234160/234213D+A	30	NTN
546,100		61,120	55,562	76,200		48,70	EE234160/234215	29	NTN	
546,100		138,112				90,50	LM767749D/LM767710+A	31	NTN	
546,100		268,288				190,00	EE234161D/234215/234216D	32	NTN	
546,100		288,925				190,00	E-LM767749D/LM767710/LM767710D	32	NTN	
546,100		288,925				201,00	LM767749D/LM767710/LM767710D	32	NTN	
549,275		84,138	61,912	85,725		56,20	LM567949/LM567910	29	NTN	
565,150		381,000				310,00	CRO-8103	32	NTN	
590,550		107,950	80,962	107,950		86,60	EE833160X/833232	29	NTN	
590,550		193,675				175,00	EE833160XD/833232+A	31	NTN	
590,550	400,050				395,00	EE833161D/833232/833233D	32	NTN		








							 Brands	
d	D	B	C	T	Kg	Reference		
406,400	590,550	400,050			395,00	E-EE833161D/833232/833233D	32	NTN
	609,600	84,138	60,325	92,075	91,30	EE911600/912400	29	NTN
	609,600	187,325			169,00	EE911600/912401D+A	30	NTN
	609,600	309,562			332,00	EE911603D/912400/912401D	32	NTN
	609,600	309,562			332,00	E-EE911603D/912400/912401D	32	NTN
	673,100	192,639			245,00	EE571602/572651D+A	30	NTN
409,575	546,100	87,312	68,262	87,312	49,80	M667948/M667911	29	NTN
	546,100	161,925			104,00	M667947D/M667910G2+A	31	NTN
	546,100	334,962			226,00	E-M667947D/M667911/M667911DG2	32	NTN
	546,100	334,962			226,00	M667947D/M667911/M667911DG2	32	NTN
	546,100	334,962			216,00	E-CRO-8205	32	NTN
410,000	546,000	400,000			253,00	CRO-8204LL	32	NTN
	580,000	160,000			133,00	CRD-8201	31	NTN
415,925	590,550	114,300	88,900	114,300	97,90	E-M268749/M268710	29	NTN
	590,550	114,300	88,900	114,300	87,80	T-M268749/M268710G2	29	NTN
	590,550	209,550			181,00	T-M268749D/M268710G2+A	31	NTN
	590,550	244,475			188,00	T-M268749/M268710DG2+A	30	NTN
	590,550	434,975			421,00	T-E-M268749D/M268710/M268710DG2	32	NTN
	590,550	434,975			421,00	T-M268749D/M268710/M268710DG2	32	NTN
420,000	520,000	90,000			40,90	CRD-8402	31	NTN
	540,000	500,000			253,00	CR-8410DB	30	NTN
	560,000	82,000	71,000	87,000	56,60	32984	29	NTN
	560,000	520,000			309,00	CR-8411DB	30	NTN
	592,000	432,000			374,00	E-625984	32	NTN
	592,000	432,000			374,00	625984 (CRO-8414)	32	NTN
	592,000	432,000			372,00	E-CRO-8414	32	NTN
	620,000	118,000	100,000	125,000	121,00	32084	29	NTN
	620,000	150,000			154,00	323084	31	NTN
	620,000	150,000			135,00	413084	30	NTN
	620,000	188,000			172,00	423084	30	NTN
	620,000	395,000			384,00	E-CRO-8412LL	32	NTN
	620,000	395,000			384,00	CRO-8412LL	32	NTN
	650,000	460,000			600,00	CRO-8402	32	NTN
	650,000	460,000			600,00	E-CRO-8402	32	NTN
	700,000	224,000			346,00	323184	31	NTN
	700,000	224,000			317,00	413184	30	NTN
	700,000	274,000			387,00	CRI-8403	30	NTN
	700,000	280,000			394,00	423184	30	NTN
735,000	406,000			780,00	CRD-8405	31	NTN	
431,800	533,400	46,038	34,925	46,038	19,80	80385/80325	29	NTN
	533,400	46,038	34,925	46,038	19,70	T-80385/80325	29	NTN
	552,450	44,450	31,750	44,450	23,10	80170/80217	29	NTN
	571,500	74,612	52,388	74,612	21,76	LM869448/LM869410A	29	NTN
	571,500	74,612	52,388	74,612	45,70	T-LM869448/LM869410	29	NTN
	571,500	133,350			92,10	T-LM869449D/LM869410+A	31	NTN
	571,500	155,575			97,46	E-LM869448/LM869410D+A	30	NTN
	571,500	155,575			95,30	T-LM869448/LM869410D+A	30	NTN
	571,500	161,925			112,00	LM769349D/LM769310+A	31	NTN
	571,500	279,400			192,00	E-LM869449D/LM869410/LM869410D	32	NTN
	571,500	279,400			193,00	T-LM869449D/LM869410/LM869410D	32	NTN
	571,500	336,550			232,00	E-LM769349D/LM769310/LM769310D	32	NTN
	571,500	336,550			232,00	LM769349D/LM769310/LM769310D	32	NTN
	603,250	73,025	50,800	76,200	64,90	EE241701/242375	29	NTN
	603,250	159,639			124,00	EE241701/242377D+A	30	NTN
	635,000	355,600			402,00	EE931170D/931250/931251XDG2	32	NTN
	673,100	87,833	60,325	88,900	114,00	EE571703/572650	29	NTN
	673,100	192,639			225,00	EE571703/572651D+A	30	NTN

											Brands
d	D	B	C	T	Kg	Reference					
432,003	609,524	317,500			297,00	EE736173D/736238/736239D		32	NTN		
	609,524	317,500			297,00	E-EE736173D/736238/736239D		32	NTN		
440,000	590,000	480,000			358,00	E-CRO-8830LL		32	NTN		
	590,000	480,000			358,00	CRO-8830LL		32	NTN		
	600,000	95,000	82,000	100,000	76,00	32988		29	NTN		
	620,000	454,000			430,00	E-625988		32	NTN		
	620,000	454,000			430,00	625988 (CRO-8839)		32	NTN		
	620,000	454,000			421,00	E-CRO-8823LL		32	NTN		
	620,000	454,000			426,00	CRO-8832LL		32	NTN		
	620,000	454,000			430,00	E-CRO-8839		32	NTN		
	635,000	470,000			498,00	CRO-8808		32	NTN		
	650,000	122,000	104,000	130,000	136,00	32088		29	NTN		
	650,000	155,000			163,00	CRD-8808		31	NTN		
	650,000	157,000			177,00	323088		31	NTN		
	650,000	157,000			160,00	413088		30	NTN		
	650,000	196,000			198,00	423088		30	NTN		
	650,000	355,000			400,00	CRO-8807		32	NTN		
	650,000	355,000			400,00	E-CRO-8807		32	NTN		
	650,000	460,000			600,00	CRO-8806		32	NTN		
	650,000	460,000			600,00	E-CRO-8806		32	NTN		
	720,000	226,000			361,00	323188		31	NTN		
	720,000	226,000			330,00	413188		30	NTN		
	720,000	283,000			412,00	423188		30	NTN		
730,000	290,000			513,00	CRD-8822		31	NTN			
444,675	635,000	223,838			254,00	E-M270749TD/M270710AUP		31	NTN		
	552,450	41,618	32,545	44,450	20,80	E-LL469949/LL469910		29	NTN		
	552,450	44,450	31,750	44,450	20,40	80176/80217		29	NTN		
	635,000	120,650	95,250	120,650	107,00	M270749/M270710AG2		29	NTN		
	635,000	223,838			234,00	M270749D/M270710+A		31	NTN		
	635,000	223,838			224,00	M270749D/M270710AG2+A		31	NTN		
	635,000	257,175			228,00	M270749/M270710DAG2+A		30	NTN		
	635,000	463,550			509,00	E-M270749D/M270710/M270710DAG2		32	NTN		
	635,000	463,550			509,00	M270749D/M270710/M270710DG2		32	NTN		
448,000	635,000	464,000			485,00	E-CRO-9012		32	NTN		
450,000	720,000	300,000			483,00	CRD-9011		31	NTN		
457,200	552,450	44,450	31,750	44,450	18,70	80180/80217		29	NTN		
	552,450	44,450	31,750	44,450	19,30	80180/80217A		29	NTN		
	573,088	74,612	57,150	74,612	42,50	L570649/L570610		29	NTN		
	573,088	74,613	57,150	74,613	43,00	CR-9111		29	NTN		
	596,900	73,025	53,975	76,200	50,87	EE244180/244235		29	NTN		
	596,900	133,350	52,388	133,350	96,70	L770849D/L770810+A		31	NTN		
	596,900	133,350			96,70	L770847D/L770810AG2+A		31	NTN		
	596,900	165,100			106,00	EE244180/244236D+A		30	NTN		
	596,900	276,225			207,00	EE244181D/244235/244236D		32	NTN		
	596,900	276,225			201,00	L770849D/L770810/L770810D		32	NTN		
	596,900	276,225			209,00	E-L770849D/L770810/L770810DG2		32	NTN		
	596,900	276,225			192,00	CRO-9107LL		32	NTN		
	596,900	279,400			200,90	E-L770847D/L770810/L770810D		32	NTN		
	603,250	84,138	60,325	85,725	63,80	LM770949/LM770910		29	NTN		
	609,600	63,500			56,60	CRTX9102		38	NTN		
	615,950	85,725	66,675	85,725	63,80	LM272235/LM272210G2		29	NTN		
	660,400	323,850			379,00	EE737179D/737260/737260D		32	NTN		
	660,400	323,850			379,00	E-EE737179D/737260/737260D		32	NTN		
	730,148	114,300	82,550	120,650	188,00	EE671801/672873		29	NTN		
	730,148	254,000			360,00	EE671801/672875D+A		30	NTN		
	458,000	830,500	377,000			890,00	CRD-9203		31	NTN	

								Brands
d	D	B	C	T	Kg	Reference		
460,000	618,000	150,000			126,00	CRD-9202	31	NTN
	618,000	150,000			120,00	CRD-9211	31	NTN
	618,000	150,000			115,00	CRD-9218	31	NTN
	650,000	474,000			493,00	625992A	32	NTN
	650,000	474,000			493,00	E-625992A	32	NTN
	680,000	163,000			201,00	323092	31	NTN
	680,000	163,000			179,00	413092	30	NTN
	680,000	204,000			223,30	423092	30	NTN
	720,000	250,000			388,00	CRD-9214	31	NTN
	760,000	240,000			431,00	323192	31	NTN
	760,000	240,000			395,00	413192	30	NTN
	760,000	300,000			493,00	423192	30	NTN
	860,000	420,000			1 120,00	CRD-9204	31	NTN
470,000	720,000	216,000			315,00	CRD-9404	31	NTN
475,000	620,000	380,000			294,00	E-CRO-9505	32	NTN
	660,000	450,000			465,00	CRO-9501	32	NTN
	660,000	450,000			465,00	E-CRO-9501	32	NTN
476,250	565,150	41,275	31,750	41,275	16,70	LL771948/LL771911	29	NTN
479,425	679,450	128,588	101,600	128,588	130,00	T-M272749/M272710G2	29	NTN
	679,450	238,125			293,00	E-M272749D/M272710+A	31	NTN
	679,450	238,125			272,00	M272749D/M272710+A	31	NTN
	679,450	238,125			293,00	T-M272749D/M272710G2+A	31	NTN
	679,450	238,125			261,00	CRD-9612	31	NTN
	679,450	276,225			310,00	T-M272749/M272710DG2+A	30	NTN
	679,450	495,300			565,00	CRO-9610LL	32	NTN
480,000	678,000	494,000			563,00	625996	32	NTN
	678,000	494,000			563,00	E-625996	32	NTN
	678,000	494,000			554,00	CRO-9612	32	NTN
	689,500	180,000			223,00	CRD-9609	31	NTN
	690,000	180,000			224,00	CRD-9603	31	NTN
	700,000	165,000			211,00	323096	31	NTN
	700,000	206,000			236,00	423096	30	NTN
	700,000	390,000			436,00	CRO-9602	32	NTN
	700,000	390,000			436,00	E-CRO-9602	32	NTN
	700,000	390,000			511,00	E-CRO-9609	32	NTN
	700,000	390,000			510,00	E-CRO-9619	32	NTN
	790,000	248,000			478,00	323196	31	NTN
	790,000	248,000			442,00	413196	30	NTN
790,000	310,000			548,00	423196	30	NTN	
481,228	615,950	158,750			108,00	CRD-9605	31	NTN
482,000	632,000	520,000			443,00	E-CRD-9613	31	NTN
482,600	615,950	85,725	66,675	85,725	54,90	LM272249/LM272210G2	29	NTN
	615,950	158,750			115,00	LM272249D/LM272210G2+A	31	NTN
	615,950	158,750			108,00	CRD-9709	31	NTN
	615,950	163,750			121,00	CRD-9708	31	NTN
	615,950	184,150			118,00	E-LM272249/LM272210D+A	30	NTN
	615,950	184,150			118,00	LM272249/LM272210DG2+A	30	NTN
	615,950	330,200			250,00	E-LM272249D/LM272210/LM272210DG2	32	NTN
	615,950	330,200			250,00	LM272249D/LM272210/LM272210DG2	32	NTN
	615,950	330,200			225,00	CRO-9725LL	32	NTN
	615,950	330,200			239,00	E-CRO-9737	32	NTN
	615,950	500,000			355,00	E-CRD-9716D2	31	NTN
	634,873	80,962	63,500	80,962	60,20	EE243190/243250	29	NTN
	634,873	177,800			148,00	EE243190/243251D+A	30	NTN








								Brands
d	D	B	C	T	Kg	Reference		
482,600	647,700	201,612			185,00	M272647D/M272610G2+A	31	NTN
	733,500	200,000			301,00	CRD-9704	31	NTN
488,950	634,873	84,138	61,912	84,138	60,30	LM772748/LM772710A	29	NTN
	634,873	180,975			130,00	LM772748/LM772710DA+A	30	NTN
	660,400	94,458	69,850	93,662	85,20	T-EE640192/640260G2	29	NTN
	660,400	206,375			178,00	T-EE640192/640261DG2+A	30	NTN
	660,400	365,125			364,00	T-EE640193D/640260/640261DG2	32	NTN
	660,400	365,125			364,00	T-E-EE640193D/640260/640261DG2	32	NTN
489,026	634,873	80,962	63,500	80,962	58,00	EE243192/243250	29	NTN
	634,873	153,988			124,00	LM772749D/LM772710A+A	31	NTN
	634,873	177,800			140,00	EE243192/243251D+A	30	NTN
	634,873	320,675			268,00	E-LM772749D/LM772710/LM772710DA	32	NTN
	634,873	320,675			268,00	LM772749D/LM772710/LM772710DA	32	NTN
498,475	634,873	80,962	63,500	80,962	59,26	EE243196/243250	29	NTN
	634,873	177,800			129,00	EE243196/243251D+A	30	NTN
500,000	640,000	500,000			346,00	CR-10010DB	30	NTN
	670,000	150,000			148,00	CRD-10005	31	NTN
	670,000	180,000			175,00	CRI-10004	30	NTN
	670,000	515,000			598,00	CRO-10008	32	NTN
	670,000	515,000			598,00	E-CRO-10008	32	NTN
	690,000	480,000			600,00	CRO-10005	32	NTN
	690,000	480,000			600,00	E-CRO-10005	32	NTN
	705,000	515,000			632,00	6259/500	32	NTN
	705,000	515,000			632,00	E-6259/500	32	NTN
	720,000	167,000			202,00	4130/500	30	NTN
	720,000	209,000			247,00	4230/500	30	NTN
	730,000	420,000			606,00	CRO-10023	32	NTN
	730,000	440,000			535,00	CRO-10003	32	NTN
	730,000	440,000			535,00	E-CRO-10003	32	NTN
	750,000	140,000	120,000	150,000	224,00	CR-10024	29	NTN
	820,000	256,000			535,00	CRD-10008	31	NTN
	830,000	264,000			528,00	4131/500	30	NTN
830,000	330,000			678,00	4231/500G2	30	NTN	
501,650	711,200	136,525	106,362	136,525	152,00	M274149/M274110G2	29	NTN
	711,200	250,825			314,00	M274149D/M274110G2+A	31	NTN
	711,200	520,700			726,00	E-M274149D/M274110/M274110DG2	32	NTN
	711,200	520,700			726,00	M274149D/M274110/M274110DG2	32	NTN
508,000	762,000	463,550			740,00	EE531201D/531300/531301XDG2	32	NTN
	838,200	139,700	104,775	146,050	296,00	EE426200/426330	29	NTN
	838,200	304,800			592,00	EE426200/426331D+A	30	NTN
509,948	654,924	377,000			320,00	CRO-10208 (CRO-10214)	32	NTN
	733,425	200,020			256,00	CRD-10208	31	NTN
	733,425	200,020			273,00	E-CRD-10211	31	NTN
510,134	800,001	284,493			511,00	CRD-10206	31	NTN
514,350	673,100	203,200			189,00	LM274449D/LM274410+A	31	NTN
	673,100	422,275			390,00	E-LM274449D/LM274410/LM274410D	32	NTN
	673,100	422,275			390,00	LM274449D/LM274410/LM274410D	32	NTN
519,112	736,600	258,762			348,00	M275349D/M275310G2+A	31	NTN
	736,600	536,575			761,00	E-M275349D/M275310/M275310DG2	32	NTN
	736,600	536,575			761,00	M275349D/M275310/M275310DG2 (CRO-10408)	32	NTN
520,000	735,000	535,000			750,00	CRO-10402	32	NTN



							 Brands
d	D	B	C	T	Kg	Reference	
520,000	735,000	535,000			750,00	E-CRO-10402	32 NTN
530,000	670,000	95,000	82,000	100,000	76,20	CR-10601	29 NTN
	670,000	270,000			198,00	CR-10604DB	30 NTN
	715,000	590,000			700,00	CRO-10607LL	32 NTN
	780,000	185,000			265,00	4130/530	30 NTN
	780,000	231,000			331,00	4230/530	30 NTN
	870,000	272,000			620,00	4131/530G2	30 NTN
	870,000	340,000			774,00	4231/530AG2	30 NTN
533,400	635,000	50,800	38,100	50,800	26,40	LL575343/LL575310	29 NTN
	736,600	225,425			268,00	CRI-10702	30 NTN
	812,800	269,875			444,00	EE626210/626321D+A	30 NTN
	965,200	495,300			1 662,00	CRO-10702	32 NTN
536,575	761,873	146,050	114,300	146,050	187,00	M276449/M276410G2	29 NTN
	761,873	146,050	247,650	311,150	398,00	M276449/M276410DG2+A	30 NTN
	761,873	269,875			389,00	M276448D/M276410G2+A	31 NTN
	761,873	269,875			389,00	M276449D/M276410G2+A	31 NTN
	761,873	558,800			890,00	E-M276449D/M276410/M276410DG2	32 NTN
	761,873	558,800			890,00	M276449D/M276410/M276410DG2	32 NTN
539,750	635,000	50,800	38,100	50,800	24,90	LL575349/LL575310	29 NTN
	784,225	339,725			552,00	EE522126D/523087/523088D	32 NTN
549,275	692,150	80,962	61,912	80,962	68,20	L476549/L476510	29 NTN
	692,150	174,625			135,00	L476549/L476510D+A	30 NTN
550,000	760,000	230,000			296,00	E-CRT1002	37 NTN
	920,000	330,000			914,00	CRD-11001	31 NTN
555,625	698,500	349,250			298,00	CRO-11101 (CRO-11103)	32 NTN
558,800	736,600	76,200	50,800	76,200	76,70	EE542220/542290	29 NTN
	736,600	88,108	63,500	88,108	92,00	EE843220/843290	29 NTN
	736,600	104,775	80,962	104,775	106,00	LM377449/LM377410	29 NTN
	736,600	155,575			177,00	EE843220D/843290+A	31 NTN
	736,600	165,100			166,00	EE542220/542291D+A	30 NTN
	736,600	187,328			189,00	EE843220/843291D+A	30 NTN
	736,600	196,850			224,00	E-LM377449D/LM377410+A	31 NTN
	736,600	196,850			223,00	LM377449D/LM377410G2+A	31 NTN
	736,600	225,425			227,00	LM377449/LM377410D+A	30 NTN
	736,600	322,265			388,00	E-EE843221D/843290/843291D	32 NTN
	736,600	322,265			388,00	EE843221D/843290/843291D (CRO-11217)	32 NTN
	736,600	409,575			502,00	E-LM377449D/LM377410/LM377410DG2	32 NTN
	736,600	409,575			502,00	LM377449D/LM377410/LM377410DG2 (CRO-11216)	32 NTN
558,952	736,600	104,775	80,962	104,775	114,00	E-CR-11221	29 NTN
560,000	735,000	225,000			224,00	CRI-11206	30 NTN
	735,000	225,000			232,00	CRI-11206	30 NTN
	736,000	104,775	80,962	104,775	104,78	E-CR-11220	29 NTN
	740,000	190,000			198,00	CRI-11211	30 NTN
	820,000	195,000			347,00	CRD-11207	31 NTN
	820,000	195,000			340,00	CRI-11214	30 NTN
	820,000	244,000			415,00	CRI-11213	30 NTN
	920,000	280,000			1 310,00	4131/560	30 NTN
	920,000	350,000			894,00	4231/560G2	30 NTN
570,000	695,000	52,000	50,000	57,000	41,70	CR-11402	29 NTN
	780,000	515,000			625,00	CRO-11402	32 NTN
	780,000	515,000			625,00	E-CRO-11402	32 NTN








								Brands
d	D	B	C	T	Kg	Reference		
570,000	810,000	590,000			845,00	CRO-11403	32	NTN
	810,000	590,000			845,00	E-CRO-11403	32	NTN
	815,000	345,000			512,00	CRI-11401	30	NTN
571,500	812,800	155,575	120,650	155,575	227,00	M278749/M278710AG2	29	NTN
	812,800	285,750			470,00	M278749D/M278710AG2+A	31	NTN
	812,800	333,375			487,00	M278749/M278710DAG2+A	30	NTN
	812,800	593,725			1 080,00	E-M278749D/M278710/M278710DAG2	32	NTN
	812,800	593,725			1 080,00	M278749D/M278710/M278710DAG2	32	NTN
584,200	685,800	49,212	34,925	49,212	27,80	T-LL778149/LL778110	29	NTN
	762,000	188,912	169,862	396,875	511,00	LM778549D/LM778510/LM778510DG2	32	NTN
	762,000	188,912			223,00	LM778549D/LM778510G2+A	31	NTN
	762,000	396,875			511,00	E-LM778549D/LM778510/LM778510DG2	32	NTN
	771,525	230,188			285,00	CRD-11701	31	NTN
	771,525	479,425			610,00	CRD-11701	32	NTN
	771,525	479,425			750,00	E-LM278849D/LM278810/LM278810D	32	NTN
	771,525	479,425			750,00	LM278849D/LM278810/LM278810D	32	NTN
590,000	780,000	255,000			291,00	CRI-11801	30	NTN
595,312	844,550	296,862			525,00	M280049D/M280010G2+A	31	NTN
	844,550	615,950			1 135,00	CRO-11913	32	NTN
	844,550	615,950			1 130,00	CRO-11919LL	32	NTN
	844,550	615,950			1 160,00	E-M280049D/M280010/M280010DG2	32	NTN
	844,550	615,950			1 160,00	M280049D/M280010/M280010DG2	32	NTN
	857,250	590,550			1 020,00	E-LM281031T/LM281044TD/LM281048T/LM2	32	NTN
596,900	685,800	31,750			15,80	680235/680270	29	NTN
600,000	760,000	115,000			120,00	CRD-12005	31	NTN
	820,000	160,000			253,00	E-CRD-12011	31	NTN
	870,000	111,000	93,000	118,000	208,70	CR-12006	29	NTN
	870,000	200,000			348,00	4130/600	30	NTN
	870,000	380,000			758,00	CRD-12006	31	NTN
	980,000	300,000			858,00	4131/600G2	30	NTN
	980,000	388,000			1 050,00	4231/600G2	30	NTN
	1 000,000	350,000			1 130,00	CRD-12002	31	NTN
602,945	787,400	206,375			246,00	EE649237/649311D+A	30	NTN
	787,400	206,375			246,00	E-EE649237/649311D+A	30	NTN
609,396	762,000	92,075	71,438	95,250	95,70	L879946/L879910	29	NTN
609,600	762,000	92,075	71,438	95,250	95,60	L879947/L879910	29	NTN
	787,400	93,662	69,850	93,662	112,00	E-EE649240/649310	29	NTN
	787,400	93,662	69,850	93,662	112,00	EE649240/649310G2	29	NTN
	787,400	171,450			210,00	T-EE649241D/649310G2+A	31	NTN
	787,400	206,375			235,00	EE649240/649311DG2+A	30	NTN
	787,400	361,950			458,00	EE649241D/649310/649311DG2	32	NTN
	787,400	361,950			458,00	E-EE649241D/649310/649311DG2	32	NTN
	812,800	82,550	60,325	82,550	104,00	EE743240/743320	29	NTN
	812,800	190,500			241,00	EE743240/743321D+A	30	NTN
	863,600	317,500			585,00	M280349D/M280310G2+A	31	NTN
	863,600	660,400			1 250,00	M280349D/M280310/M280310DG2	32	NTN
	611,500	832,800	593,725			960,00	CRO-12202	32
630,000	920,000	600,000			1 390,00	CRO-12604	32	NTN
	736,600	53,975	41,275	57,150	38,30	80780/80720	29	NTN
	812,800	95,250	73,025	95,250	118,60	CR-12702	29	NTN
	850,000	105,000	75,000	105,000	151,00	CR-12701	29	NTN



							 Brands	
d	D	B	C	T	Kg	Reference		
635,000	901,700	317,500			641,00	M281049D/M281010G2+A	31	NTN
650,000	1 030,000	560,000			1 760,00	CRO-13001	32	NTN
657,225	933,450	328,612			711,00	M281649D/M281610G2+A	31	NTN
	933,450	676,275			1 630,00	E-M281649D/M281610/M281610DG2	32	NTN
	933,450	676,275			1 630,00	M281649D/M281610/M281610DG2	32	NTN
660,000	814,000	176,212			202,00	CRD-13208	31	NTN
	1 070,000	642,000			1 950,00	CRO-13202	32	NTN
	1 070,000	642,000			1 950,00	E-CRO-13202	32	NTN
660,400	762,000	98,425			71,10	CRD-13209	31	NTN
	812,800	95,250	73,025	95,250	93,50	L281148/L281110A	29	NTN
	812,800	176,212			195,00	L281149D/L281110G2+A	31	NTN
	812,800	203,200			199,00	L281148/L281110DA+A	30	NTN
	812,800	365,125			448,00	E-L281149D/L281110/L281110DG2	32	NTN
	812,800	365,125			448,00	L281149D/L281110/L281110DG2	32	NTN
670,000	830,000	180,000			201,00	CRI-13402	30	NTN
	880,000	185,000			277,00	CRI-13401	30	NTN
	960,000	700,000			1 600,00	CRO-13401	32	NTN
	1 090,000	336,000			1 180,00	4131/670G2	30	NTN
	1 090,000	392,000			1 410,00	4231/670G2	30	NTN
	1 090,000	710,000			2 600,00	CRO-13402	32	NTN
	1 090,000	710,000			2 690,00	CRO-13404	32	NTN
673,100	793,750	61,912	49,212	66,675	51,30	LL481448/LL481411	29	NTN
679,450	901,700	265,112			459,00	LM281849D/LM281810G2+A	31	NTN
	901,700	552,450			1 040,00	E-LM281849D/LM281810/LM281810DG2	32	NTN
	901,700	552,450			1 040,00	LM281849D/LM281810/LM281810DG2	32	NTN
680,000	870,000	460,000			582,00	CRO-13602	32	NTN
	870,000	460,000			582,00	E-CRO-13602	32	NTN
682,625	965,200	701,675			1 770,00	E-M282249D/M282210/M282210DG2	32	NTN
	965,200	701,675			1 770,00	M282249D/M282210/M282210DG2	32	NTN
685,800	876,300	92,075	69,850	93,662	134,00	EE655270/655345G2	29	NTN
	876,300	168,275			247,00	EE655271D/655345G2+A	31	NTN
	876,300	352,425			539,00	E-EE655271D/655345/655346DG2	32	NTN
	876,300	352,425			539,00	EE655271D/655345/655346DG2 (CRO-13708)	32	NTN
	876,300	355,600			539,00	E-EE655271D/655345/655346D	32	NTN
	939,800	234,950			478,00	CRD-13702	31	NTN
685,876	939,876	234,950			435,00	CRD-13701	31	NTN
700,000	850,000	93,000	74,000	96,000	106,00	CR-14003	29	NTN
	890,000	150,000			224,00	CRD-14003	31	NTN
708,025	930,275	273,050			490,00	LM282549D/LM282510G2+A	31	NTN
710,000	900,000	410,000			620,00	CRO-14208	32	NTN
	900,000	410,000			620,00	E-CRO-14208	32	NTN
	1 030,000	236,000			654,00	CRI-14207	30	NTN
	1 030,000	236,000			640,00	4130/710G2	30	NTN
	1 030,000	295,000			810,00	CRI-14209	30	NTN
711,200	914,400	82,550	60,325	85,725	136,00	EE755280/755360G2	29	NTN
	914,400	149,225			243,00	EE755281D/755360G2+A	31	NTN
	914,400	190,500			275,00	EE755280/755361DG2+A	30	NTN








								Brands
d	D	B	C	T	Kg	Reference		
711,200	914,400	317,500			527,00	EE755280D/755360/755361DG2	32	NTN
	914,400	317,500			527,00	EE755281D/755360/755361DG2	32	NTN
	914,400	317,500			527,00	E-EE755281D/755360/755361DG2	32	NTN
	914,400	387,350			616,00	CRO-14214LL	32	NTN
	914,400	410,000			596,00	CRO-14209LL	32	NTN
720,000	880,000	75,000	60,000	80,000	94,00	CR-14403	29	NTN
	880,000	210,000			244,00	CR1-14402	30	NTN
	920,000	130,000			240,00	CRD-14403	31	NTN
	1 060,000	545,000			1 400,00	E-CRD-14402LL	31	NTN
723,900	914,400	80,962	60,325	84,138	126,00	EE755285/755360G2	29	NTN
	914,400	187,325			256,00	EE755285/755361DG2+A	30	NTN
730,000	1 070,000	642,000			1 900,00	CRO-14601	32	NTN
	1 070,000	642,000			1 900,00	E-CRO-14601	32	NTN
730,250	1 035,050	755,650			2 210,00	M283449D/M283410/M283410D	31	NTN
	1 035,050	755,650			2 210,00	E-M283449D/M283410/M283410DG2	32	NTN
740,000	900,000	75,000	65,000	80,000	96,00	CR-14803	29	NTN
745,000	1 000,000	115,000	83,000	115,000	237,00	CR-14901	29	NTN
749,300	958,000	127,000			245,00	CRT15001	37	NTN
	965,200	362,320			660,00	EE752295/752380DB	30	NTN
	990,600	160,337	123,000	159,500	309,00	LM283649/LM283610G2	29	NTN
	990,600	293,000			606,00	LM283649D/LM283610G2+A	31	NTN
	990,600	605,000			1 310,00	E-LM283649D/LM283610/LM283610DG2	32	NTN
	990,600	605,000			1 250,00	LM283649D/LM283610/LM283610DG2	32	NTN
750,000	1 000,000	107,000	80,000	110,000	210,00	CR-15002	29	NTN
	1 075,000	320,000			955,00	CRD-15001	31	NTN
759,925	889,000	69,850	50,800	69,850	70,50	E-LL483448/LL483418	29	NTN
762,000	1 066,800	352,425			968,00	M284148D/M284111G2+A	31	NTN
	1 066,800	723,900			2 220,00	M284148D/M284111/M284110DG2	32	NTN
	1 079,500	381,000			1 097,00	M284249D/M284210G2+A	31	NTN
	1 079,500	787,400			2 480,00	E-M284249D/M284210/M284210DG2	32	NTN
	1 079,500	787,400			2 480,00	M284249D/M284210/M284210DG2	32	NTN
774,700	965,200	80,962	66,675	93,662	126,00	EE752305/752380	29	NTN
780,000	925,000	92,000	75,000	95,000	115,00	CR-15602	29	NTN
	925,000	92,000	75,000	95,000	103,00	E-CR-15602	29	NTN
	1 000,000	200,000			384,00	CRD-15601	31	NTN
800,000	1 120,000	820,000			3 960,00	CRO-16001	32	NTN
	1 120,000	820,000			3 960,00	E-CRO-16001	32	NTN
	1 150,000	350,000			1 119,00	CRI-16001	30	NTN
812,800	1 066,800	190,500			410,00	CR1-16301	30	NTN
825,500	1 168,400	844,550			3 010,00	E-M285848D/M285810/M285810DG2	32	NTN
	1 168,400	844,550			3 010,00	M285848D/M285810/M285810DG2	32	NTN
838,200	1 041,400	88,900	66,675	93,662	172,00	EE763330/763410G2	29	NTN
840,000	1 170,000	840,000			3 970,00	CRO-16803	32	NTN
	1 170,000	840,000			3 970,00	E-CRO-16803	32	NTN



							 Brands
d	D	B	C	T	Kg	Reference	
850,000	1 120,000	112,000	80,000	118,000	276,00	CR-17001	29 NTN
	1 250,000	370,000			1 562,00	CRD-17003	31 NTN
863,600	1 130,300	323,850			848,00	LM286249D/LM286210G2+A	31 NTN
	1 130,300	669,925			1 950,00	E-LM286249D/LM286210/LM286210DG2	32 NTN
	1 130,300	669,925			1 950,00	LM286249D/LM286210/LM286210DG2	32 NTN
	1 219,200	425,450			1 552,00	EE547341D/547480G2+A	31 NTN
	1 219,200	876,300			3 640,00	E-EE547341D/547480/547481DG2	32 NTN
	1 219,200	876,300			3 640,00	EE547341D/547480/547481DG2 (CRO-17301)	32 NTN
900,000	1 120,000	430,000			785,00	CR-18011DB	30 NTN
920,000	1 120,000	150,000			269,00	CRT18401	37 NTN
928,000	1 060,000	90,000	76,000	92,000	116,00	E-CR-18605	29 NTN
930,000	1 060,000	90,000	76,000	92,000	114,00	E-CR-18604	29 NTN
938,212	1 270,000	400,050			1 444,00	LM287649D/LM287610G2+A	31 NTN
	1 270,000	825,500			4 100,00	E-LM287649D/LM287610/LM287610DG2	32 NTN
	1 270,000	825,500			4 100,00	LM287649D/LM287610/LM287610DG2	32 NTN
939,800	1 333,500	349,250			1 540,00	LM287849D/LM287810G2+A	31 NTN
950,000	1 360,000	880,000			4 100,00	CRO-19001	32 NTN
	1 360,000	880,000			4 100,00	E-CRO-19001	32 NTN
977,900	1 130,300	63,500	47,625	66,675	103,00	LL687949/LL687910	29 NTN
	1 130,300	139,700			196,00	LL687949/LL687910D+A	30 NTN
1 040,000	1 290,000	350,000			975,00	CRI-20802	30 NTN
1 063,625	1 219,200	65,088	42,862	65,088	422,00	LL788345/LL788310	29 NTN
1 066,800	1 219,200	65,088	42,862	65,088	422,00	LL788349/LL788310	29 NTN
	1 320,800	88,900	69,850	95,250	796,00	EE776420/776520	29 NTN
1 092,200	1 320,800	88,900	69,850	95,250	794,00	EE776430/776520	29 NTN
1 115,000	1 460,000	300,000			1 255,00	CRI-22303	30 NTN
1 155,700	1 435,100	120,650	95,250	120,650	428,00	E-EE277455/277565	29 NTN
1 200,150	1 593,850	990,600			6 130,00	E-LM288949D/LM288910/LM288910DG2	32 NTN
	1 593,850	990,600			6 130,00	LM288949D/LM288910/LM288910DG2	32 NTN
1 270,000	1 435,100	65,088	47,625	69,850	666,00	LL889049/LL889010	29 NTN
	1 435,100	146,050			285,00	LL889049/LL889010D+A	30 NTN
1 400,000	1 600,000	180,000			534,00	CRD-28003	31 NTN
	31,991		7,938		0,02	4T-A2126	29 NTN
	34,988		8,712		0,02	4T-L21511	29 NTN
	34,988		8,730		0,02	4T-A4138	29 NTN
	39,878		10,668		0,03	4T-LM11710	29 NTN
	39,992		9,525		0,03	4T-A6157	29 NTN
	41,275		8,730		0,03	4T-A6162	29 NTN
	41,275		11,112		0,04	4T-03162	29 NTN
	42,862		9,525		0,04	4T-11520	29 NTN
	42,862		13,495		0,05	4T-17520	29 NTN
	44,450		11,430		0,03	4T-05175	29 NTN
	45,237		12,065		0,04	4T-LM11910	29 NTN








								Brands
d	D	B	C	T	Kg	Reference		
	45,237		12,065		0,04	4T-LM12710	29	NTN
	45,974		12,065		0,04	4T-LM12711	29	NTN
	47,000		11,112		0,05	4T-05185	29	NTN
	47,000		11,112		0,05	4T-05185S	29	NTN
	47,000		12,000		0,05	4T-LM72810	29	NTN
	47,000		16,000		0,08	4T-HM81610	29	NTN
	49,225		14,288		0,07	4T-09195	29	NTN
	49,225		15,875		0,07	4T-12520	29	NTN
	49,225		17,462		0,08	4T-09194	29	NTN
	49,225		17,462		0,08	4T-09196	29	NTN
	50,005		9,525		0,03	4T-07196	29	NTN
	50,005		13,970		0,06	4T-M12610	29	NTN
	50,292		10,668		0,04	4T-L4610	29	NTN
	50,292		10,668		0,04	4T-L45410	29	NTN
	50,800		12,700		0,05	4T-07210X	29	NTN
	51,994		12,700		0,06	4T-07204	29	NTN
	52,000		12,700		0,06	4T-07205	29	NTN
	52,388		14,288		0,07	4T-1328	29	NTN
	53,000		11,500		0,04	4T-JL26710	29	NTN
	53,975		14,288		0,08	4T-1329	29	NTN
	53,975		15,875		0,07	4T-1730	29	NTN
	53,975		15,875		0,10	4T-21212	29	NTN
	56,896		15,875		0,10	4T-1729X	29	NTN
	56,896		15,875		0,10	4T-1729	29	NTN
	56,896		15,875		0,07	4T-1930	29	NTN
	57,150		13,495		0,07	4T-15520	29	NTN
	57,150		14,732		0,09	4T-M84510	29	NTN
	57,150		15,875		0,08	4T-1922	29	NTN
	57,150		17,462		0,11	4T-1220	29	NTN
	58,738		15,080		0,09	4T-1932	29	NTN
	59,131		11,811		0,06	4T-LM67010XL	29	NTN
	59,131		11,811		0,06	4T-LM67010	29	NTN
	59,131		11,938		0,06	4T-L68110	29	NTN
	59,530		18,288		0,13	4T-M84210	29	NTN
	59,974		11,938		0,06	4T-L68111	29	NTN
	60,000		11,938		0,06	4T-JL68111Z	29	NTN
	60,325		15,875		0,16	4T-15523	29	NTN
	60,325		15,875		0,11	4T-1931	29	NTN
	61,912		14,288		0,08	4T-15243	29	NTN
	61,973		13,600		0,07	4T-LM78310A	29	NTN
	62,000		14,288		0,08	4T-15245	29	NTN
	62,000		14,288		0,09	4T-17244	29	NTN
	62,000		15,875		0,08	4T-15244	29	NTN
	63,000		13,500		0,07	4T-JL69310	29	NTN
	63,100		19,050		0,11	4T-2620	29	NTN
	63,500		9,525		0,05	4T-13830	29	NTN
	63,500		15,875		0,11	4T-15250	29	NTN
	63,500		15,875		0,11	4T-15250X	29	NTN
	64,292		16,670		0,13	4T-M86610	29	NTN
	65,088		9,525		0,06	4T-13836	29	NTN
	65,088		13,970		0,08	4T-LM29710	29	NTN
	65,088		13,970		0,08	4T-LM48510	29	NTN
	65,088		15,748		0,09	4T-LM29711	29	NTN
	65,088		15,875		0,14	4T-23256	29	NTN
	65,088		18,034		0,10	4T-LM48510XL	29	NTN
	66,421		19,050		0,16	4T-2631	29	NTN
	66,421		20,638		0,12	4T-2520	29	NTN
	68,000		13,500		0,08	4T-LM300811	29	NTN
	68,262		11,908		0,07	4T-19268	29	NTN
	68,262		17,462		0,15	4T-02420	29	NTN
	68,262		17,462		0,14	4T-M88010	29	NTN
	68,262		22,225		0,17	4T-23420	29	NTN



							 Brands
d	D	B	C	T	Kg	Reference	
	68,288		17,462		0,14	4T-2420	29 NTN
	69,012		15,083		0,10	4T-13620	29 NTN
	69,012		15,083		0,10	4T-13621	29 NTN
	69,012		15,875		0,13	4T-14276	29 NTN
	69,012		15,875		0,13	4T-14274	29 NTN
	69,850		19,050		0,17	4T-2523S	29 NTN
	69,850		19,050		0,17	4T-2523	29 NTN
	71,996		15,032		0,16	4T-14282	29 NTN
	72,000		14,237		0,12	4T-16282	29 NTN
	72,000		14,288		0,13	4T-19283X	29 NTN
	72,085		18,415		0,21	4T-14283	29 NTN
	72,238		15,875		0,14	4T-16284	29 NTN
	72,238		19,050		0,18	4T-16283	29 NTN
	72,258		19,842		0,19	4T-HM88610	29 NTN
	72,626		17,462		0,18	4T-41286	29 NTN
	72,626		23,812		0,22	4T-3120	29 NTN
	72,652		23,812		0,23	4T-3130	29 NTN
	73,025		12,700		0,08	4T-18520	29 NTN
	73,025		17,462		0,15	4T-2820	29 NTN
	73,025		17,462		0,16	4T-02820	29 NTN
	73,025		19,050		0,16	4T-25820	29 NTN
	73,025		19,050		0,17	4T-25821	29 NTN
	73,025		19,050		0,14	4T-2735X	29 NTN
	73,025		21,336		0,17	4T-M201011	29 NTN
	73,025		23,020		0,24	4T-HM88510	29 NTN
	73,431		14,732		0,11	4T-LM501310	29 NTN
	73,431		15,748		0,10	4T-LM102910	29 NTN
	73,431		16,604		0,13	4T-LM501314	29 NTN
	73,431		17,620		0,12	4T-LM102911	29 NTN
	73,431		18,186		0,14	4T-LM501311	29 NTN
	75,000		14,000		0,09	4T-LM503310	29 NTN
	76,200		14,288		0,13	4T-11300	29 NTN
	76,200		15,507		0,14	4T-28300	29 NTN
	76,200		17,462		0,15	4T-24720	29 NTN
	76,200		19,050		0,18	4T-2720	29 NTN
	76,200		19,050		0,19	4T-2729	29 NTN
	76,200		19,050		0,19	4T-2729X	29 NTN
	76,200		20,638		0,19	4T-24721	29 NTN
	76,200		20,638		0,14	4T-26823	29 NTN
	76,200		23,020		0,26	4T-HM89411	29 NTN
	76,200		23,812		0,24	4T-31521	29 NTN
	76,200		23,812		0,23	4T-31520	29 NTN
	76,225		23,020		0,25	4T-HM89410	29 NTN
	76,992		11,908		0,10	4T-12303	29 NTN
	77,788		15,080		0,12	4T-LM603011	29 NTN
	77,788		16,667		0,14	4T-LM603012	29 NTN
	78,000		15,000		0,12	4T-JLM603013Z	29 NTN
	79,375		13,495		0,12	4T-18620	29 NTN
	79,375		15,875		0,13	4T-17830	29 NTN
	79,375		17,462		0,22	4T-43312	29 NTN
	79,375		19,050		0,19	4T-26822	29 NTN
	79,375		22,664		0,25	4T-HM89210	29 NTN
	79,375		23,812		0,25	4T-3420	29 NTN
	79,985		15,080		0,13	4T-17831SA	29 NTN
	79,985		15,080		0,13	4T-17831	29 NTN
	80,000		15,080		0,15	4T-LM603014	29 NTN
	80,000		17,826		0,14	4T-332	29 NTN
	80,000		19,050		0,20	4T-26824	29 NTN
	80,000		21,000		0,18	4T-332A	29 NTN
	80,035		15,875		0,20	4T-28317	29 NTN
	80,035		18,512		0,21	4T-27820	29 NTN
	80,167		20,638		0,21	4T-26820	29 NTN








								Brands
d	D	B	C	T	Kg	Reference		
	80,167		20,638		0,22	4T-26830	29	NTN
	80,167		23,812		0,21	4T-3320	29	NTN
	82,000		17,000		0,13	4T-JLM104910	29	NTN
	82,550		16,510		0,13	4T-LM104911	29	NTN
	82,550		18,542		0,16	4T-LM104911A	29	NTN
	82,550		19,050		0,19	4T-25519	29	NTN
	82,550		20,193		0,23	4T-M802011	29	NTN
	82,550		20,638		0,22	4T-22720	29	NTN
	82,550		23,020		0,28	4T-HM801310	29	NTN
	82,931		16,510		0,14	4T-LM104912	29	NTN
	82,931		19,050		0,20	4T-25520	29	NTN
	82,931		22,225		0,23	4T-25523	29	NTN
	83,058		19,050		0,20	4T-25521	29	NTN
	83,058		19,114		0,20	4T-25522	29	NTN
	84,000		17,500		0,16	4T-JLM704610	29	NTN
	84,138		23,812		0,22	4T-3520	29	NTN
	85,000		13,495		0,13	4T-18720	29	NTN
	85,000		17,462		0,16	4T-354X	29	NTN
	85,000		20,638		0,22	4T-2924	29	NTN
	85,027		17,462		0,16	4T-354A	29	NTN
	85,027		19,050		0,24	4T-25526	29	NTN
	85,725		23,812		0,29	4T-3821	29	NTN
	85,750		23,812		0,28	4T-3820	29	NTN
	87,312		23,812		0,30	4T-3525	29	NTN
	87,338		23,813		0,31	4T-3526X	29	NTN
	88,500		17,462		0,24	4T-44348	29	NTN
	88,501		22,225		0,32	4T-414A	29	NTN
	88,501		22,225		0,33	4T-414	29	NTN
	88,900		13,492		0,13	4T-LM806610	29	NTN
	88,900		19,050		0,21	4T-M804010	29	NTN
	88,925		16,513		0,16	4T-362A	29	NTN
	88,925		23,020		0,32	4T-HM803110	29	NTN
	89,980		19,987		0,20	4T-28520	29	NTN
	90,000		15,875		0,17	4T-362	29	NTN
	90,000		18,500		0,18	4T-JLM506810	29	NTN
	90,000		20,000		0,24	4T-363	29	NTN
	90,000		20,500		0,21	4T-JLM506811	29	NTN
	90,000		23,000		0,24	4T-JM205110	29	NTN
	90,119		21,808		0,32	4T-352	29	NTN
	90,513		33,338		0,46	4T-4335	29	NTN
	91,000		26,500		0,31	4T-HM204010	29	NTN
	92,075		16,670		0,24	4T-M903310	29	NTN
	92,075		19,845		0,24	4T-28521	29	NTN
	92,075		23,020		0,39	4T-HM803112	29	NTN
	93,264		22,225		0,24	4T-33820B	29	NTN
	93,264		23,812		0,29	4T-3720	29	NTN
	93,264		23,812		0,30	4T-3730	29	NTN
	93,662		25,400		0,36	4T-49368	29	NTN
	93,662		26,195		0,40	4T-46368	29	NTN
	94,458		15,083		0,16	4T-L610510	29	NTN
	95,000		19,000		0,19	4T-JLM508710	29	NTN
	95,000		23,500		0,26	4T-JM207010	29	NTN
	95,250		20,638		0,36	4T-53377	29	NTN
	95,250		20,638		0,37	4T-53375	29	NTN
	95,250		22,225		0,26	4T-33821	29	NTN
	95,250		22,225		0,27	4T-33822	29	NTN
	95,250		22,225		0,38	4T-432	29	NTN
	95,250		22,225		0,39	4T-HM903210	29	NTN
	95,250		23,020		0,35	4T-HM804810	29	NTN
	95,250		23,812		0,35	4T-3726	29	NTN
	96,838		20,274		0,24	4T-382S	29	NTN
	96,863		15,875		0,18	4T-382A	29	NTN



							 Brands
d	D	B	C	T	Kg	Reference	
	97,630		19,446		0,27	4T-28622	29 NTN
	98,425		17,826		0,22	4T-382	29 NTN
	98,425		23,812		0,43	4T-3732	29 NTN
	99,979		19,050		0,22	4T-28919	29 NTN
	100,000		17,826		0,26	4T-383A	29 NTN
	100,000		19,845		0,23	4T-28921	29 NTN
	101,600		15,083		0,18	4T-L713010	29 NTN
	101,600		19,845		0,27	4T-28920	29 NTN
	101,600		25,400		0,38	4T-49520	29 NTN
	101,600		26,988		0,41	4T-522	29 NTN
	103,188		36,512		0,63	4T-5335	29 NTN
	103,213		11,989		0,12	4T-L812111	29 NTN
	104,775		15,875		0,18	4T-39412	29 NTN
	104,775		23,812		0,35	4T-45221	29 NTN
	104,775		23,812		0,34	4T-45220	29 NTN
	104,775		24,605		0,37	4T-453X	29 NTN
	104,775		28,575		0,47	4T-59412	29 NTN
	104,775		28,575		0,49	4T-HM807010	29 NTN
	104,775		28,575		0,50	4T-HM807011	29 NTN
	104,986		23,368		0,49	4T-HM905810	29 NTN
	105,000		18,500		0,23	4T-JLM710910	29 NTN
	105,000		29,000		0,52	4T-JHM807012	29 NTN
	107,950		19,050		0,28	4T-29522	29 NTN
	107,950		19,050		0,27	4T-29520	29 NTN
	107,950		20,320		0,31	4T-M111012	29 NTN
	107,950		27,000		0,49	4T-452A	29 NTN
	107,950		27,000		0,48	4T-453	29 NTN
	107,950		28,575		0,57	4T-532X	29 NTN
	107,975		22,225		0,42	4T-453A	29 NTN
	110,000		18,824		0,26	4T-394A	29 NTN
	110,000		18,824		0,29	4T-394AB	29 NTN
	110,000		19,050		0,33	4T-29521	29 NTN
	110,000		20,500		0,30	4T-JLM813010	29 NTN
	110,000		22,000		0,28	4T-394	29 NTN
	110,000		22,500		0,34	4T-JM511910	29 NTN
	110,000		27,000		0,55	4T-454	29 NTN
	110,000		32,000		0,56	4T-JH307710	29 NTN
	110,025		18,824		0,26	4T-394AS	29 NTN
	111,125		20,638		0,51	4T-55437	29 NTN
	111,125		20,638		0,50	4T-HM907614	29 NTN
	111,125		30,162		0,74	4T-532A	29 NTN
	112,712		19,050		0,27	4T-29620	29 NTN
	112,712		20,638		0,55	4T-55443	29 NTN
	112,712		23,812		0,45	4T-3920	29 NTN
	112,712		23,812		0,45	4T-3925	29 NTN
	112,712		23,812		0,35	4T-39520	29 NTN
	112,712		23,812		0,36	4T-39521	29 NTN
	113,487		18,824		0,35	4T-394CS	29 NTN
	114,300		34,925		0,87	4T-65320	29 NTN
	114,300		36,068		0,83	4T-HH506310	29 NTN
	115,000		19,000		0,27	4T-JLM714110	29 NTN
	115,000		23,000		0,36	4T-JM612910	29 NTN
	117,475		19,050		0,29	4T-LM814810	29 NTN
	117,475		23,812		0,43	4T-33462	29 NTN
	117,475		23,812		0,54	4T-66462	29 NTN
	120,000		23,444		0,52	4T-33472	29 NTN
	120,000		23,444		0,46	4T-472A	29 NTN
	120,000		24,237		0,49	4T-472	29 NTN
	120,000		25,000		0,42	4T-JM714210	29 NTN
	120,000		26,195		0,47	4T-47420	29 NTN
	120,000		32,000		0,61	4T-JH211710	29 NTN
	120,650		19,050		0,48	4T-29630	29 NTN

								Brands
d	D	B	C	T	Kg	Reference		
	120,650		31,750		0,85	4T-612	29	NTN
	121,442		17,462		0,31	4T-34478	29	NTN
	122,238		23,812		0,55	4T-66520	29	NTN
	122,238		29,718		0,60	4T-HM212010	29	NTN
	122,238		29,718		0,59	4T-HM212011	29	NTN
	122,238		30,162		0,68	4T-553X	29	NTN
	122,238		36,512		0,80	4T-5535	29	NTN
	123,825		16,670		0,23	4T-L217810	29	NTN
	123,825		25,400		0,78	4T-72487	29	NTN
	123,825		30,162		0,75	4T-552A	29	NTN
	123,825		33,338		0,80	4T-552	29	NTN
	124,000		34,000		0,68	4T-H212710	29	NTN
	125,412		19,845		0,34	4T-27620	29	NTN
	127,000		19,842		0,53	4T-34500	29	NTN
	127,000		22,225		0,42	4T-42620	29	NTN
	127,000		26,988		0,60	4T-HM813810	29	NTN
	127,000		28,575		0,64	4T-563	29	NTN
	127,000		34,925		1,02	4T-65500	29	NTN
	127,000		41,275		1,21	4T-6220	29	NTN
	130,000		24,000		0,45	4T-JM716610	29	NTN
	130,000		28,500		0,57	4T-JM515610	29	NTN
	130,175		16,670		0,25	4T-L319210	29	NTN
	130,175		23,812		0,68	4T-HM911210	29	NTN
	130,175		31,750		0,71	4T-633	29	NTN
	132,000		32,000		0,66	4T-HM215210	29	NTN
	133,350		22,225		0,42	4T-492A	29	NTN
	133,350		26,195		0,56	4T-47620	29	NTN
	133,350		26,195		0,58	4T-47620A	29	NTN
	133,350		32,545		0,76	4T-HM516410	29	NTN
	135,000		14,000		0,26	4T-JL819310	29	NTN
	135,755		44,450		1,38	4T-6320	29	NTN
	136,525		31,750		1,03	4T-632	29	NTN
	136,525		22,225		0,54	4T-493	29	NTN
	136,525		23,520		0,77	4T-78537	29	NTN
	136,525		31,750		0,79	4T-H414210	29	NTN
	136,525		36,512		0,94	4T-H715311	29	NTN
	139,700		28,575		0,76	4T-572X	29	NTN
	139,992		28,575		0,78	4T-572	29	NTN
	140,000		31,500		0,76	4T-JHM516810	29	NTN
	140,030		23,520		0,92	4T-78551	29	NTN
	142,138		33,338		1,07	4T-HM515716	29	NTN
	142,138		34,133		0,90	4T-HM617010	29	NTN
	145,000		27,000		0,65	4T-JM718110	29	NTN
	145,000		42,000		1,19	4T-JH415610	29	NTN
	146,050		25,400		0,90	4T-H913810	29	NTN
	146,050		26,195		0,66	4T-47820	29	NTN
	146,050		31,750		0,90	4T-653	29	NTN
	147,000		32,500		0,78	4T-HM218210	29	NTN
	148,430		21,433		0,54	4T-42584	29	NTN
	149,225		24,608		0,71	4T-42587B	29	NTN
	149,225		24,608		0,71	4T-42587	29	NTN
	149,225		44,450		1,63	4T-6420	29	NTN
	150,000		27,000		0,76	4T-593X	29	NTN
	150,000		27,000		0,77	4T-JM719113	29	NTN
	150,000		35,000		1,03	4T-743	29	NTN
	150,000		38,000		1,09	4T-JH217210	29	NTN
	150,089		36,512		1,10	4T-742	29	NTN
	152,400		30,162		0,76	4T-HM518410	29	NTN
	152,400		30,162		1,04	4T-592A	29	NTN
	152,400		31,750		1,28	4T-9121	29	NTN
	152,400		31,750		1,30	4T-652	29	NTN
	152,400		33,338		1,04	4T-592	29	NTN



							 Brands
d	D	B	C	T	Kg	Reference	
	155,000		28,000		0,77	4T-JM720210	29 NTN
	155,000		35,500		1,02	4T-JHM318410	29 NTN
	157,000		34,000		0,87	4T-HM220110	29 NTN
	157,162		26,195		0,70	4T-52618	29 NTN
	158,775		15,875		0,49	4T-37625	29 NTN
	159,987		26,988		0,78	4T-LM522510	29 NTN
	160,000		32,000		0,97	4T-JHM720210	29 NTN
	160,000		44,450		1,67	4T-6525X	29 NTN
	160,338		16,670		0,40	4T-L624510	29 NTN
	161,925		26,988		0,83	4T-48120	29 NTN
	161,925		38,100		1,70	4T-752	29 NTN
	161,925		42,862		1,60	4T-6535	29 NTN
	165,000		26,500		0,83	4T-JM822010	29 NTN
	165,100		26,988		0,84	4T-56650	29 NTN
	168,275		26,988		1,04	4T-56662	29 NTN
	168,275		30,162		1,30	4T-672	29 NTN
	168,275		38,100		2,10	4T-753	29 NTN
	168,275		41,275		1,74	4T-832	29 NTN
	169,862		20,638		0,55	4T-L225810	29 NTN
	180,000		38,000		1,51	4T-JHM522610	29 NTN
	180,975		25,400		1,88	4T-68712	29 NTN
	180,975		38,100		2,00	4T-772	29 NTN
	182,562		33,338		1,20	4T-48220	29 NTN
	184,150		52,388		2,55	4T-HH421210	29 NTN
	190,500		33,338		1,16	4T-48320	29 NTN
	190,500		34,925		1,78	4T-71750	29 NTN
	190,500		44,450		2,69	4T-854	29 NTN
	190,500		46,038		2,20	4T-HH221410	29 NTN
	196,850		38,100		1,46	4T-67322	29 NTN
	200,000		34,925		2,37	4T-98788	29 NTN
	200,025		34,130		1,39	4T-48620	29 NTN
	203,200		38,100		2,06	4T-67320	29 NTN
	205,583		18,258		0,60	4T-L432310	29 NTN
	206,375		34,925		2,00	4T-792	29 NTN
	206,375		53,975		3,23	4T-930	29 NTN
	212,725		53,975		3,06	4T-HH224310	29 NTN
	212,725		53,975		4,60	4T-932	29 NTN
	214,000		90,488		8,41	4T-67790D	29 NTN
	214,312		39,688		2,50	4T-H924010	29 NTN
	215,900		34,925		1,95	4T-74850	29 NTN
	222,250		34,925		1,88	4T-M231610	29 NTN
	225,425		33,338		1,80	4T-46720	29 NTN
	227,012		23,020		0,90	4T-36920	29 NTN
	228,600		38,100		2,81	4T-HM926710	29 NTN
	228,625		44,450		3,13	4T-892	29 NTN
	230,000		31,000		1,30	4T-JHM534110	29 NTN
	234,950		49,212		4,05	4T-95925	29 NTN
	240,000		37,000		2,00	4T-JM734410	29 NTN
	247,650		38,100		2,50	4T-67720	29 NTN
	247,650		84,138		5,00	4T-67720D	29 NTN
	254,000		47,625		4,30	4T-99100	29 NTN
	254,000		61,912		6,04	4T-HH228310	29 NTN
	257,175		30,162		1,74	4T-LM739710	29 NTN
	259,974		61,912		7,28	4T-HH228318	29 NTN
	260,000		36,500		2,20	4T-JM738210	29 NTN
	260,350		41,275		2,86	4T-M236810	29 NTN
	261,142		21,433		1,07	4T-LL641110	29 NTN
	269,875		42,862		3,12	4T-M238810	29 NTN
	273,050		53,975		7,00	4T-HH926710	29 NTN
	282,575		36,512		2,81	4T-67920	29 NTN
	285,750		34,925		2,40	4T-LM742710	29 NTN
	288,925		47,625		4,49	4T-HM237510	29 NTN

								Brands
d	D	B	C	T	Kg	Reference		
	290,010		22,225		1,73	4T-543114	29	NTN
	300,000		51,000		5,37	4T-JHM840410	29	NTN
	307,975		66,675		8,69	HH234010	29	NTN
	311,150		65,088		8,60	E-H238110	29	NTN
	314,325		49,212		4,64	4T-M244210	29	NTN
	336,550		50,800		5,49	4T-M246910	29	NTN
	336,550		77,788		11,00	4T-H242610	29	NTN
	358,775		53,975		6,51	4T-M249710	29	NTN
	381,000		57,150		7,72	4T-M252310	29	NTN
	384,175		90,488		9,50	E-H247510	29	NTN
	384,175		90,488		16,90	4T-H247510	29	NTN
	447,675		68,262		12,80	E-HM259010	29	NTN
	457,098		47,625		9,39	4T-LM961511	29	NTN
	488,950		74,612		16,70	E-HM262710	29	NTN
	546,100		82,550		23,60	4T-HM266410	29	NTN



