












# BALL BEARING INDEX















		HOUSING					
		 P2B-	 TB-	 F2B-	 LFT-	 FB-	
<b>INSERTS</b>	 GT	P2B-GT-... B2-8 P2B-GTEZ-...PCR B1-14 P2B-GTEZ-...SHCR B1-16 P2B-GTM-... B2-10	TB-GT-... B2-30 TB-GTEZ-...PCR B1-30	F2B-GT-... B1- F2B-GTEZ-...PCR B1-38 F2B-GTEZ-...SHCR B1-40 F2B-GTM-... B1-		FB-GT-... B1- FB-GTEZ-...PCR B1-52	
	 SC, SCM	P2B-SC-... B3-10 - B3-14 P2B-SCRZ-...PCR B1-18 P2B-SCRZ-...SHCR B1-20 P2B-SCM-... B3-26 - B3-30	TB-SC-... B3-42 TB-SCRZ-...PEC B1-32	F2B-SC-... B3-44 - B3-46 F2B-SCRZ-...PCR B1-42 F2B-SCEZ-...SHCR B1-44 F2B-SCM-... B3-54	LFT-SC-... B3-60	FB-SC-... B3-64 FB-SCRZ-...PCR B1-54	LF-SC-... B3-66
	 VSC-	P2B-VSC-... B3-32 - B3-34		F2B-VSC-... B3-58 F2B-SL-... B3-62			F3B-SL-... B3-68
	 SXR-	P2B-SXR-... B4-10 - B4-14	TB-SXR-... B4-28	F2B-SXR-... B4-32		FB-SXR-... B4-	
	 SXV-	P2B-SXV-... B4-20 - B4-24	TB-SXV-... B4-30	F2B-SXV-... B4-34 F2B-SLX-... B4-42	LFT-SXV-... B4-40		LF-SXV-... B4-44 F3B-SLX-... B4-46
	 DL, DLM	P2B-DL-... B5-8 - B5-12 P2B-DLEZ-...PCR B1-24 P2B-DLEZ-SHCR B1-26 P2B-DLM-... B5-14 - B5-16	TB-DL-... B5-20 TB-DLEZ-...PCR B1-34	F2B-DL-... B5-22 F2B-DLEZ-...PCR B1-46 F2B-DLEZ-...SHCR B1-48 F2B-DLM-... B5-24	LFT-DL-... B5-28	FB-DL-... B5-32 FB-DLEZ-...PCR B1-56	LF-DL-... B5-30

 Not Recommended  
 Made to Order / Modification Required

# BALL BEARING INDEX




HOUSING							I N S E R T S
							
F4B- F4B-GT-... B2-48 F4B-GTEZ...PCR B1-60 F4B-GTEZ...SHCR B1-62 F4B-GTM-... B2-50	FC- FC-GT-... B2-64 FC-GTM-... B2-66	NSTU-WSTU- TP- NSTU-SC-... NTSU-SCM-... TP-G-... B3-90 - B3-92 WSTU-SCEZ...PCR B1-78 WSTU-SC-... WSTU-SCM-... TP-G-... B3-98 - B3-100	HNG- HNG-SC-... B3-114	SCHB- SCHB-SC-... B3-116	CYL- CYL-SC-... B3-118		
							
							
							
							
							

Not Recommended 

Made to Order / Modification Required 

# HOW TO ORDER/ NOMENCLATURE



## E-Z KLEEN Polymer and Stainless Steel Housed Mounted Bearings


### HOW TO ORDER

There are two ways to specify DODGE polymer-housed ball bearings. Most of the product offerings have part numbers with listings shown throughout this brochure. Use of part numbers ensures accurate order processing.

When part numbers are not shown, the product may be specified by description or part name. This method is used when ordering units that include modifications or options. To order by description for options not covered by the nomenclature.

### NOMENCLATURE

**P2B - SCHUEZ - 104S = PCR**



FEATURES/BENEFITS PAGE B1-2	SELECTION/DIMENSIONS PAGE B1-14	INTERCHANGE PAGE B1-88	ACCESSORIES PAGE B1-90
--------------------------------	------------------------------------	---------------------------	---------------------------

Bearing Quick Reference

E-Z KLEEN

GRIP TIGHT Adapter Ball Bearing

Set Screw Ball Bearing

Eccentric Collar Ball Bearing

# HOW TO ORDER NOMENCLATURE



Bearing Quick Reference

E-Z-KLEEN

GRIP-TIGHT Adapter Ball Bearing

Set Screw Ball Bearing

Eccentric Collar Ball Bearing


## GRIP TIGHT Thin Wall Adapter Ball Bearings

There are two ways to specify DODGE Bearings. Most of the product offerings have part numbers with listings shown throughout this catalog. Use of the part numbers ensures accurate order processing.

When part numbers are not shown, the product may be specified by description or part name.

This method is used when ordering units that include modifications or options. To order by description, use the nomenclature key shown below and add any special instructions to the end of the description for options not covered by the nomenclature.

### Nomenclature



FEATURES/BENEFITS PAGE B2-2	SELECTION PAGE B2-5	SELECTION/DIMENSIONS PAGE B2-30	RELATED PRODUCTS PAGE B2-96
--------------------------------	------------------------	------------------------------------	--------------------------------


# HOW TO ORDER/ NOMENCLATURE



## Setscrew Ball Bearings HOW TO ORDER

There are two ways to specify DODGE Bearings. Most of the product offering have part numbers with listings shown throughout this catalog. Use of part numbers ensures accurate ordering processing.

When part numbers are not shown, the product may be specified by description or part name. This method is used when ordering units that include modifications or options. To order by description, use the nomenclature key shown below and add any special instructions to the end of the description for options not covered by the nomenclature.



FEATURES/BENEFITS PAGE B3-2	SELECTION PAGE B3-5	SELECTION/DIMENSIONS PAGE B3-10	ACCESSORIES PAGE B3-132
--------------------------------	------------------------	------------------------------------	----------------------------

Bearing Quick Reference

E-Z-KLEEN

GRIP TIGHT Adapter Ball Bearing

Set Screw Ball Bearing


Eccentric Collar Ball Bearing

# NOMENCLATURE



## Eccentric Collar Ball Bearings

### Nomenclature



# HOW TO ORDER/ NOMENCLATURE



D-LOK

## D-LOK Ball Bearings

### HOW TO ORDER

There are two ways to specify DODGE Bearings. Most of the product offerings have part numbers with listings shown throughout this catalog. Use of part numbers ensures accurate order processing.

used when ordering units that include modifications or options. To order by description, use the nomenclature shown below and add any special instruction to the end of the description for options not covered by the nomenclature.

When part numbers are not shown, the product may be specified by description or part name. This method is


Type E Family

Specialty/Tapered

S-2000

UNISPHERE II

**P2B - DL - 104S - NL**



# NOMENCLATURE



## Type E, Type K, DOUBLE-INTERLOCK and TAF

D-LOK

Type E Family

Specialty/Tapered

S-2000

UNISPHERE II

P2B - 515-TAF - 207 - RE

### HOUSING STYLE OPTION

- P2B = Pillow Block  
2-Bolt, Cast Iron
- P4B = Pillow Block  
4-Bolt, Cast Iron
- SP2B - Pillow Block  
2-Bolt, Cast Steel
- SP4B = Pillow Block  
4-Bolt, Cast Steel

### BEARING TYPE OPTIONS

- E = Type E
- K = Type K
- DI = DOUBLE-INTERLOCK
- TAF = TAF
- 5XX = Housing Series  
(TAF Only)

### SIZE

- INCHES & 16TH  
2 = 2 Inches  
07 = 7/16 Inches  
Or  
207 = 2-7/16"
- METRIC  
060M = 60  
Millimeters

### OTHER OPTIONS

- R = Land Riding Rubbing Seal
- E = Expansion Type Bearing.
- Note:** If E Does Not Appear After Seal Type, Then Bearing Is Non-Expansion Type

F4B = Flange Bearing  
4-Bolt, Cast Iron

FC = Piloted Flange  
Bearing (Flanged  
Cartridge)

B1U = B1 Unit, Cast Iron

DU = D Unit, Cast Iron

S1U = S-1, Unit, Cast Iron

WSTU = Wide Slot Take-Up  
Bearing, Cast Iron

TP = Top Angle Take-Up Bearing  
Cast Iron

H2S = Pillow Block Housing Only  
2-Bolt, Cast Iron

H4S = Pillow Block Housing  
4-Bolt, Cast Iron


FEATURES/BENEFITS PAGE B6-2	NOMENCLATURE PAGE B6-4	SELECTION PAGE B6-5	SELECTION/DIMENSIONS PAGE B6-8
--------------------------------	---------------------------	------------------------	-----------------------------------



# NOMENCLATURE



## Specialty Tapered Products Type C, Special Duty and All Steel



D-LOK

Type E Family

Specialty Tapered

S-2000


UNISPHERE II

FEATURES/BENEFITS PAGE B7-2	NOMENCLATURE PAGE B7-7	SELECTION PAGE B7-8	SELECTION/DIMENSIONS PAGE B7-10
--------------------------------	---------------------------	------------------------	------------------------------------

# NOMENCLATURE



## S-2000



"E" prefix denotes Type E dimensioned housing with S2000 spherical roller bearing insert \*

HOUSING STYLE	BEARING TYPE	SIZE	SEAL	OTHER DATA
P2B =	Pillow Block 2 Bolt Base, Cast Iron	S2 = S-2000	R = TRIDENT Triple Lip Rub- bing Seal	E = Expansion Type Bearing - If "E" Does Not Ap- pear, Bearing Is Non Expansion Type
P4B =	Pillow Block 4 Bolt Base, Cast Iron	Inches and 16th 2 = 2" 07 = 7/16" 207 = 2-7/16"	L = Labyrinth Metallic Seal	
F3R =	Flange Bearing 3 Bolt, Cast Iron, Round			
F4S =	Flange Bearing 4 Bolt, Cast Iron, Square			
F4R =	Flange Bearing 4 Bolt, Cast Iron, Round			
FC =	Piloted Flanged (Flanged Cartridge)			
WSTU =	Wide Slot Take-Up Bearing For Use In Center- Pull Frames			
TPHU =	TPHU Take-up Bearing For Use In TPHU Or Top Angle Take-Up Frames			


\* Available in two or four bolt pillow blocks, four bolt square flanges and piloted flanges

FEATURES/BENEFITS PAGE B8-3	HOW TO ORDER PAGE B8-6	DIMENSION PAGE B8-18	INTERCHANGE CHARTS PAGE B8-46
--------------------------------	---------------------------	-------------------------	----------------------------------

# NOMENCLATURE



## UNISPHERE II INCH



D-LOK

Type E Family

Speciality Tapered

S-2000


UNISPHERE II

FEATURES/BENEFITS PAGE B9- 3	SPECIFICATION PAGE B9- 4	SELECTION PAGE B9- 6	DIMENSIONS PAGE B9- 16
---------------------------------	-----------------------------	-------------------------	---------------------------

# NOMENCLATURE



## IMPERIAL - IP



\* Available in two or four bolt pillow blocks, four bolt square flanges and piloted flanges


IMPERIAL FEATURES PAGE B10-3	IMPERIAL SPECIFICATION PAGE B10-6	IMPERIAL SELECTION PAGE B10-12	IMPERIAL DIMENSIONS PAGE B10-20
---------------------------------	--------------------------------------	-----------------------------------	------------------------------------



# NOMENCLATURE



## ISAF



IMPERIAL - ISAF

UNIFIED SAF

International Bearings

Sleeve Bearing

SLEEVOIL

ISAF FEATURES/BENEFITS PAGE B10-10	ISAF DIMENSIONS PAGE B10-60		
---------------------------------------	--------------------------------	--	--

# NOMENCLATURE



## Complete Pillow Block - Inch

IMPERIAL - ISAF

UNIFIED SAF

International Bearings

Sleeve Bearing

SLEEVOL

		<b>P2B - 515 - USAF - 207 - TT</b>			
<b>HOUSING STYLE</b>	<b>BEARING SERIES AND HOUSING SIZE</b>	<b>TYPE OF MOUNTED BEARING</b>	<b>SIZE INCHES</b>	<b>SEAL TYPE</b>	
P2B - 2 Bolt Base Pillow Block, Cast Iron, Both Ends Open	2XX - For Direct Mount 22200 Series Bearing	USAF - UNIFIED SAF Pillow Block (Inch Dimensions)	207 - Inches & 16ths 2 = 2" 07 = 7/16"	TT - TRIPLE-TECT LER - Metal Labyrinth SS - Split Non-Metallic Labyrinth	
P4B - 4 Bolt Base Pillow Block, Cast Iron, Both Ends Open	3XX - For Direct Mount 22300 Series Bearing	USDAF - UNIFIED SDAF Pillow Block	107 = 1-7/16" 111 = 1-11/16" 115 = 1-15/16"	TTDN - Drop-In AUX - Auxiliary (Taconite)	
CP2B - 2 Bolt Base Pillow Block, Cast Iron, One End Closed	5XX - For Adapter Mounted 22200K Series Bearing	SS - SPLIT-SPHER Pillow Block	203 = 2-3/16" 207 = 2-7/16" 208 = 2-1/2" 211 = 2-11/16" 212 = 2-3/4" 215 = 2-15/16" 300 = 3" 303 = 3-3/16" 307 = 3-7/16" 308 = 3-1/2" 315 = 3-15/16" 400 = 4" 403 = 4-3/16" 407 = 4-7/16" 408 = 4-1/2" 415 = 4-15/16" 500 = 5" 503 = 5-3/16" 507 = 5-7/16" 508 = 5-1/2" 515 = 5-15/16" 600 = 6" 607 = 6-7/16" 608 = 6-1/2" 615 = 6-15/16" 700 = 7" 703 = 7-3/16" 708 = 7-1/2" 715 = 7-15/16" 800 = 8" 807 = 8-7/16" 808 = 8-1/2" 815 = 8-15/16" 900 = 9" 907 = 9-7/16" 908 = 9-1/2" 915 = 9-15/16" 1000 = 10" 1007 = 10-7/16" 1008 = 10-1/2"	EC - End Closure	
CP4B - 4 Bolt Base Pillow Block, Cast Iron, One End Closed	6XX - For Adapter Mounted 22300K Series Bearing				
	0XX - For Adapter Mounted 23000K Series Bearing				


For monitor equipped pillow blocks a C preceding the pillow block designation indicates closed ends

FEATURES/BENEFITS PAGE B11-3	SPECIFICATION PAGE B11-8	HOW TO ORDER PAGE B11-9	SELECTION/DIMENSIONS PAGE B11-30
---------------------------------	-----------------------------	----------------------------	-------------------------------------

# NOMENCLATURE



## Housing Only (Housing and Stab Ring) Inch



IMPERIAL - ISAF

UNIFIED SAF

International Bearings

Sleeve Bearing

SLEEVOIL

FEATURES/BENEFITS PAGE B11-3	SPECIFICATION PAGE B11-8	HOW TO ORDER PAGE B11-9	SELECTION/DIMENSIONS PAGE B11-30
---------------------------------	-----------------------------	----------------------------	-------------------------------------

# NOMENCLATURE



## Housing Assembly (Housing and Stab Ring and Seals) - Inch

IMPERIAL - ISAF

UNIFIED SAF

International Bearings

Sleeve Bearing

SLEVOIL

**FSAF - 518 X 3-15/16 TTDN CLSD**

	HOUSING STYLE	HOUSING TYPE AND SIZE	SHAFT SIZE INCHES	SEAL TYPE	OTHER
	SAF - 2 Bolt pillow block housing (4 bolt when no 2 bolt offered)	2XX - For Direct Mount 22200 Series Bearing		TT - TRIPLE-TECT LER - Metal Labyrinth	Blank - Both Ends Open
	FSAF - 4 bolt pillow block housing when 2 bolt offered	3XX - For Direct Mount 22300 Series Bearing 5XX - For Adapter Mounted 2200K Series Bearing		TTDN - Drop-In TRIPLE-TECT	CLSD - Cast Closed One End
	SDAF - 4 Bolt pillow block housing	6XX - For Adapter Mounted 22300K Series Bearing 0XX - For Adapter Mounted 23000K Series Bearing 31XX - For Adapter Mounted 23100K Series Bearing 32XX - For Adapter Mounted 23200K Series Bearing			


FEATURES/BENEFITS PAGE B11-3	SPECIFICATION PAGE B11-8	HOW TO ORDER PAGE B11-9	SELECTION/DIMENSIONS PAGE B11-30
---------------------------------	-----------------------------	----------------------------	-------------------------------------



# NOMENCLATURE



## Bearing



IMPERIAL - ISAF

UNIFIED SAF

International Bearings

Sleeve Bearing

SLEEVOIL

FEATURES/BENEFITS PAGE B11-3	SPECIFICATION PAGE B11-8	HOW TO ORDER PAGE B11-9	SELECTION/DIMENSIONS PAGE B11-30
---------------------------------	-----------------------------	----------------------------	-------------------------------------

# NOMENCLATURE



## Seals - Inch


IMPERIAL - ISAF

UNIFIED SAF

International Bearings

Sleeve Bearing

SLEEVOIL



Seal Group Number & Shaft Size	Fits Housing Sizes	Seal Group Number & Shaft Size	Fits Housing Sizes	Seal Group Number & Shaft Size	Fits Housing Sizes
08-107	308, 509 & 609	50-315	522 & 622	78-715	544
10-111	309, 510 & 610	50-400	522 & 622	78-800	544
12-114	310	52-403	222, 322, 524 & 624	80-805	244
12-115	308, 511 & 611	54-407	526 & 626	80-806	238 & 338
14-201	311	54-408	220, 320, 526 & 626	82-812	240
14-202	309	54-409	224 & 324	84-907	052
14-203	513 & 613	56-414	222 & 322	84-908	052
14-204	312	56-415	226, 326, 528 & 628	84-909	244
18-206	310	56-500	528 & 628	90-807	048
20-207	515 & 615	58-503	530 & 630	90-808	048
20-208	515 & 615	58-505	224, 324, 228 & 328	90-815	048
22-207	313	60-507	532 & 632	90-900	048
22-209	311	60-508	532 & 632	92-915	056
22-210	314	62-512	230 & 330	92-1000	056
24-211	516 & 616	62-514	226 & 236	94-1007	056L
24-212	516 & 616	64-515	534 & 634	94-1008	056L
24-213	215 & 315	64-600	534 & 634	96-1015	060, 3160, 3260
26-214	312	64-601	232 & 332	96-1100	060, 3160, 3260
28-215	517 & 617	66-604	228 & 328	98-1107	064
28-300	216, 316, 517 & 617	68-607	234, 334 & 536	98-1108	064
28-301	313	68-608	536	100-1115	064L, 3164, 3264
32-303	217 & 317	70-610	230 & 330	100-1200	064L, 3164, 3264
32-304	314	72-614	236	102-1207	068, 168, 268
34-303	518	72-615	538 & 638	104-1215	072
36-306	218	72-700	232, 332, 538 & 638	104-1300	072
38-307	215 & 315	74-703	540	106-1307	072L, 3172
38-310	216 & 316	74-704	238 & 338	106-1308	072L, 3172
42-315	217 & 317	76-707	234 & 334	108-1315	076, 3176
44-402	218	76-708	544S	108-1400	076, 3176
46-307	520 & 620	76-710	240	110-1500	80
46-308	520 & 620	78-713	236	112-1512	84
50-313	220 & 320				


Note: For bore size interchange see chart on page B11-13.

FEATURES/BENEFITS PAGE B11-3	SPECIFICATION PAGE B11-8	HOW TO ORDER PAGE B11-9	SELECTION/DIMENSIONS PAGE B11-30
---------------------------------	-----------------------------	----------------------------	-------------------------------------

# NOMENCLATURE




## Adapter Assemblies - Inch



SNW = Sleeve, Nut and Washer Assembly thru 44 (8 inch) Size  
 SNP = Sleeve, Nut and Lockplate Assembly 048 (8-7/16") and Larger Sizes

Up to 8" shaft size last two digits of bearing numerical description.  
 For larger sizes last four digits.

Inches and 16ths  
 2 = 2" and 07 = 7/16" or  
 207 = 2-7/16"  
 See size listing page B11-10



H3 Adapter Series for 22200K Series Bearings thru 4" Bore Size  
 H31 Adapter Series for 22200K & 23100K Series Bearings Greater Than 4"  
 H23 Adapter Series for 22300K Series Bearings  
 H32 Adapter Series for 23200K Series Bearings

Last two digits of bearing numerical description.

SNW = Sleeve, Nut and Washer Assembly thru 544 (8") Size  
 SNP = Sleeve Nut and Plate Assembly from 048 thru 084, 3156 thru 3176, & 3252 thru 3268

Inches and 16ths  
 2 = 2" and 07 = 7/16" or 207 = 2-7/16"  
 See size listing page B11-10

IMPERIAL - ISAF

UNIFIED SAF

International Bearings

Sleeve Bearing

SLEEVOIL


FEATURES/BENEFITS PAGE B11-3	SPECIFICATION PAGE B11-8	HOW TO ORDER PAGE B11-9	SELECTION/DIMENSIONS PAGE B11-30
---------------------------------	-----------------------------	----------------------------	-------------------------------------

# NOMENCLATURE



## Sleeve Bearings

### SLEEVE BEARING NOMENCLATURE



IMPERIAL - ISAF

UNIFIED SAF

International Bearings

Sleeve Bearing




SLEEVOIL

# NOMENCLATURE



## SLEEVOIL

### SLEEVOIL BEARING NOMENCLATURE - R & RTL SERIES:

<b>STYLE</b> <b>RTL</b>  <b>STYLE:</b>		-	<b>PRODUCT</b> <b>TPK</b>  <b>PRODUCT:</b>		-	<b>SHAFT SIZE</b> <b>307</b>  <b>SHAFT SIZE:</b>	
STD	Standard Series		PB	Pillow Block	307	First Digit: Number Of Inches	
PLWC	Plain/Water Cooled		HSG	Housing		Second & Third Digit:	
SSL	Short Series Loaded		LNR	Liner Assembly		307 Indicates 3-7/16"	
STL	Standard Series Loaded		TC	Thrust Collar			
RTL	Radial Thrust Loaded		TPK	Thrust Plate Kit			
PL	Plain		ASK	Auxiliary Seal Kit			
PLXC	Plain/Externally Cooled		ECK	Housing End Cap Kit			
SSH	Short Series		COGK	Circulating Oil Grommet Kit			
XC	Externally Cooled		VDAK	Vibration Detector Adapter Kit			
			HK	Heater Kit			
			TK	Thermostat Kit			
			WHK	Water Hose Kit			
			PLXC	Plain Externally Cooled			
			PL	Plain			
			XC	Externally Cooled			
			WCR	Water Cooled Replacement			
			NEC	Neoprene End Closure			
			GK	Grommet Kit			
			BTP	Bronze Thrust Plates (BTP1-Type 1 Lower Liner Only; BTP2-Type 2 Upper & Lower Liner)			
			SBTP	Shims For Bronze Thrust Plates			
			SSR	Split Seal Ring			
			TCK	Thrust Collar Kit			

IMPERIAL - ISAF

UNIFIED SAF

International Bearings

Sleeve Bearing

SLEEVOIL

FEATURES/BENEFITS PAGE B14-3	SPECIFICATION/HTO PAGE B14-6	SELECTION PAGE B14-9	SELECTION/DIMENSIONS PAGE B14-16
---------------------------------	---------------------------------	-------------------------	-------------------------------------

# NOMENCLATURE



## SLEEVOIL SLEEVOIL DIN (metric) BEARING NOMENCLATURE - P SERIES

IMPERIAL - ISAF

UNIFIED SAF


International Bearings

Sleeve Bearing

SLEEVOIL

### PRODUCT DESCRIPTION

### HOUSING LINE TYPE




FEATURES/BENEFITS PAGE B14-3	SPECIFICATION/HTO PAGE B14-6	SELECTION PAGE B14-9	SELECTION/DIMENSIONS PAGE B14-16
---------------------------------	---------------------------------	-------------------------	-------------------------------------

# NOMENCLATURE



## Take-Up Frames and Base Plates



CP	Center Pull Wide Slot Take-Up Frame
WS	Wide Slot Ball Bearing Take-Up Frame
NS	Narrow Slot Ball Bearing Take-Up Frame
LD	Light Duty Protected Screw Take-Up Frame
TU	Take-Up
HD	Heavy Duty Protected Screw Take-Up Frame
TP	Top Angle Take-Up Frame
TPHU	Top Angle Heavy Duty Universal Take-Up Frame
TUA	Type A Babbitted Take-Up Bearing
TUB	Type B Babbitted Take-Up Bearing
BOTU	BRONZOIL Take-Up
FR	Frame
SSS	Stainless Steel Screw
ABP	Adjustable Base Plates

TU = Take-Up When Used As An Abbreviation Through This Section

Take-Up Frames

Engineering

Index