

Classification by dimensions – Classement par dimensions
Klassifizierung nach Abmessungen – Classificazione per dimensione
Clasificación por dimensiones – Classificação por dimensões
Классификация по размерам – Klasyfikacja wg wymiarów



Cylindrical roller bearing



Zylinderrollenlager



Rodamientos de rodillos cilíndricos



Цилиндрические роликоподшипники



Roulements à rouleaux cylindriques



Cuscinetti a rulli cilindrici



Rolamentos de rolos cilíndricos



Łożyska walcowe



										Brands		
d	D	B	Kg	Reference								
15,000	35,000	11,000	0,05	NJ 202 EG15	18	SNR						
	35,000	11,000	0,05	NU 202 EG15	17	SNR						
17,000	40,000	12,000	0,07	N203	20	NTN						
	40,000	12,000	0,07	NF203	22	NTN						
	40,000	12,000	0,07	NJ203	18	NTN						
	40,000	12,000	0,07	NJ203E	18	NTN						
	40,000	12,000	0,07	NJ 203 EG15	18	SNR						
	40,000	12,000	0,07	NU203	17	NTN						
	40,000	12,000	0,07	NU 203 EG15	17	SNR						
	40,000	12,000	0,07	NUP203	19	NTN						
	40,000	16,000	0,05	NJ 2203 EG15	18	SNR						
	40,000	16,000	0,05	NU 2203 EG15	17	SNR						
	40,000	18,000	0,12	RNU0314ZZ	17	NTN						
	47,000	14,000	0,13	NJ 303 EG15	18	SNR						
	47,000	14,000	0,12	NU 303 EG15	17	SNR						
	20,000	26,955	37,000	0,07	RR0407	24	NTN					
47,000		14,000	0,11	N204	20	NTN						
47,000		14,000	0,11	N204E	20	NTN						
47,000		14,000	0,12	N 204 EG15	20	SNR						
47,000		14,000	0,11	NF204	22	NTN						
47,000		14,000	0,11	NF204E	22	NTN						
47,000		14,000	0,11	NJ204	18	NTN						
47,000		14,000	0,12	NJ204E	18	NTN						
47,000		14,000	0,11	NJ 204 EG15	18	SNR						
47,000		14,000	0,11	NU204	17	NTN						
47,000		14,000	0,12	NU204E	17	NTN						
47,000		14,000	0,11	NU 204 EG15	17	SNR						
47,000		14,000	0,12	NUP204	19	NTN						
47,000		14,000	0,12	NUP204E	19	NTN						
47,000		14,000	0,12	NUP 204 EG15	19	SNR						
47,000		18,000	0,14	NF2204	22	NTN						
47,000		18,000	0,15	NJ2204	18	NTN						
47,000		18,000	0,16	NJ2204E	18	NTN						
47,000		18,000	0,15	NJ 2204 EG15	18	SNR						
47,000		18,000	0,14	NU2204	17	NTN						
47,000		18,000	0,16	NU2204E	17	NTN						
47,000		18,000	0,14	NU 2204 EG15	17	SNR						
47,000		18,000	0,16	NUP2204E	19	NTN						
52,000		15,000	0,15	N304E	20	NTN						
52,000		15,000	0,15	N 304 EG15	20	SNR						
52,000		15,000	0,15	NF304	22	NTN						
52,000		15,000	0,15	NF304E	22	NTN						
52,000		15,000	0,15	NJ304	18	NTN						
52,000		15,000	0,18	NJ304E	18	NTN						
52,000		15,000	0,16	NJ 304 EG15	18	SNR						
52,000		15,000	0,15	NU304	17	NTN						
52,000		15,000	0,18	NU304E	17	NTN						
52,000		15,000	0,16	NU 304 EG15	17	SNR						
52,000		15,000	0,16	NUP304	19	NTN						
52,000		15,000	0,18	NUP304E	19	NTN						
52,000		21,000	0,22	NJ2304	18	NTN						
52,000		21,000	0,24	NJ2304E	18	NTN						
52,000		21,000	0,22	NJ 2304 EG15	18	SNR						
52,000		21,000	0,24	NU2304E	17	NTN						
52,000		21,000	0,21	NU 2304 EG15	17	SNR						
52,000		21,000	0,24	NUP2304E	19	NTN						
60,000		41,000	0,64	SLX20X60X41	26	NTN						
22,000		47,000	14,000	0,11	NUP204E/22	19	NTN					

										Brands	
d	D	B	Kg	Reference							
22,100	40,000	12,000	0,05	RNU 203 EG15	17	SNR					
22,900	40,000	12,000	0,05	RUS203	23	NTN					
24,000	52,000	16,000	0,16	RNJ0522V	18	NTN					
25,000	47,000	12,000	0,09	N1005	20	NTN					
	47,000	12,000	0,09	NJ1005	18	NTN					
	47,000	12,000	0,09	NU1005	17	NTN					
	47,000	12,000	0,09	NUP1005	19	NTN					
	52,000	15,000	0,13	N205	20	NTN					
	52,000	15,000	0,13	N205E	20	NTN					
	52,000	15,000	0,14	N 205 EG15	20	SNR					
	52,000	15,000	0,14	NF205	22	NTN					
	52,000	15,000	0,13	NF205E	22	NTN					
	52,000	15,000	0,14	NJ205	18	NTN					
	52,000	15,000	0,15	NJ205E	18	NTN					
	52,000	15,000	0,14	NJ 205 EG15	18	SNR					
	52,000	15,000	0,13	NU205	17	NTN					
	52,000	15,000	0,15	NU205E	17	NTN					
	52,000	15,000	0,14	NU 205 EG15	17	SNR					
	52,000	15,000	0,15	NUP205	19	NTN					
	52,000	15,000	0,15	NUP205E	19	NTN					
	52,000	15,000	0,14	NUP 205 EG15	19	SNR					
	52,000	15,000	0,10	RUS205	23	NTN					
	52,000	15,000	0,10	RUS205E	23	NTN					
	52,000	15,500	0,15	RNJ0537	18	NTN					
	52,000	18,000	0,17	NF2205	22	NTN					
	52,000	18,000	0,18	NFV2205	22	NTN					
	52,000	18,000	0,16	NH205	21	NTN					
	52,000	18,000	0,17	NJ2205	18	NTN					
	52,000	18,000	0,19	NJ2205E	18	NTN					
	52,000	18,000	0,17	NJ 2205 EG15	18	SNR					
52,000	18,000	0,15	NU2205	17	NTN						
52,000	18,000	0,16	NU2205E	17	NTN						
52,000	18,000	0,17	NU 2205 EG15	17	SNR						
52,000	18,000	0,16	NUP2205	19	NTN						
52,000	18,000	0,19	NUP2205E	19	NTN						
52,000	18,000	0,18	NUP 2205 EG15	19	SNR						
52,000	20,600	0,21	R0534V	17	NTN						
52,000	20,600	0,19	RNUP0527	19	NTN						
62,000	17,000	0,23	N305	20	NTN						
62,000	17,000	0,23	N305E	20	NTN						
62,000	17,000	0,24	N 305 EG15	20	SNR						
62,000	17,000	0,24	NF305	22	NTN						
62,000	17,000	0,24	NF305E	22	NTN						
62,000	17,000	0,24	NJ305	18	NTN						
62,000	17,000	0,28	NJ305E	18	NTN						
62,000	17,000	0,25	NJ 305 EG15	18	SNR						
62,000	17,000	0,23	NU305	17	NTN						
62,000	17,000	0,28	NU305E	17	NTN						
62,000	17,000	0,24	NU 305 EG15	17	SNR						
62,000	17,000	0,24	NUP305	19	NTN						
62,000	17,000	0,28	NUP305E	19	NTN						
62,000	17,000	0,25	NUP 305 EG15	19	SNR						
62,000	17,000	0,18	RUS305	23	NTN						
62,000	24,000	0,34	NF2305E	22	NTN						
62,000	24,000	0,35	NJ2305	18	NTN						
62,000	24,000	0,39	NJ2305E	18	NTN						
62,000	24,000	0,35	NJ 2305 EG15	18	SNR						
62,000	24,000	0,34	NU2305	17	NTN						
62,000	24,000	0,39	NU2305E	17	NTN						

										Brands	
d	D	B	Kg	Reference							
25,000	62,000	24,000	0,34	NU 2305 EG15	17	SNR					
	62,000	24,000	0,39	NUP2305E	19	NTN					
	80,000	21,000	0,54	N405	20	NTN					
	80,000	21,000	0,57	NF405	22	NTN					
	80,000	21,000	0,55	NJ405	18	NTN					
	80,000	21,000	0,55	NU405	17	NTN					
	80,000	21,000	0,55	NUP405	19	NTN					
26,500	47,000	14,000	0,09	RNU 204 EG15	17	SNR					
27,000	47,000	14,000	0,08	RUS204	23	NTN					
	47,000	14,000	0,08	RUS204E	23	NTN					
28,000	62,000	25,000	0,35	RNU0627	17	NTN					
	74,000	42,000	0,70	SLX28X74X42	26	NTN					
28,500	52,000	15,000	0,11	RUS304	23	NTN					
	52,000	15,000	0,12	RUS304E	23	NTN					
28,737	57,000	18,000	0,20	R06A68V	17	NTN					
28,816	57,000	18,000	0,19	R06B09V	17	NTN					
30,000	55,000	13,000	0,13	N1006	20	NTN					
	55,000	13,000	0,13	NJ1006	18	NTN					
	55,000	13,000	0,13	NU1006	17	NTN					
	55,000	13,000	0,13	NUP1006	19	NTN					
	56,000	30,000	0,27	R06A72	17	NTN					
	57,000	27,000	0,25	R06A02	17	NTN					
	62,000	16,000	0,20	N206	20	NTN					
	62,000	16,000	0,20	N206E	20	NTN					
	62,000	16,000	0,27	N 206 EG15	20	SNR					
	62,000	16,000	0,21	NF206	22	NTN					
	62,000	16,000	0,21	NF206E	22	NTN					
	62,000	16,000	0,21	NJ206	18	NTN					
	62,000	16,000	0,23	NJ206E	18	NTN					
	62,000	16,000	0,21	NJ 206 EG15	18	SNR					
	62,000	16,000	0,22	NJ206EJC	18	NTN					
	62,000	16,000	0,22	NJK206	18	NTN					
	62,000	16,000	0,20	NU206	17	NTN					
	62,000	16,000	0,23	NU206E	17	NTN-SNR					
	62,000	16,000	0,21	NU 206 EG15	17	SNR					
	62,000	16,000	0,20	NU206EK	17	NTN					
	62,000	16,000	0,22	NUP206	19	NTN					
	62,000	16,000	0,23	NUP206E	19	NTN					
	62,000	16,000	0,22	NUP 206 EG15	19	SNR					
	62,000	20,000	0,28	NFV2206	22	NTN					
	62,000	20,000	0,27	NJ2206	18	NTN					
	62,000	20,000	0,30	NJ2206E	18	NTN					
	62,000	20,000	0,27	NJ 2206 EG15	18	SNR					
	62,000	20,000	0,26	NU2206	17	NTN					
	62,000	20,000	0,30	NU2206E	17	NTN					
	62,000	20,000	0,26	NU 2206 EG15	17	SNR					
	62,000	20,000	0,30	NU 2206 EM	17	SNR					
	62,000	20,000	0,27	NUP2206	19	NTN					
	62,000	20,000	0,30	NUP2206E	19	NTN					
	62,000	20,000	0,27	NUP 2206 EG15	19	SNR					
	62,000	24,000	0,32	2RNU0619	24	NTN					
	62,000	27,000	0,31	R0638	17	NTN					
	70,000	45,000	0,90	SLX30X85X45	26	NTN					
	72,000	19,000	0,35	N306	20	NTN					
	72,000	19,000	0,35	N306E	20	NTN					

										Brands	
d	D	B	Kg	Reference							
30,000	72,000	19,000	0,37	N 306 EG15	20	SNR					
	72,000	19,000	0,36	NF306	22	NTN					
	72,000	19,000	0,36	NF306E	22	NTN					
	72,000	19,000	0,36	NJ306	18	NTN					
	72,000	19,000	0,40	NJ306E	18	NTN					
	72,000	19,000	0,38	NJ 306 EG15	18	SNR					
	72,000	19,000	0,36	NU306	17	NTN					
	72,000	19,000	0,40	NU306E	17	NTN					
	72,000	19,000	0,37	NU 306 EG15	17	SNR					
	72,000	19,000	0,37	NUP306	19	NTN					
	72,000	19,000	0,40	NUP306E	19	NTN					
	72,000	19,000	0,37	NUP 306 EG15	19	SNR					
	72,000	23,500	0,45	RNJ0620	18	NTN					
	72,000	26,800	0,52	RNJ0626	18	NTN					
	72,000	27,000	0,55	NF2306	22	NTN					
	72,000	27,000	0,52	NJ2306	18	NTN					
	72,000	27,000	0,58	NJ2306E	18	NTN					
	72,000	27,000	0,54	NJ 2306 EG15	18	SNR					
	72,000	27,000	0,50	NU2306	17	NTN					
	72,000	27,000	0,58	NU2306E	17	NTN					
	72,000	27,000	0,53	NU 2306 EG15	17	SNR					
	72,000	27,000	0,58	NUP2306E	19	NTN					
	73,000	26,000	0,45	R0684	17	NTN					
	80,000	21,000	0,56	E-R0697V	17	NTN					
	80,000	23,000	0,61	R0694V	17	NTN					
	80,000	51,000	1,45	SLX30X80X51	26	NTN					
	82,000	20,000	0,61	RNUP0626	19	NTN					
	85,000	40,000	1,30	SLX30X85X40	26	NTN					
	88,860	17,000	1,41	R06B26V	17	NTN					
	88,860	17,000	1,41	R06B35V	17	NTN					
	90,000	23,000	0,73	N406	20	NTN					
	90,000	23,000	0,76	NF406	22	NTN					
90,000	23,000	0,76	NJ406	18	NTN						
90,000	23,000	0,75	NU406	17	NTN						
90,000	23,000	0,75	NUP406	19	NTN						
260,000	89,000	22,20	2R2057VLL	24	NTN						
31,500	52,000	15,000	0,10	RNU 205 EG15	17	SNR					
	52,000	18,000	0,14	RUS2205E	23	NTN					
32,000	65,000	28,000	0,36	E-R06A92	17	NTN					
	65,000	30,000	0,38	R0686	17	NTN					
	65,000	30,000	0,39	R06A79	17	NTN					
	68,000	30,000	0,47	R0608	17	NTN					
	68,000	30,000	0,47	R0688	17	NTN					
	68,000	30,000	0,47	R06A49	17	NTN					
	68,000	30,000	0,47	R06A65	17	NTN					
	68,000	30,000	0,54	R06B13	17	NTN					
	68,000	30,000	0,54	R06B32	17	NTN					
	73,500	38,000	0,74	R06A70	17	NTN					
	90,000	23,000	0,81	R0679V	17	NTN					
34,000	62,000	17,000	0,20	RUS305E	23	NTN					
	62,000	24,000	0,26	RUS2305E	23	NTN					
35,000	62,000	14,000	0,18	N1007	20	NTN					
	62,000	14,000	0,18	NJ1007	18	NTN					
	62,000	14,000	0,18	NU1007	17	NTN					
	62,000	14,000	0,18	NUP1007	19	NTN					
	67,000	52,000	0,72	R0781D2	17	NTN					
	68,000	30,000	0,44	R07A17	17	NTN					
	72,000	17,000	0,29	N207	20	NTN					

										Brands	
d	D	B	Kg	Reference							
35,000	72,000	17,000	0,29	N207E	20	NTN					
	72,000	17,000	0,30	N 207 EG15	20	SNR					
	72,000	17,000	0,30	NF207	22	NTN					
	72,000	17,000	0,49	NF207E	22	NTN					
	72,000	17,000	0,30	NJ207	18	NTN					
	72,000	17,000	0,33	NJ207E	18	NTN					
	72,000	17,000	0,30	NJ 207 EG15	18	SNR					
	72,000	17,000	0,30	NU207	17	NTN					
	72,000	17,000	0,33	NU207E	17	NTN-SNR					
	72,000	17,000	0,30	NU 207 EG15	17	SNR					
	72,000	17,000	0,30	NU207EK	17	NTN					
	72,000	17,000	0,34	NU 207 EM	17	SNR					
	72,000	17,000	0,30	NU207K	17	NTN					
	72,000	17,000	0,31	NUP207	19	NTN					
	72,000	17,000	0,33	NUP207E	19	NTN					
	72,000	17,000	0,30	NUP 207 EG15	19	SNR					
	72,000	19,000	0,36	RNUP0709V	19	NTN					
	72,000	20,600	0,40	E-R0725V	17	NTN					
	72,000	20,600	0,39	R0725V	17	NTN					
	72,000	23,000	0,42	NJ2207	18	NTN					
	72,000	23,000	0,46	NJ2207E	18	NTN					
	72,000	23,000	0,42	NJ 2207 EG15	18	SNR					
	72,000	23,000	0,41	NU2207	17	NTN					
	72,000	23,000	0,46	NU2207E	17	NTN					
	72,000	23,000	0,41	NU 2207 EG15	17	SNR					
	72,000	23,000	0,42	NUP2207E	19	NTN					
	72,000	23,000	0,60	NUP 2207 EG15	19	SNR					
	72,000	24,000	0,41	R0788ZA	17	NTN					
	80,000	21,000	0,47	N307	20	NTN					
	80,000	21,000	0,51	N307E	20	NTN					
	80,000	21,000	0,48	N 307 EG15	20	SNR					
	80,000	21,000	0,49	NF307	22	NTN					
	80,000	21,000	0,49	NF307E	22	NTN					
	80,000	21,000	0,56	NFV307	22	NTN					
	80,000	21,000	0,49	NJ307	18	NTN					
	80,000	21,000	0,55	NJ307E	18	NTN					
	80,000	21,000	0,50	NJ 307 EG15	18	SNR					
	80,000	21,000	0,52	NJK307	18	NTN					
	80,000	21,000	0,48	NU307	17	NTN					
	80,000	21,000	0,55	NU307E	17	NTN					
	80,000	21,000	0,48	NU 307 EG15	17	SNR					
	80,000	21,000	0,49	NU307EJ	17	NTN					
	80,000	21,000	0,50	NUP307	19	NTN					
	80,000	21,000	0,55	NUP307E	19	NTN					
	80,000	21,000	0,51	NUP 307 EG15	19	SNR					
	80,000	21,000	0,55	NUP307EJ	19	NTN					
	80,000	31,000	0,71	NJ2307	18	NTN					
	80,000	31,000	0,78	NJ2307E	18	NTN					
	80,000	31,000	0,73	NJ 2307 EG15	18	SNR					
	80,000	31,000	0,73	NU2307	17	NTN					
	80,000	31,000	0,78	NU2307E	17	NTN					
	80,000	31,000	0,71	NU 2307 EG15	17	SNR					
	80,000	31,000	0,69	NUP2307	19	NTN					
	80,000	31,000	0,78	NUP2307E	19	NTN					
	80,000	31,000	0,56	R0739	17	NTN					
	88,860	17,000	1,38	R07A57V	17	NTN					
	88,860	17,000	1,38	R07A72V	17	NTN					
	90,000	23,000	0,74	R0733V	17	NTN					
	90,000	23,000	0,75	R07A23V	17	NTN					
	100,000	25,000	0,98	N407	20	NTN					
100,000	25,000	0,99	NJ407	18	NTN-SNR						
100,000	25,000	0,99	NU407	17	NTN-SNR						

										Brands	
d	D	B	Kg	Reference							
35,000	100,000	25,000	0,99	NUP407	19	NTN					
	100,000	36,000	1,80	SLX35X100X36	26	NTN					
35,110	66,000	16,700	0,23	R07A54V	17	NTN					
	66,000	16,700	0,000	R07A70V	17	NTN					
	67,000	19,450	0,35	R07A68V	17	NTN					
	67,000	19,450	0,29	R07A69V	17	NTN					
	67,000	19,600	0,35	R07A67V	17	NTN					
36,000	72,000	60,000	1,01	R0782D2	17	NTN					
37,500	60,000	16,000	0,13	RUS206E/60	23	NTN					
	62,000	16,000	0,16	RUS206EJC	23	NTN					
	62,000	20,000	0,26	RUS2206E	23	NTN					
38,000	70,000	35,000	0,50	R0895	17	NTN					
	70,000	35,000	0,50	R08A70	17	NTN					
	70,000	40,000	0,59	E-R08A67	17	NTN					
	70,000	40,000	0,59	E-R08A68	17	NTN					
	77,000	72,000	1,36	R08A17D2	17	NTN					
	83,000	25,400	0,96	E-RNF0820N	22	NTN					
38,300	150,000	138,000	11,01	R08A92VZZ	17	NTN					
38,400	150,000	138,000	12,50	R08A31V	17	NTN					
38,700	150,000	114,000	8,80	R0878VZZ	17	NTN					
39,000	78,500	34,000	0,71	RR0830	24	NTN					
40,000	62,000	20,000	0,19	R0868	17	NTN					
	62,000	22,000	0,23	SLX40X62X22	26	NTN					
	68,000	15,000	0,22	N1008	20	NTN					
	68,000	15,000	0,21	NJ1008	18	NTN					
	68,000	15,000	0,21	NU1008	17	NTN					
	68,000	15,000	0,22	NUP1008	19	NTN					
	68,000	38,000	0,56	SL04-5008LLN	26	NTN					
	68,000	38,000	0,56	SL04-5008LLNR	26	NTN					
	68,000	38,000	0,56	SL04-5008NR	26	NTN					
	73,526	32,500	0,49	R08A45	17	NTN					
	73,530	30,000	0,45	R0876	17	NTN					
	75,000	28,000	0,44	R08A20	17	NTN					
	80,000	18,000	0,37	N208	20	NTN					
	80,000	18,000	0,37	N208E	20	NTN					
	80,000	18,000	0,38	N 208 EG15	20	SNR					
	80,000	18,000	0,38	NF208	22	NTN					
	80,000	18,000	0,42	NF208E	22	NTN					
	80,000	18,000	0,39	NJ208	18	NTN					
	80,000	18,000	0,43	NJ208E	18	NTN					
	80,000	18,000	0,38	NJ 208 EG15	18	SNR					
80,000	18,000	0,38	NU208	17	NTN						
80,000	18,000	0,43	NU208E	17	NTN						
80,000	18,000	0,38	NU 208 EG15	17	SNR						
80,000	18,000	0,43	NU 208 EM	17	SNR						
80,000	18,000	0,40	NU208K	17	NTN						
80,000	18,000	0,40	NUP208	19	NTN						
80,000	18,000	0,43	NUP208E	19	NTN						
80,000	18,000	0,43	NUP 208 EG15	19	SNR						
80,000	23,000	0,48	N2208	20	NTN						
80,000	23,000	0,50	NJ2208	18	NTN						
80,000	23,000	0,55	NJ2208E	18	NTN						
80,000	23,000	0,50	NJ 2208 EG15	18	SNR						

										Brands	
d	D	B	Kg	Reference							
40,000	80,000	23,000	0,49	NU2208	17	NTN					
	80,000	23,000	0,55	NU2208E	17	NTN					
	80,000	23,000	0,49	NU 2208 EG15	17	SNR					
	80,000	23,000	0,51	NUP2208	19	NTN					
	80,000	23,000	0,55	NUP2208E	19	NTN					
	80,000	23,000	0,51	NUP 2208 EG15	19	SNR					
	80,000	36,000	0,78	2RN0819	24	NTN					
	90,000	23,000	0,64	N308	20	NTN					
	90,000	23,000	0,64	N308E	20	NTN					
	90,000	23,000	0,65	N 308 EG15	20	SNR					
	90,000	23,000	0,67	NF308	22	NTN					
	90,000	23,000	0,67	NF308E	22	NTN					
	90,000	23,000	0,67	NJ308	18	NTN					
	90,000	23,000	0,75	NJ308E	18	NTN					
	90,000	23,000	0,67	NJ 308 EG15	18	SNR					
	90,000	23,000	0,69	NJK308	18	NTN					
	90,000	23,000	0,66	NU308	17	NTN					
	90,000	23,000	0,75	NU308E	17	NTN					
	90,000	23,000	0,66	NU 308 EG15	17	SNR					
	90,000	23,000	0,69	NUP308	19	NTN					
	90,000	23,000	0,75	NUP308E	19	NTN					
	90,000	23,000	0,68	NUP 308 EG15	19	SNR					
	90,000	28,000	1,19	R08A58V	17	NTN					
	90,000	30,000	0,84	NH308	21	NTN					
	90,000	33,000	0,93	N2308	20	NTN					
	90,000	33,000	1,06	NJ2308	18	NTN					
	90,000	33,000	1,06	NJ2308E	18	NTN					
	90,000	33,000	0,98	NJ 2308 EG15	18	SNR					
	90,000	33,000	1,01	NJK2308	18	NTN					
	90,000	33,000	0,94	NU2308	17	NTN					
	90,000	33,000	1,06	NU2308E	17	NTN					
	90,000	33,000	0,94	NU 2308 EG15	17	SNR					
	90,000	33,000	0,95	NUP2308	19	NTN					
	90,000	33,000	1,06	NUP2308E	19	NTN					
	95,000	39,000	1,11	SLX40X95X40	26	NTN					
	110,000	27,000	1,27	N408	20	NTN					
	110,000	27,000	1,22	NF408	22	NTN					
	110,000	27,000	1,33	NJ408	18	NTN-SNR					
	110,000	27,000	1,34	NU408	17	NTN-SNR					
	110,000	27,000	1,30	NUP408	19	NTN					
140,000	55,000	4,22	R08A08VZZ	17	NTN						
42,000	62,000	14,000	0,12	RUS1007	23	NTN					
	72,000	19,000	0,26	RUS306	23	NTN					
	120,000	41,000	1,91	R0897	17	NTN					
43,800	72,000	23,000	0,33	RUS2207	23	NTN					
44,000	72,000	17,000	0,24	RUS207E	23	NTN					
	72,000	69,000	0,99	RUS2207ED3	23	NTN					
45,000	75,000	16,000	0,28	N1009	20	NTN					
	75,000	16,000	0,28	NJ1009	18	NTN					
	75,000	16,000	0,28	NU1009	17	NTN					
	75,000	16,000	0,28	NUP1009	19	NTN					
	75,000	40,000	0,71	SL04-5009LLN	26	NTN					
	75,000	40,000	0,71	SL04-5009LLNR	26	NTN					
	75,000	40,000	0,69	SL04-5009NR	26	NTN					
	85,000	19,000	0,42	N209	20	NTN					
	85,000	19,000	0,42	N209E	20	NTN					
	85,000	19,000	0,45	N 209 EG15	20	SNR					
	85,000	19,000	0,44	NF209	22	NTN					

										Brands	
d	D	B	Kg	Reference							
45,000	85,000	19,000	0,44	NF209E	22	NTN					
	85,000	19,000	0,46	NFV209	22	NTN					
	85,000	19,000	0,44	NJ209	18	NTN					
	85,000	19,000	0,50	NJ209E	18	NTN					
	85,000	19,000	0,45	NJ 209 EG15	18	SNR					
	85,000	19,000	0,43	NU209	17	NTN					
	85,000	19,000	0,50	NU209E	17	NTN-SNR					
	85,000	19,000	0,44	NU 209 EG15	17	SNR					
	85,000	19,000	0,49	NU 209 EM	17	SNR					
	85,000	19,000	0,46	NUP209	19	NTN					
	85,000	19,000	0,50	NUP209E	19	NTN					
	85,000	19,000	0,46	NUP 209 EG15	19	SNR					
	85,000	19,000	0,47	NUP 209 ENRG15	19	SNR					
	85,000	23,000	0,52	N2209	20	NTN					
	85,000	23,000	0,54	NJ2209	18	NTN					
	85,000	23,000	0,60	NJ2209E	18	NTN					
	85,000	23,000	0,55	NJ 2209 EG15	18	SNR					
	85,000	23,000	0,53	NU2209	17	NTN					
	85,000	23,000	0,60	NU2209E	17	NTN					
	85,000	23,000	0,53	NU 2209 EG15	17	SNR					
	85,000	23,000	0,56	NUP2209	19	NTN					
	85,000	23,000	0,60	NUP2209E	19	NTN					
	85,000	23,000	0,54	NUP 2209 EG15	19	SNR					
	85,000	23,000	0,57	RNJ0922	18	NTN					
	86,060	25,000	0,61	E-R0949	17	NTN					
	95,000	23,000	0,79	NU2209E/95	17	NTN					
	97,000	36,000	1,27	NJ2309E/97	18	NTN					
	100,000	25,000	0,89	E-NF309	22	NTN					
	100,000	25,000	0,97	E-NJK309	18	NTN					
	100,000	25,000	0,86	N309	20	NTN					
	100,000	25,000	0,86	N309E	20	NTN					
	100,000	25,000	0,88	N 309 EG15	20	SNR					
	100,000	25,000	0,89	NF309	22	NTN					
	100,000	25,000	0,89	NF309E	22	NTN					
	100,000	25,000	0,88	NJ309	18	NTN					
	100,000	25,000	1,00	NJ309E	18	NTN					
	100,000	25,000	0,91	NJ 309 EG15	18	SNR					
	100,000	25,000	0,93	NJ309EJ	18	NTN					
	100,000	25,000	0,93	NJK309	18	NTN					
	100,000	25,000	0,86	NU309	17	NTN					
100,000	25,000	1,00	NU309E	17	NTN						
100,000	25,000	0,90	NU 309 EG15	17	SNR						
100,000	25,000	1,07	NU 309 EM	17	SNR						
100,000	25,000	0,88	NUP309	19	NTN						
100,000	25,000	1,00	NUP309E	19	NTN						
100,000	25,000	0,92	NUP 309 EG15	19	SNR						
100,000	25,000	1,03	RNUP0913V	19	NTN						
100,000	31,000	1,07	RT0913	36	NTN						
100,000	32,000	1,09	NH309	21	NTN						
100,000	32,000	1,14	RNJ0916V	18	NTN						
100,000	36,000	1,24	N2309	20	NTN						
100,000	36,000	1,27	NJ2309	18	NTN						
100,000	36,000	1,41	NJ2309E	18	NTN						
100,000	36,000	1,29	NJ 2309 EG15	18	SNR						
100,000	36,000	1,23	NU2309	17	NTN						
100,000	36,000	1,41	NU2309E	17	NTN						
100,000	36,000	1,29	NU 2309 EG15	17	SNR						
100,000	36,000	1,27	NUP2309	19	NTN						
100,000	36,000	1,41	NUP2309E	19	NTN						
120,000	29,000	1,58	N409	20	NTN						
120,000	29,000	1,62	NJ409	18	NTN-SNR						
120,000	29,000	1,62	NU409	17	NTN-SNR						

								Brands	
d	D	B	Kg	Reference					
45,000	120,000	29,000	1,62	NUP409	19	NTN			
	120,000	42,000	2,56	RNU0917	17	NTN			
46,200	80,000	21,000	0,47	RUS307	23	NTN			
47,550	70,630	27,000	0,31	R1063	17	NTN			
47,600	72,000	17,000	0,22	RUS207	23	NTN			
49,500	80,000	18,000	0,28	RUS208E	23	NTN			
	120,000	60,000	1,86	R10A02	17	NTN			
50,000	72,000	22,000	0,28	SL01-4910	26	NTN			
	72,000	22,000	0,29	SL01-4910ZZ	26	NTN			
	72,000	22,000	0,28	SL02-4910	26	NTN			
	72,000	84,000	1,08	SL15-910D2	26	NTN			
	72,100	16,000	0,19	R1041	17	NTN			
	80,000	16,000	0,29	N1010	20	NTN			
	80,000	16,000	0,30	NJ1010	18	NTN			
	80,000	16,000	0,29	NU1010	17	NTN			
	80,000	16,000	0,30	NUP1010	19	NTN			
	80,000	18,000	0,28	RUS208	23	NTN			
	80,000	20,000	0,37	R1033V	17	NTN			
	80,000	23,000	0,39	R1040	17	NTN			
	80,000	23,000	0,47	RUS2208	23	NTN			
	80,000	40,000	0,74	SL04-5010LLNR	26	NTN			
	80,000	40,000	0,76	SL04-5010NR	26	NTN			
	90,000	20,000	0,48	N210	20	NTN			
	90,000	20,000	0,48	N210E	20	NTN			
	90,000	20,000	0,49	N 210 EG15	20	SNR			
	90,000	20,000	0,50	NF210	22	NTN			
	90,000	20,000	0,50	NF210E	22	NTN			
	90,000	20,000	0,50	NJ210	18	NTN			
	90,000	20,000	0,54	NJ210E	18	NTN			
	90,000	20,000	0,50	NJ 210 EG15	18	SNR			
	90,000	20,000	0,48	NU210	17	NTN			
	90,000	20,000	0,54	NU210E	17	NTN-SNR			
	90,000	20,000	0,49	NU 210 EG15	17	SNR			
	90,000	20,000	0,56	NU 210 EM	17	SNR			
	90,000	20,000	0,54	NUP210	19	NTN			
	90,000	20,000	0,54	NUP210E	19	NTN			
	90,000	20,000	0,52	NUP 210 EG15	19	SNR			
	90,000	23,000	0,56	N2210	20	NTN			
	90,000	23,000	0,57	NJ2210	18	NTN			
	90,000	23,000	0,65	NJ2210E	18	NTN			
	90,000	23,000	0,57	NJ 2210 EG15	18	SNR			
	90,000	23,000	0,58	NJK2210	18	NTN			
	90,000	23,000	0,57	NU2210	17	NTN			
	90,000	23,000	0,65	NU2210E	17	NTN			
	90,000	23,000	0,55	NU 2210 EG15	17	SNR			
	90,000	23,000	0,57	NUP2210	19	NTN			
	90,000	23,000	0,65	NUP2210E	19	NTN			
	90,000	23,000	0,60	NUP 2210 EG15	19	SNR			
	90,000	30,200	0,73	NU3210	17	NTN			
	94,442	27,000	0,74	E-R1050	17	NTN			
	96,000	80,000	2,29	R1062D2	17	NTN			
	110,000	27,000	1,11	N310	20	NTN			
	110,000	27,000	1,11	N310E	20	NTN			
	110,000	27,000	1,15	N 310 EG15	20	SNR			
	110,000	27,000	1,15	NF310	22	NTN			
	110,000	27,000	1,15	NF310E	22	NTN			
	110,000	27,000	1,16	NJ310	18	NTN			

								Brands	
d	D	B	Kg	Reference					
50,000	110,000	27,000	1,30	NJ310E	18	NTN			
	110,000	27,000	1,18	NJ 310 EG15	18	SNR			
	110,000	27,000	1,20	NJ310EJ	18	NTN			
	110,000	27,000	1,25	NJK310	18	NTN			
	110,000	27,000	1,13	NU310	17	NTN			
	110,000	27,000	1,30	NU310E	17	NTN			
	110,000	27,000	1,16	NU 310 EG15	17	SNR			
	110,000	27,000	1,29	NU 310 EM	17	SNR			
	110,000	27,000	1,19	NUP310	19	NTN			
	110,000	27,000	1,30	NUP310E	19	NTN			
	110,000	27,000	1,21	NUP 310 EG15	19	SNR			
	110,000	32,000	1,44	RNUP1016V	19	NTN			
	110,000	32,000	1,55	RNUP1019V	19	NTN			
	110,000	35,500	0,000	RNUP1022V	19	NTN			
	110,000	40,000	1,67	N2310	20	NTN			
	110,000	40,000	1,70	NJ2310	18	NTN			
	110,000	40,000	1,90	NJ2310E	18	NTN			
	110,000	40,000	1,74	NJ 2310 EG15	18	SNR			
	110,000	40,000	1,70	NU2310	17	NTN			
	110,000	40,000	1,90	NU2310E	17	NTN			
	110,000	40,000	1,74	NU 2310 EG15	17	SNR			
	110,000	40,000	1,70	NUP2310	19	NTN			
	110,000	40,000	1,90	NUP2310E	19	NTN			
	110,000	44,400	2,30	RNUP1012	19	NTN			
	110,000	45,500	1,98	2R1010K	24	NTN			
	120,000	87,000	4,47	R1031	17	NTN			
	130,000	31,000	1,97	N410	20	NTN			
	130,000	31,000	2,09	NJ410	18	NTN			
	130,000	31,000	2,36	NJ 410 M	18	SNR			
	130,000	31,000	2,12	NU410	17	NTN-SNR			
130,000	31,000	2,02	NUP410	19	NTN				
130,000	60,000	4,63	SLX50X130X62	26	NTN				
156,000	70,000	8,00	R1099V	17	NTN				
50,789	90,000	70,000	1,86	2R1013	24	NTN			
50,800	80,000	21,000	0,40	RUS307E	23	NTN			
53,500	90,000	23,000	0,48	RUS308	23	NTN			
54,636	110,000	28,000	1,25	NJ2212E/54.636	18	NTN			
55,000	85,000	23,000	0,42	R1131	17	NTN			
	85,000	23,000	0,50	RUS2209	23	NTN			
	90,000	18,000	0,41	N1011	20	NTN			
	90,000	18,000	0,44	NJ1011	18	NTN			
	90,000	18,000	0,44	NU1011	17	NTN			
	90,000	18,000	0,44	NUP1011	19	NTN			
	90,000	32,000	0,70	R11A11V	17	NTN			
	90,000	46,000	1,09	SL04-5011LLNR	26	NTN			
	90,000	46,000	1,09	SL04-5011N	26	NTN			
	90,000	46,000	1,17	SL04-5011NR	26	NTN			
	100,000	21,000	0,63	N211	20	NTN			
	100,000	21,000	0,63	N211E	20	NTN			
	100,000	21,000	0,67	N 211 EG15	20	SNR			
	100,000	21,000	0,65	NF211	22	NTN			
	100,000	21,000	0,65	NF211E	22	NTN			
	100,000	21,000	0,65	NJ211	18	NTN			
	100,000	21,000	0,72	NJ211E	18	NTN			
	100,000	21,000	0,68	NJ 211 EG15	18	SNR			
100,000	21,000	0,64	NU211	17	NTN				
100,000	21,000	0,72	NU211E	17	NTN-SNR				

								Brands		
d	D	B	Kg	Reference						
60,000	130,000	31,000	2,04	NU 312 EM	17	SNR				
	130,000	31,000	1,87	NUP312	19	NTN				
	130,000	31,000	2,05	NUP312E	19	NTN				
	130,000	31,000	1,91	NUP 312 EG15	19	SNR				
	130,000	38,700	2,29	RNUP1216V	19	NTN				
	130,000	40,000	2,28	NH312	21	NTN				
	130,000	40,000	2,17	NH312E	21	NTN				
	130,000	46,000	2,66	N2312	20	NTN				
	130,000	46,000	2,70	NF2312	22	NTN				
	130,000	46,000	2,72	NJ2312	18	NTN				
	130,000	46,000	2,96	NJ2312E	18	NTN				
	130,000	46,000	2,83	NJ 2312 EG15	18	SNR				
	130,000	46,000	2,87	NJ2312EJX	18	NTN				
	130,000	46,000	3,12	NJ 2312 EM	18	SNR				
	130,000	46,000	2,65	NU2312	17	NTN				
	130,000	46,000	2,96	NU2312E	17	NTN				
	130,000	46,000	2,76	NU 2312 EG15	17	SNR				
	130,000	46,000	2,71	NUP2312	19	NTN				
	130,000	46,000	2,96	NUP2312E	19	NTN				
	130,000	54,000	3,40	RNUJ1215	18	NTN				
	130,000	55,000	3,13	NH2312	21	NTN				
	130,000	62,000	4,58	SLX60X130X62	26	NTN				
	145,000	53,000	4,50	SLX60X145X53	26	NTN				
	150,000	35,000	2,93	N412	20	NTN				
	150,000	35,000	3,03	NF412	22	NTN				
	150,000	35,000	3,19	NJ412	18	NTN				
	150,000	35,000	3,13	NU412	17	NTN				
	150,000	35,000	3,41	NU 412 M	17	SNR				
	150,000	35,000	3,00	NUP412	19	NTN				
	150,000	45,000	3,53	NH412	21	NTN				
	60,400	90,000	20,000	0,35	RUS210	23	NTN			
60,511	90,000	20,000	0,40	R1222	17	NTN				
60,543	90,041	20,000	0,38	E-R1230	17	NTN				
64,981	90,700	33,000	0,59	E-RR1313	24	NTN				
65,000	100,000	18,000	0,48	N1013	20	NTN				
	100,000	18,000	0,49	NJ1013	18	NTN				
	100,000	18,000	0,49	NU1013	17	NTN				
	100,000	18,000	0,49	NUP1013	19	NTN				
	100,000	46,000	1,33	SL04-5013LLNR	26	NTN				
	100,000	46,000	1,27	SL04-5013NR	26	NTN				
	105,600	23,000	0,65	RNH213	21	NTN				
	110,000	27,000	0,86	RUS310	23	NTN				
	110,000	27,000	0,94	RUS310E	23	NTN				
	110,000	80,000	2,60	RUS2310ED2	23	NTN				
	120,000	23,000	1,04	N213	20	NTN				
	120,000	23,000	1,04	N213E	20	NTN				
	120,000	23,000	1,05	N 213 EG15	20	SNR				
	120,000	23,000	1,08	NF213	22	NTN				
	120,000	23,000	1,08	NF213E	22	NTN				
	120,000	23,000	1,08	NJ213	18	NTN				
	120,000	23,000	1,21	NJ213E	18	NTN				
	120,000	23,000	1,07	NJ 213 EG15	18	SNR				
	120,000	23,000	1,05	NU213	17	NTN				
	120,000	23,000	1,21	NU213E	17	NTN				
	120,000	23,000	1,01	NU 213 EG15	17	SNR				
	120,000	23,000	1,18	NU 213 EM	17	SNR				
	120,000	23,000	1,20	NUP213	19	NTN				

								Brands	
d	D	B	Kg	Reference					
65,000	120,000	23,000	1,21	NUP213E	19	NTN			
	120,000	23,000	1,09	NUP 213 EG15	19	SNR			
	120,000	31,000	1,37	N2213	20	NTN			
	120,000	31,000	1,54	NF2213	22	NTN			
	120,000	31,000	1,48	NJ2213	18	NTN			
	120,000	31,000	1,60	NJ2213E	18	NTN			
	120,000	31,000	1,47	NJ 2213 EG15	18	SNR			
	120,000	31,000	1,45	NU2213	17	NTN			
	120,000	31,000	1,60	NU2213E	17	NTN			
	120,000	31,000	1,43	NU 2213 EG15	17	SNR			
	120,000	31,000	1,51	NUP2213	19	NTN			
	120,000	31,000	1,60	NUP2213E	19	NTN			
	120,000	33,000	1,68	RNUP1325	19	NTN			
	124,500	96,000	4,53	RNH2313	21	NTN			
	140,000	33,000	2,18	N313	20	NTN			
	140,000	33,000	2,18	N313E	20	NTN			
	140,000	33,000	2,24	N 313 EG15	20	SNR			
	140,000	33,000	2,23	NF313	22	NTN			
	140,000	33,000	2,23	NF313E	22	NTN			
	140,000	33,000	2,25	NJ313	18	NTN			
	140,000	33,000	2,54	NJ313E	18	NTN			
	140,000	33,000	2,30	NJ 313 EG15	18	SNR			
	140,000	33,000	2,19	NU313	17	NTN			
	140,000	33,000	2,54	NU313E	17	NTN			
	140,000	33,000	2,22	NU 313 EG15	17	SNR			
	140,000	33,000	2,53	NU 313 EM	17	SNR			
	140,000	33,000	2,30	NUP313	19	NTN			
	140,000	33,000	2,54	NUP313E	19	NTN			
	140,000	48,000	3,20	N2313	20	NTN			
	140,000	48,000	3,29	NJ2313	18	NTN			
	140,000	48,000	3,48	NJ2313E	18	NTN			
	140,000	48,000	3,38	NJ 2313 EG15	18	SNR			
	140,000	48,000	3,21	NU2313	17	NTN			
	140,000	48,000	3,48	NU2313E	17	NTN			
	140,000	48,000	3,32	NU 2313 EG15	17	SNR			
	140,000	48,000	3,60	NU 2313 EM	17	SNR			
	140,000	48,000	3,27	NUP2313	19	NTN			
	140,000	48,000	3,48	NUP2313E	19	NTN			
	140,000	100,000	6,54	R1344LL	17	NTN			
	160,000	37,000	3,50	N413	20	NTN			
	160,000	37,000	3,62	NF413	22	NTN			
	160,000	37,000	3,60	NJ413	18	NTN			
	160,000	37,000	3,60	NU413	17	NTN			
	160,000	37,000	3,60	NUP413	19	NTN			
	160,000	43,550	4,29	RNUP1323	19	NTN			
	160,000	43,550	4,29	RNUP1324	19	NTN			
66,000	160,000	45,528	3,96	RNUP1517	19	NTN			
66,500	100,000	25,000	0,61	RUS2211	23	NTN			
67,000	122,000	35,000	1,87	RNUP1327	19	NTN			
68,000	175,000	75,000	8,42	R1462VZ	17	NTN			
69,850	104,770	17,460	0,51	RN1413	17	NTN			
	118,230	33,320	1,49	2RT1422	36	NTN			
70,000	100,000	30,000	0,76	SL01-4914	26	NTN			
	100,000	30,000	0,79	SL01-4914ZZ	26	NTN			
	100,000	30,000	0,74	SL02-4914	26	NTN			
	100,000	44,000	1,12	SL11-914	26	NTN			

d	D	B	Kg	Reference	Brands	
70,000	105,000	60,000	1,75	2R1418	24	NTN
	105,000	94,000	2,70	2R1420	24	NTN
	110,000	20,000	0,69	N1014	20	NTN
	110,000	20,000	0,70	NJ1014	18	NTN
	110,000	20,000	0,62	NU1014	17	NTN
	110,000	20,000	0,70	NUP1014	19	NTN
	110,000	28,000	0,93	R1431	17	NTN
	110,000	54,000	1,85	SL04-5014LLNR	26	NTN
	110,000	54,000	1,87	SL04-5014NR	26	NTN
	125,000	24,000	1,20	N214	20	NTN
	125,000	24,000	1,10	N214E	20	NTN
	125,000	24,000	1,16	N 214 EG15	20	SNR
	125,000	24,000	1,17	NF214	22	NTN
	125,000	24,000	1,17	NF214E	22	NTN
	125,000	24,000	1,17	NJ214	18	NTN
	125,000	24,000	1,30	NJ214E	18	NTN
	125,000	24,000	1,18	NJ 214 EG15	18	SNR
	125,000	24,000	1,13	NU214	17	NTN
	125,000	24,000	1,30	NU214E	17	NTN
	125,000	24,000	1,17	NU 214 EG15	17	SNR
	125,000	24,000	1,29	NU 214 EM	17	SNR
	125,000	24,000	1,12	NUP214	19	NTN
	125,000	24,000	1,30	NUP214E	19	NTN
	125,000	24,000	1,21	NUP 214 EG15	19	SNR
	125,000	24,000	1,10	R1425	17	NTN
	125,000	31,000	1,44	N2214	20	NTN
	125,000	31,000	1,53	NJ2214	18	NTN
	125,000	31,000	1,70	NJ2214E	18	NTN
	125,000	31,000	1,52	NJ 2214 EG15	18	SNR
	125,000	31,000	1,51	NU2214	17	NTN
	125,000	31,000	1,70	NU2214E	17	NTN
	125,000	31,000	1,52	NU 2214 EG15	17	SNR
	125,000	31,000	1,57	NUP2214	19	NTN
	125,000	31,000	1,70	NUP2214E	19	NTN
	125,000	39,700	1,70	NU3214	17	NTN
	140,000	33,000	2,44	E-RNUP1415	19	NTN
	150,000	35,000	2,65	N314	20	NTN
	150,000	35,000	2,80	N 314 EG15	20	SNR
	150,000	35,000	2,76	NF314	22	NTN
	150,000	35,000	2,76	NF314E	22	NTN
	150,000	35,000	2,78	NJ314	18	NTN
	150,000	35,000	3,10	NJ314E	18	NTN
	150,000	35,000	2,80	NJ 314 EG15	18	SNR
	150,000	35,000	2,71	NU314	17	NTN
	150,000	35,000	3,10	NU314E	17	NTN
	150,000	35,000	2,75	NU 314 EG15	17	SNR
	150,000	35,000	3,08	NU 314 EM	17	SNR
	150,000	35,000	2,66	NUP314	19	NTN
	150,000	35,000	3,10	NUP314E	19	NTN
	150,000	35,000	3,05	RNUP1418	19	NTN
	150,000	40,000	3,04	RNU1423ZZA	17	NTN
	150,000	43,100	0,000	RNUP1425	19	NTN
	150,000	51,000	3,90	N2314	20	NTN
	150,000	51,000	4,08	NJ2314	18	NTN
	150,000	51,000	4,25	NJ2314E	18	NTN
	150,000	51,000	4,09	NJ 2314 EG15	18	SNR
	150,000	51,000	3,97	NU2314	17	NTN
	150,000	51,000	4,25	NU2314E	17	NTN
	150,000	51,000	4,02	NU 2314 EG15	17	SNR
	150,000	51,000	4,39	NU 2314 EM	17	SNR
150,000	51,000	3,98	NUP2314	19	NTN	
150,000	51,000	4,25	NUP2314E	19	NTN	

d	D	B	Kg	Reference	Brands		
70,000	150,000	56,000	4,41	RNJ1419	18	NTN	
	150,000	56,500	4,63	2R1417K	24	NTN	
	150,000	63,500	5,20	NU3314	17	NTN	
	150,000	70,000	5,73	2RN1414	24	NTN	
	150,000	102,000	4,32	NJ2314EDF	18	NTN	
	160,000	95,000	4,53	R1424	17	NTN	
	178,000	60,000	8,60	R1453V	17	NTN	
	180,000	42,000	5,15	N414	20	NTN	
	180,000	42,000	5,65	NF414	22	NTN	
	180,000	42,000	5,33	NJ414	18	NTN	
	180,000	42,000	6,07	NJ 414 M	18	SNR	
	180,000	42,000	5,56	NU414	17	NTN	
	180,000	42,000	5,24	NUP414	19	NTN	
	180,000	54,000	5,97	NH414	21	NTN	
	72,000	102,000	12,500	0,19	2RT1419	36	NTN
		110,000	22,000	0,59	RUS212E	23	NTN
	73,333	115,000	20,000	0,000	NU1015/73.333	17	NTN
	73,500	110,000	22,000	0,60	RUS212	23	NTN
	74,500	100,000	18,000	0,37	RUS1013	23	NTN
	75,000	115,000	20,000	0,73	N1015	20	NTN
		115,000	20,000	0,72	NJ1015	18	NTN
		115,000	20,000	0,74	NU1015	17	NTN
		115,000	20,000	0,74	NUP1015	19	NTN
		115,000	54,000	1,99	SL04-5015LLNR	26	NTN
		115,000	54,000	1,97	SL04-5015NR	26	NTN
130,000		25,000	1,21	N215	20	NTN	
130,000		25,000	1,21	N215E	20	NTN	
130,000		25,000	1,28	N 215 EG15	20	SNR	
130,000		25,000	1,26	NF215	22	NTN	
130,000		25,000	1,30	NF215E	22	NTN	
130,000		25,000	1,26	NJ215	18	NTN	
130,000		25,000	1,41	NJ215E	18	NTN	
130,000		25,000	1,30	NJ 215 EG15	18	SNR	
130,000		25,000	1,22	NU215	17	NTN	
130,000		25,000	1,41	NU215E	17	NTN	
130,000		25,000	1,28	NU 215 EG15	17	SNR	
130,000		25,000	1,43	NU 215 EM	17	SNR	
130,000		25,000	1,30	NUP215	19	NTN	
130,000		25,000	1,41	NUP215E	19	NTN	
130,000		25,000	1,34	NUP 215 EG15	19	SNR	
130,000		31,000	1,63	N2215	20	NTN	
130,000		31,000	1,59	NJ2215	18	NTN	
130,000		31,000	1,79	NJ2215E	18	NTN	
130,000		31,000	1,59	NJ 2215 EG15	18	SNR	
130,000		31,000	1,55	NU2215	17	NTN	
130,000		31,000	1,79	NU2215E	17	NTN	
130,000		31,000	1,60	NU 2215 EG15	17	SNR	
130,000		31,000	1,62	NUP2215	19	NTN	
130,000		31,000	1,79	NUP2215E	19	NTN	
130,000		31,000	1,48	R1564V	17	NTN	
130,000		41,300	2,01	NU3215	17	NTN	
160,000		37,000	3,22	N315	20	NTN	
160,000		37,000	3,70	N 315 EG15	20	SNR	
160,000		37,000	3,53	NF315	22	NTN	
160,000	37,000	3,34	NJ315	18	NTN		
160,000	37,000	3,74	NJ315E	18	NTN		
160,000	37,000	3,30	NJ 315 EG15	18	SNR		

							Brands
d	D	B	Kg	Reference			
75,000	160,000	37,000	3,27	NU315	17	NTN	
	160,000	37,000	3,74	NU315E	17	NTN	
	160,000	37,000	3,30	NU 315 EG15	17	SNR	
	160,000	37,000	3,73	NU 315 EM	17	SNR	
	160,000	37,000	3,28	NUP315	19	NTN	
	160,000	37,000	3,74	NUP315E	19	NTN	
	160,000	48,000	4,06	NH315	21	NTN	
	160,000	55,000	4,77	N2315	20	NTN	
	160,000	55,000	4,75	NJ2315	18	NTN	
	160,000	55,000	5,25	NJ2315E	18	NTN	
	160,000	55,000	5,04	NJ 2315 EG15	18	SNR	
	160,000	55,000	4,81	NU2315	17	NTN	
	160,000	55,000	5,25	NU2315E	17	NTN	
	160,000	55,000	4,95	NU 2315 EG15	17	SNR	
	160,000	55,000	6,00	NU 2315 EM	17	SNR	
	160,000	55,000	4,87	NUP2315	19	NTN	
	160,000	55,000	5,25	NUP2315E	19	NTN	
	160,000	60,000	5,55	RN1517	18	NTN	
	160,000	110,000	10,50	NJ2315EDF	18	NTN	
	190,000	45,000	6,06	N415	20	NTN	
	190,000	45,000	6,22	NJ415	18	NTN	
	190,000	45,000	6,22	NU415	17	NTN	
	190,000	45,000	6,22	NUP415	19	NTN	
	79,600	120,000	31,000	1,06	RUS2213	23	NTN
	80,000	105,000	100,000	2,37	SLX80X105X25	26	NTN
		110,000	30,000	0,84	SL01-4916	26	NTN
		110,000	30,000	0,88	SL01-4916ZZ	26	NTN
		110,000	30,000	0,83	SL02-4916	26	NTN
		110,000	60,000	1,77	SL01-4916ZZD2	26	NTN
		120,000	31,000	1,12	R1619	17	NTN
		120,000	45,000	1,75	SL05-016	26	NTN
120,000		45,000	1,95	SL06-016	26	NTN	
125,000		22,000	0,97	N1016	20	NTN	
125,000		22,000	0,98	NJ1016	18	NTN	
125,000		22,000	0,10	NU1016	17	NTN	
125,000		22,000	0,98	NUP1016	19	NTN	
125,000		60,000	2,66	SL04-5016LLNR	26	NTN	
125,000		60,000	2,66	SL04-5016NR	26	NTN	
140,000		26,000	1,47	N216	20	NTN	
140,000		26,000	1,54	N 216 EG15	20	SNR	
140,000		26,000	1,51	NF216	22	NTN	
140,000		26,000	1,52	NJ216	18	NTN	
140,000		26,000	1,67	NJ216E	18	NTN	
140,000		26,000	1,54	NJ 216 EG15	18	SNR	
140,000		26,000	1,48	NU216	17	NTN	
140,000		26,000	1,67	NU216E	17	NTN	
140,000		26,000	1,54	NU 216 EG15	17	SNR	
140,000		26,000	1,71	NU 216 EM	17	SNR	
140,000		26,000	1,60	NUP216	19	NTN	
140,000		26,000	1,67	NUP216E	19	NTN	
140,000		33,000	1,89	N2216	20	NTN	
140,000		33,000	1,97	NJ2216	18	NTN	
140,000		33,000	2,12	NJ2216E	18	NTN	
140,000		33,000	2,04	NJ 2216 EG15	18	SNR	
140,000		33,000	1,94	NU2216	17	NTN	
140,000		33,000	2,12	NU2216E	17	NTN	
140,000		33,000	2,01	NU 2216 EG15	17	SNR	
140,000		33,000	2,01	NUP2216	19	NTN	
140,000		33,000	2,12	NUP2216E	19	NTN	
140,000		33,000	1,88	RNU1625	17	NTN	

							Brands
d	D	B	Kg	Reference			
80,000	140,000	66,680	4,68	RNU1636	17	NTN	
	170,000	39,000	3,77	N316	20	NTN	
	170,000	39,000	3,77	N316E	20	NTN	
	170,000	39,000	3,93	N 316 EG15	20	SNR	
	170,000	39,000	3,96	NF316	22	NTN	
	170,000	39,000	3,98	NJ316	18	NTN	
	170,000	39,000	4,22	NJ316E	18	NTN	
	170,000	39,000	4,04	NJ 316 EG15	18	SNR	
	170,000	39,000	3,86	NU316	17	NTN	
	170,000	39,000	4,22	NU316E	17	NTN	
	170,000	39,000	3,96	NU 316 EG15	17	SNR	
	170,000	39,000	4,41	NU 316 EM	17	SNR	
	170,000	39,000	3,86	NUP316	19	NTN	
	170,000	39,000	4,22	NUP316E	19	NTN	
	170,000	39,000	4,11	NUP 316 EG15	19	SNR	
	170,000	44,290	0,000	RNUP1611	19	NTN	
	170,000	50,000	4,86	NH316	21	NTN	
	170,000	57,000	6,10	RNU1610	17	NTN	
	170,000	58,000	5,67	N2316	20	NTN	
	170,000	58,000	5,95	NF2316	22	NTN	
	170,000	58,000	6,00	NJ2316	18	NTN	
	170,000	58,000	6,25	NJ2316E	18	NTN	
	170,000	58,000	5,84	NU2316	17	NTN	
	170,000	58,000	6,25	NU2316E	17	NTN	
	170,000	58,000	6,00	NU 2316 EG15	17	SNR	
	170,000	58,000	6,50	NU 2316 EM	17	SNR	
	170,000	58,000	6,15	NUP2316	19	NTN	
	170,000	58,000	6,25	NUP2316E	19	NTN	
	170,000	64,500	7,78	2R1609K	24	NTN	
	170,000	65,000	7,13	RNJ1610	18	NTN	
	170,000	68,000	6,66	RNUJ1610	18	NTN	
	200,000	48,000	7,17	N416	20	NTN	
	200,000	48,000	6,97	NF416	22	NTN	
	200,000	48,000	7,87	NJ416	18	NTN	
	200,000	48,000	7,71	NU416	17	NTN	
	200,000	48,000	7,32	NUP416	19	NTN	
	81,480	107,950	25,000	0,45	E-RR1610	24	NTN
	82,500	140,000	96,000	5,05	RUS2313ED2	23	NTN
	83,500	125,000	24,000	1,08	RUS214E	23	NTN
	83,779	140,050	33,000	1,93	E-R1745	17	NTN
	85,000	118,500	22,000	0,59	RNH1017	21	NTN
		130,000	22,000	1,01	N1017	20	NTN
		130,000	22,000	1,03	NJ1017	18	NTN
		130,000	22,000	1,03	NU1017	17	NTN
		130,000	22,000	1,03	NUP1017	19	NTN
		130,000	60,000	2,79	SL04-5017LLNR	26	NTN
		130,000	60,000	2,78	SL04-5017NR	26	NTN
		140,000	33,000	0,000	E-RNUP1732	19	NTN
		150,000	28,000	1,98	N217	20	NTN
		150,000	28,000	1,91	N 217 EG15	20	SNR
		150,000	28,000	1,85	NF217	22	NTN
150,000		28,000	1,93	NJ217	18	NTN	
150,000		28,000	2,11	NJ217E	18	NTN	
150,000		28,000	1,95	NJ 217 EG15	18	SNR	
150,000		28,000	1,87	NU217	17	NTN	
150,000		28,000	2,11	NU217E	17	NTN	
150,000		28,000	1,91	NU 217 EG15	17	SNR	



d	D	B	Kg	Reference		
95,000	145,000	67,000	3,92	SL04-5019LLNR	26	NTN
	145,000	67,000	3,94	SL04-5019NR	26	NTN
	170,000	32,000	2,91	N219	20	NTN
	170,000	32,000	2,83	N 219 EG15	20	SNR
	170,000	32,000	2,85	NF219	22	NTN
	170,000	32,000	2,87	NJ219	18	NTN
	170,000	32,000	3,02	NJ219E	18	NTN
	170,000	32,000	2,92	NJ 219 EG15	18	SNR
	170,000	32,000	2,83	NU219	17	NTN
	170,000	32,000	3,02	NU219E	17	NTN
	170,000	32,000	2,86	NU 219 EG15	17	SNR
	170,000	32,000	2,90	NU 219 EM	17	SNR
	170,000	32,000	2,95	NUP219	19	NTN
	170,000	32,000	3,02	NUP219E	19	NTN
	170,000	43,000	3,71	N2219	20	NTN
	170,000	43,000	3,91	NJ2219	18	NTN
	170,000	43,000	4,14	NJ2219E	18	NTN
	170,000	43,000	3,95	NJ 2219 EG15	18	SNR
	170,000	43,000	3,80	NU2219	17	NTN
	170,000	43,000	4,14	NU2219E	17	NTN
	170,000	43,000	3,90	NU 2219 EG15	17	SNR
	170,000	43,000	3,99	NUP2219	19	NTN
	170,000	43,000	4,14	NUP2219E	19	NTN
	170,000	55,600	5,27	NU3219	17	NTN
	200,000	45,000	6,62	E-NU319E	17	NTN
	200,000	45,000	6,47	N319	20	NTN
	200,000	45,000	5,99	N319E	20	NTN
	200,000	45,000	6,97	N 319 EM	20	SNR
	200,000	45,000	6,68	NF319	22	NTN
	200,000	45,000	6,33	NJ319	18	NTN
	200,000	45,000	6,62	NJ319E	18	NTN
	200,000	45,000	6,52	NJ 319 EG15	18	SNR
	200,000	45,000	6,16	NU319	17	NTN
	200,000	45,000	6,62	NU319E	17	NTN
	200,000	45,000	6,37	NU 319 EG15	17	SNR
	200,000	45,000	7,07	NU 319 EM	17	SNR
	200,000	45,000	6,13	NUP319	19	NTN
	200,000	45,000	6,62	NUP319E	19	NTN
	200,000	67,000	9,02	N2319	20	NTN
	200,000	67,000	9,52	NJ2319	18	NTN
	200,000	67,000	9,80	NJ2319E	18	NTN
	200,000	67,000	9,24	NU2319	17	NTN
	200,000	67,000	9,80	NU2319E	17	NTN
	200,000	67,000	9,40	NU 2319 EG15	17	SNR
	200,000	67,000	10,20	NU 2319 EM	17	SNR
	200,000	67,000	9,04	NU2319K	17	NTN
200,000	67,000	9,20	NUP2319	19	NTN	
200,000	67,000	9,80	NUP2319E	19	NTN	
200,000	75,000	12,10	2R1922K	24	NTN	
200,000	134,000	19,60	NJ2319EDF	18	NTN	
219,000	67,000	12,90	RNF1923	22	NTN	
220,000	67,000	13,09	RNF1908	22	NTN	
240,000	55,000	13,20	NU419	17	NTN	
240,000	70,000	14,80	NH419	21	NTN	
95,250	140,000	66,670	3,24	R1919	17	NTN
100,000	140,000	20,000	1,01	NU1920	17	NTN
	140,000	40,000	1,90	SL01-4920	26	NTN
	140,000	40,000	1,90	SL02-4920	26	NTN
	140,000	78,000	3,79	SL12-920	26	NTN
	140,000	80,000	3,80	SL02-4920D2	26	NTN




d	D	B	Kg	Reference		
100,000	150,000	24,000	1,43	N1020	20	NTN
	150,000	24,000	1,45	NJ1020	18	NTN
	150,000	24,000	1,39	NU1020	17	NTN
	150,000	24,000	1,45	NUP1020	19	NTN
	150,000	37,000	2,28	NFV3020A	22	NTN
	150,000	67,000	3,98	SL04-5020LLNR	26	NTN
	150,000	67,000	3,98	SL04-5020NR	26	NTN
	150,000	67,000	4,03	SL04-5020ZNR	26	NTN
	150,000	74,000	4,68	4R2035	28	NTN
	180,000	34,000	3,26	N220	20	NTN
	180,000	34,000	3,34	N220E	20	NTN
	180,000	34,000	3,46	N 220 EG15	20	SNR
	180,000	34,000	3,43	NF220	22	NTN
	180,000	34,000	3,45	NJ220	18	NTN
	180,000	34,000	3,66	NJ220E	18	NTN
	180,000	34,000	3,52	NJ 220 EG15	18	SNR
	180,000	34,000	3,93	NJ 220 EM	18	SNR
	180,000	34,000	3,35	NU220	17	NTN
	180,000	34,000	3,40	NU220E	17	NTN
	180,000	34,000	3,46	NU 220 EG15	17	SNR
	180,000	34,000	3,86	NU 220 EM	17	SNR
	180,000	34,000	3,33	NUP220	19	NTN
	180,000	34,000	3,66	NUP220E	19	NTN
	180,000	46,000	4,48	N2220	20	NTN
	180,000	46,000	4,74	NJ2220	18	NTN
	180,000	46,000	5,01	NJ2220E	18	NTN
	180,000	46,000	4,85	NJ 2220 EG15	18	SNR
	180,000	46,000	4,57	NU2220	17	NTN
	180,000	46,000	5,01	NU2220E	17	NTN
	180,000	46,000	4,74	NU 2220 EG15	17	SNR
	180,000	46,000	4,57	NUP2220	19	NTN
	180,000	46,000	5,01	NUP2220E	19	NTN
	180,000	60,000	6,92	R2049	17	NTN
	180,000	60,000	7,19	RNP2032	19	NTN
	180,000	60,300	7,60	NU3220	17	NTN
	210,000	67,000	12,10	2RT2034	36	NTN
	215,000	47,000	7,56	N320	20	NTN
	215,000	47,000	7,56	N320E	20	NTN
	215,000	47,000	8,78	N 320 EM	20	SNR
	215,000	47,000	7,79	NF320	22	NTN
	215,000	47,000	7,87	NJ320	18	NTN
	215,000	47,000	8,17	NJ320E	18	NTN
	215,000	47,000	7,88	NJ 320 EG15	18	SNR
	215,000	47,000	7,49	NU320	17	NTN
	215,000	47,000	8,57	NU320E	17	NTN
	215,000	47,000	7,66	NU 320 EG15	17	SNR
	215,000	47,000	8,40	NU 320 EM	17	SNR
	215,000	47,000	7,49	NUP320	19	NTN
	215,000	47,000	8,57	NUP320E	19	NTN
	215,000	60,000	9,21	NH320	21	NTN
215,000	73,000	11,50	N2320	20	NTN	
215,000	73,000	11,70	NJ2320	18	NTN	
215,000	73,000	13,40	NJ 2320 EM	18	SNR	
215,000	73,000	11,70	NU2320	17	NTN	
215,000	73,000	12,50	NU2320E	17	NTN	
215,000	73,000	12,00	NU 2320 EG15	17	SNR	
215,000	73,000	11,70	NUP2320	19	NTN	
215,000	73,000	9,20	RNU2074	17	NTN	
215,000	82,550	14,90	R2009	17	NTN	
215,000	85,000	14,50	RNUJ2033	18	NTN	
215,000	94,000	15,70	NJ320DF	18	NTN	
215,000	146,000	25,60	NJ2320EDF	18	NTN	






					Brands	
d	D	B	Kg	Reference		
100,000	225,000	100,000	22,20	2R2067	24	NTN
	240,000	107,000	13,40	R2039	17	NTN
	250,000	58,000	15,40	NJ420	18	NTN
	250,000	58,000	15,10	NU420	17	NTN
	250,000	74,000	17,00	NH420	21	NTN
	280,000	65,000	23,50	NJ422/100	18	NTN
101,240	120,050	23,000	0,46	E-RR2035	24	NTN
101,600	152,400	101,600	6,27	RNU2062	17	NTN
	180,000	210,000	21,80	RNU2068	17	NTN
	187,325	58,738	7,15	2RT2046	36	NTN
103,652	120,000	29,000	0,63	E-RR2109	24	NTN
105,000	160,000	26,000	1,83	N1021	20	NTN
	160,000	26,000	1,89	NF1021	22	NTN
	160,000	26,000	1,84	NJ1021	18	NTN
	160,000	26,000	1,84	NU1021	17	NTN
	160,000	26,000	1,84	NUP1021	19	NTN
	165,000	64,000	5,19	E-2R2114V	24	NTN
	165,000	64,000	5,19	E-2R2115V	24	NTN
	190,000	36,000	3,95	N221	20	NTN
	190,000	36,000	4,08	NF221	22	NTN
	190,000	36,000	4,10	NJ221	18	NTN
	190,000	36,000	4,08	NJ 221 EG15	18	SNR
	190,000	36,000	3,95	NU221	17	NTN
	190,000	36,000	4,06	NU 221 EG15	17	SNR
	190,000	36,000	4,56	NU 221 EM	17	SNR
	190,000	36,000	4,20	NUP221	19	NTN
	190,000	65,100	8,25	NU3221	17	NTN
	215,000	73,000	12,80	NJ2320E	18	NTN
	215,000	73,000	12,80	NUP2320E	19	NTN
	225,000	49,000	8,33	N321	20	NTN
	225,000	49,000	9,44	NF321	22	NTN
	225,000	49,000	9,49	NJ321	18	NTN
	225,000	49,000	8,56	NU321	17	NTN
	225,000	49,000	9,98	NU 321 EM	17	SNR
	225,000	49,000	8,53	NUP321	19	NTN
	260,000	60,000	16,00	N421	20	NTN
	260,000	60,000	17,20	NJ421	18	NTN
260,000	60,000	16,80	NU421	17	NTN	
260,000	60,000	14,70	NU421K	17	NTN	
109,100	125,058	22,000	0,41	E-RR2232	24	NTN
109,692	160,020	83,820	3,12	RNU2238	17	NTN
110,000	138,000	150,000	27,20	2RNU2231	24	NTN
	150,000	20,000	1,09	NU1922	17	NTN
	150,000	24,000	1,20	R2238V	17	NTN
	150,000	40,000	2,10	SL01-4922	26	NTN
	150,000	40,000	2,06	SL02-4922	26	NTN
	170,000	28,000	2,30	N1022	20	NTN
	170,000	28,000	2,33	NJ1022	18	NTN
	170,000	28,000	2,33	NU1022	17	NTN
	170,000	28,000	2,33	NUP1022	19	NTN
	170,000	60,000	4,30	R2260V	17	NTN
	170,000	80,000	6,52	SL04-5022LLNR	26	NTN
	170,000	80,000	6,52	SL04-5022NR	26	NTN
	180,000	69,000	6,00	R2264HTV	17	NTN
	200,000	38,000	4,64	N222	20	NTN

					Brands	
d	D	B	Kg	Reference		
110,000	200,000	38,000	4,64	N222E	20	NTN
	200,000	38,000	5,49	N 222 EM	20	SNR
	200,000	38,000	5,05	NF222	22	NTN
	200,000	38,000	4,80	NJ222	18	NTN
	200,000	38,000	4,84	NJ222E	18	NTN
	200,000	38,000	5,03	NJ 222 EG15	18	SNR
	200,000	38,000	4,69	NU222	17	NTN
	200,000	38,000	4,27	NU222E	17	NTN
	200,000	38,000	4,94	NU 222 EG15	17	SNR
	200,000	38,000	5,65	NU 222 EM	17	SNR
	200,000	38,000	4,93	NUP222	19	NTN
	200,000	38,000	4,27	NUP222E	19	NTN
	200,000	53,000	6,43	N2222	20	NTN
	200,000	53,000	6,70	NJ2222	18	NTN
	200,000	53,000	7,40	NJ2222E	18	NTN
	200,000	53,000	6,55	NU2222	17	NTN
	200,000	53,000	7,40	NU2222E	17	NTN
	200,000	53,000	6,73	NU 2222 EG15	17	SNR
	200,000	53,000	6,86	NUP2222	19	NTN
	200,000	53,000	7,40	NUP2222E	19	NTN
	200,000	54,000	7,11	RNU2243	17	NTN
	200,000	69,800	9,20	NU3222	17	NTN
	200,000	69,850	9,84	R2221	17	NTN
	200,000	69,850	9,96	RNU2223	17	NTN
	200,000	88,900	13,10	RNU2226	17	NTN
	240,000	50,000	9,77	N322	20	NTN
	240,000	50,000	9,98	N322E	20	NTN
	240,000	50,000	10,60	N 322 EM	20	SNR
	240,000	50,000	10,60	NF322	22	NTN
	240,000	50,000	10,00	NJ322	18	NTN
	240,000	50,000	11,10	NJ322E	18	NTN
240,000	50,000	10,71	NJ 322 EG15	18	SNR	
240,000	50,000	11,77	NJ 322 EM	18	SNR	
240,000	50,000	10,00	NU322	17	NTN	
240,000	50,000	11,10	NU322E	17	NTN	
240,000	50,000	10,37	NU 322 EG15	17	SNR	
240,000	50,000	11,60	NU 322 EM	17	SNR	
240,000	50,000	10,70	NUP322	19	NTN	
240,000	50,000	11,10	NUP322E	19	NTN	
240,000	80,000	16,80	N2322	20	NTN	
240,000	80,000	18,00	NJ2322	18	NTN	
240,000	80,000	19,40	NJ2322E	18	NTN	
240,000	80,000	18,60	NJ 2322 EM	18	SNR	
240,000	80,000	17,10	NU2322	17	NTN	
240,000	80,000	17,30	NU2322E	17	NTN	
240,000	80,000	18,21	NU 2322 EM	17	SNR	
240,000	80,000	17,20	NU2322K	17	NTN	
240,000	80,000	17,10	NUP2322	19	NTN	
240,000	80,000	19,40	NUP2322E	19	NTN	
240,000	92,100	20,20	NU3322A	17	NTN	
240,000	93,000	18,80	RNUJ2224	18	NTN	
240,000	160,000	35,60	NJ2322EDF	18	NTN	
260,000	92,000	25,80	RNF2206	22	NTN	
260,325	92,000	25,60	RNF2223	22	NTN	
265,000	110,000	27,60	R2227	17	NTN	
265,000	110,000	17,10	R2230	17	NTN	
280,000	65,000	21,40	NU422	17	NTN	
114,300	200,000	220,000	27,84	RNU2313	17	NTN
115,000	250,000	53,000	12,80	RNJ2304	18	NTN

				Brands		
d	D	B	Kg	Reference		
120,000	165,000	22,000	1,48	NU1924	17	NTN
	165,000	27,000	1,81	NU2924	17	NTN
	165,000	45,000	2,95	SL01-4924	26	NTN
	165,000	45,000	2,81	SL02-4924	26	NTN
	165,000	66,000	4,22	SL11-924	26	NTN
	180,000	28,000	2,40	N1024	20	NTN
	180,000	28,000	2,51	NJ1024	18	NTN
	180,000	28,000	2,45	NU1024	17	NTN
	180,000	28,000	2,44	NUP1024	19	NTN
	180,000	46,000	4,30	R2494	17	NTN
	180,000	60,000	5,55	SL05-024	26	NTN
	180,000	80,000	6,76	SL04-5024LLN	26	NTN
	180,000	80,000	7,12	SL04-5024LLNR	26	NTN
	180,000	80,000	6,90	SL04-5024N	26	NTN
	180,000	80,000	7,03	SL04-5024NR	26	NTN
	180,000	92,000	8,20	4R2437	28	NTN
	180,000	105,000	9,30	4R2438	28	NTN
	200,000	80,000	9,74	2R2480	24	NTN
	200,000	80,000	9,94	2R2481	24	NTN
	215,000	40,000	5,46	N224	20	NTN
	215,000	40,000	5,78	NF224	22	NTN
	215,000	40,000	5,57	NJ224	18	NTN
	215,000	40,000	6,12	NJ224E	18	NTN
	215,000	40,000	6,04	NJ 224 EG15	18	SNR
	215,000	40,000	5,72	NU224	17	NTN
	215,000	40,000	5,97	NU224E	17	NTN
	215,000	40,000	5,91	NU 224 EG15	17	SNR
	215,000	40,000	6,64	NU 224 EM	17	SNR
	215,000	40,000	5,57	NUP224	19	NTN
	215,000	40,000	5,97	NUP224E	19	NTN
	215,000	51,000	6,91	NH224	21	NTN
	215,000	58,000	8,03	N2224	20	NTN
	215,000	58,000	8,43	NJ2224	18	NTN
	215,000	58,000	9,18	NJ2224E	18	NTN
	215,000	58,000	8,22	NU2224	17	NTN
	215,000	58,000	9,18	NU2224E	17	NTN
	215,000	58,000	8,39	NU 2224 EG15	17	SNR
	215,000	58,000	8,64	NUP2224	19	NTN
	215,000	58,000	9,18	NUP2224E	19	NTN
	215,000	76,000	12,20	NU3224	17	NTN
	215,000	98,425	14,72	RNU2421	17	NTN
	220,000	240,000	30,00	2R2482LL	24	NTN
	220,000	282,000	34,90	2R2472LL	24	NTN
	220,000	296,000	33,30	2R2486LL	24	NTN
	220,000	308,500	35,80	2R2492LL	24	NTN
	240,000	75,000	14,80	2RT2420	36	NTN
	260,000	55,000	13,90	N324	20	NTN
	260,000	55,000	14,94	N 324 EM	20	SNR
	260,000	55,000	14,20	NF324	22	NTN
	260,000	55,000	13,30	NJ324	18	NTN
	260,000	55,000	13,90	NJ324E	18	NTN
	260,000	55,000	13,54	NJ 324 EG15	18	SNR
260,000	55,000	15,37	NJ 324 EM	18	SNR	
260,000	55,000	12,80	NU324	17	NTN	
260,000	55,000	13,90	NU324E	17	NTN	
260,000	55,000	13,57	NU 324 EG15	17	SNR	
260,000	55,000	13,60	NUP324	19	NTN	
260,000	55,000	13,90	NUP324E	19	NTN	
260,000	69,000	15,70	NH324	21	NTN	
260,000	86,000	21,10	N2324	20	NTN	
260,000	86,000	22,60	NJ2324	18	NTN	
260,000	86,000	26,10	NJ2324E	18	NTN	

				Brands			
d	D	B	Kg	Reference			
120,000	260,000	86,000	23,80	NJ 2324 EM	18	SNR	
	260,000	86,000	22,10	NU2324	17	NTN	
	260,000	86,000	26,10	NU2324E	17	NTN	
	260,000	86,000	23,19	NU 2324 EM	17	SNR	
	260,000	86,000	21,50	NUP2324	19	NTN	
	260,000	86,000	26,10	NUP2324E	19	NTN	
	260,000	106,000	27,10	NU3324	17	NTN	
	260,000	110,000	29,60	NJ324EDF	18	NTN	
	310,000	72,000	29,90	NJ424	18	NTN	
	310,000	72,000	29,30	NU424	17	NTN	
	125,000	230,000	120,000	16,90	RNU2514	17	NTN
	126,873	215,900	61,913	10,30	R2515	17	NTN
	126,987	215,900	61,912	9,75	R2514	17	NTN
	127,000	254,000	114,300	26,90	RE2512	17	NTN
	129,000	211,000	124,000	17,81	4R2636	28	NTN
130,000	180,000	24,000	1,95	NU1926	17	NTN	
	180,000	30,000	2,44	NU2926	17	NTN	
	180,000	30,000	2,30	R2645V	17	NTN	
	180,000	50,000	3,87	2R2677V	24	NTN	
	180,000	50,000	3,85	SL01-4926	26	NTN	
	180,000	50,000	3,75	SL02-4926	26	NTN	
	200,000	33,000	3,49	N1026	20	NTN	
	200,000	33,000	3,79	NJ1026	18	NTN	
	200,000	33,000	3,69	NU1026	17	NTN	
	200,000	33,000	3,69	NUP1026	19	NTN	
	200,000	65,000	7,55	SL05-026	26	NTN	
	200,000	65,000	8,10	SL06-026	26	NTN	
	200,000	69,000	8,39	R2674	17	NTN	
	200,000	95,000	10,60	SL04-5026LLNR	26	NTN	
	200,000	95,000	10,40	SL04-5026N	26	NTN	
	200,000	95,000	10,60	SL04-5026NR	26	NTN	
	200,000	104,000	12,10	4R2628	28	NTN	
	200,000	113,000	12,40	SLX130X200X114	26	NTN	
	210,000	80,000	9,30	R2675HTV	17	NTN	
	210,000	132,000	20,00	E-SL30X210X132ZZ	26	NTN	
	210,000	132,000	20,00	E-SLX130X210X132	26	NTN	
	210,000	132,000	20,00	E-SLX130X210X132ZZ	26	NTN	
	210,000	150,000	22,00	E-SL30X210X150	26	NTN	
	210,000	150,000	22,00	E-SLX130X210X150	26	NTN	
	220,000	60,000	9,80	SLX130X220X120	26	NTN	
	220,000	150,000	13,70	SLX130X220X150	26	NTN	
	230,000	40,000	6,42	N226	20	NTN	
230,000	40,000	6,96	NF226	22	NTN		
230,000	40,000	6,66	NJ226	18	NTN		
230,000	40,000	6,90	NJ226E	18	NTN		
230,000	40,000	6,71	NJ 226 EG15	18	SNR		
230,000	40,000	6,50	NU226	17	NTN		
230,000	40,000	6,72	NU226E	17	NTN		
230,000	40,000	6,56	NU 226 EG15	17	SNR		
230,000	40,000	7,37	NU 226 EM	17	SNR		
230,000	40,000	6,30	NUP226	19	NTN		
230,000	40,000	6,90	NUP226E	19	NTN		
230,000	64,000	10,00	N2226	20	NTN		
230,000	64,000	10,60	NJ2226	18	NTN		
230,000	64,000	11,80	NJ2226E	18	NTN		
230,000	64,000	10,30	NU2226	17	NTN		

										
d	D	B	Kg	Reference					Brands	
130,000	230,000	64,000	11,80	NU2226E	17	NTN				
	230,000	64,000	10,40	NU 2226 EG15	17	SNR				
	230,000	64,000	10,20	NUP2226	19	NTN				
	230,000	64,000	11,80	NUP2226E	19	NTN				
	230,000	79,375	14,50	RNU2622	17	NTN				
	230,000	80,000	14,60	NU3226	17	NTN				
	230,000	80,000	14,70	R2625	17	NTN				
	235,000	170,000	28,80	2RNUP2653	24	NTN				
	240,000	209,000	34,40	2R2670LL	24	NTN				
	250,000	95,000	20,80	SL30X250X95	26	NTN				
	280,000	58,000	17,00	N326	20	NTN				
	280,000	58,000	18,44	N 326 EM	20	SNR				
	280,000	58,000	17,36	NF326	22	NTN				
	280,000	58,000	17,60	NJ326	18	NTN				
	280,000	58,000	19,40	NJ326E	18	NTN				
	280,000	58,000	16,75	NJ 326 EG15	18	SNR				
	280,000	58,000	19,04	NJ 326 EM	18	SNR				
	280,000	58,000	17,20	NU326	17	NTN				
	280,000	58,000	19,40	NU326E	17	NTN				
	280,000	58,000	16,46	NU 326 EG15	17	SNR				
	280,000	58,000	17,40	NUP326	19	NTN				
	280,000	58,000	19,40	NUP326E	19	NTN				
	280,000	93,000	26,40	N2326	20	NTN				
	280,000	93,000	28,00	NJ2326	18	NTN				
	280,000	93,000	30,90	NJ2326E	18	NTN				
	280,000	93,000	29,20	NJ 2326 EM	18	SNR				
	280,000	93,000	27,50	NU2326	17	NTN				
	280,000	93,000	30,90	NU2326E	17	NTN				
	280,000	93,000	28,73	NU 2326 EM	17	SNR				
	280,000	93,000	26,90	NUP2326	19	NTN				
	280,000	93,000	30,90	NUP2326E	19	NTN				
	280,000	94,000	27,16	RNU2654	17	NTN				
	280,000	112,000	33,10	NU3326	17	NTN				
	280,000	215,000	58,80	2RNU2625	24	NTN				
	300,000	172,640	70,00	3RCS2626	27	NTN				
	300,000	172,640	70,00	3RCS2660	27	NTN				
	300,000	172,640	70,00	3RCS2666	27	NTN				
	300,000	172,640	70,00	3RCS2668	27	NTN				
	300,000	172,640	73,30	3RCS2671	27	NTN				
	305,000	150,000	29,20	R2635	17	NTN				
	340,000	78,000	39,40	NJ426	18	NTN				
	340,000	78,000	38,60	NU426	17	NTN				
	140,000	190,000	30,000	2,59	NU2928	17	NTN			
		190,000	30,000	2,51	R2841V	17	NTN			
		190,000	50,000	4,20	SL01-4928	26	NTN			
		190,000	50,000	3,98	SL02-4928	26	NTN			
		190,000	119,000	9,93	4R2832	28	NTN			
		210,000	33,000	3,98	N1028	20	NTN			
		210,000	33,000	4,12	N1028K	20	NTN			
		210,000	33,000	4,05	NJ1028	18	NTN			
		210,000	33,000	3,86	NU1028	17	NTN			
210,000		33,000	4,05	NUP1028	19	NTN				
210,000		53,000	6,80	NU3028	17	NTN				
210,000		63,000	7,03	RNN2823K	24	NTN				
210,000		69,000	9,37	R2869V	17	NTN				
210,000		80,000	9,00	SLX140X210X80	26	NTN				
210,000		95,000	11,30	SL04-5028LLNR	26	NTN				
210,000		95,000	10,60	SL04-5028NR	26	NTN				
210,000		116,000	13,90	4R2823	28	NTN				
210,000		130,000	21,00	E-SL40X210X130	26	NTN				
210,000		130,000	21,00	E-SLX140X210X130	26	NTN				





										
d	D	B	Kg	Reference					Brands	
140,000	220,000	36,000	4,24	RN2820	17	NTN				
	220,000	120,000	16,00	2RE2827	24	NTN				
	220,000	120,000	16,00	2RE2828	24	NTN				
	250,000	42,000	8,56	N228	20	NTN				
	250,000	42,000	9,34	N 228 EM	20	SNR				
	250,000	42,000	8,81	NJ228	18	NTN				
	250,000	42,000	8,73	NJ228E	18	NTN				
	250,000	42,000	9,31	NJ 228 EM	18	SNR				
	250,000	42,000	8,20	NU228	17	NTN				
	250,000	42,000	8,73	NU228E	17	NTN				
	250,000	42,000	9,59	NU 228 EM	17	SNR				
	250,000	42,000	7,88	NUP228	19	NTN				
	250,000	42,000	8,73	NUP228E	19	NTN				
	250,000	68,000	12,60	N2228	20	NTN				
	250,000	68,000	14,21	NJ2228	18	NTN				
	250,000	68,000	15,80	NJ2228E	18	NTN				
	250,000	68,000	13,10	NU2228	17	NTN				
	250,000	68,000	15,80	NU2228E	17	NTN				
	250,000	68,000	12,90	NUP2228	19	NTN				
	250,000	68,000	15,80	NUP2228E	19	NTN				
	250,000	68,000	15,30	R2856	17	NTN				
	250,000	82,550	17,80	R2812	17	NTN				
	250,000	88,000	19,10	NU3228	17	NTN				
	300,000	62,000	20,80	N328	20	NTN				
	300,000	62,000	22,65	N 328 EM	20	SNR				
	300,000	62,000	21,40	NF328	22	NTN				
	300,000	62,000	21,40	NJ328	18	NTN				
	300,000	62,000	23,20	NJ328E	18	NTN				
	300,000	62,000	21,20	NU328	17	NTN				
	300,000	62,000	23,20	NU328E	17	NTN				
	300,000	62,000	20,39	NU 328 EG15	17	SNR				
	300,000	62,000	22,47	NU 328 EM	17	SNR				
	300,000	62,000	21,20	NUP328	19	NTN				
	300,000	62,000	23,20	NUP328E	19	NTN				
	300,000	102,000	36,40	E-NJ328E	18	NTN				
	300,000	102,000	33,10	N2328	20	NTN				
	300,000	102,000	34,90	NJ2328	18	NTN				
	300,000	102,000	38,70	NJ2328E	18	NTN				
	300,000	102,000	34,10	NU2328	17	NTN				
	300,000	102,000	38,70	NU2328E	17	NTN				
	300,000	102,000	36,00	NU 2328 EM	17	SNR				
	300,000	102,000	33,80	NUP2328	19	NTN				
	300,000	102,000	38,70	NUP2328E	19	NTN				
	300,000	114,000	43,38	RNF2804	22	NTN				
	300,000	114,000	43,38	RNF2826	22	NTN				
	360,000	82,000	44,50	N428	20	NTN				
	360,000	82,000	45,30	NU428	17	NTN				
	360,000	100,000	50,05	NH428	21	NTN				
	145,000	210,000	85,000	10,00	2R2904V	24	NTN			
		210,000	155,000	17,60	4R2906	28	NTN			
		225,000	156,000	23,30	4R2904	28	NTN			
225,000		156,000	23,40	4R2908	28	NTN				
285,000		124,000	13,10	RR2904	24	NTN				
150,000		190,000	40,000	2,74	SL01-4830	26	NTN			
		190,000	40,000	2,80	SL02-4830	26	NTN			
		210,000	28,000	2,98	NJ1930	18	NTN			
	210,000	28,000	3,17	NU1930	17	NTN				
	210,000	36,000	4,08	NU2930	17	NTN				
	210,000	60,000	6,47	SL01-4930	26	NTN				
	210,000	60,000	6,26	SL02-4930	26	NTN				





d	D	B	Kg	Reference	Brands
150,000	210,000	62,000	4,85	RN3032	17 NTN
	210,000	65,000	7,08	2R3061V	24 NTN
	210,000	70,000	7,17	RNN3025	24 NTN
	220,000	127,000	15,70	4R3036	28 NTN
	220,000	150,000	19,40	4R3031	28 NTN
	220,000	150,000	20,50	4R3047	28 NTN
	220,000	150,000	19,60	4R3056	28 NTN
	225,000	35,000	4,70	N1030	20 NTN
	225,000	35,000	4,77	NJ1030	18 NTN
	225,000	35,000	4,77	NU1030	17 NTN
	225,000	35,000	4,77	NUP1030	19 NTN
	225,000	70,000	9,54	NU1030D2	17 NTN
	225,000	75,000	11,70	R3062V	17 NTN
	225,000	75,000	11,20	R3063HTV	17 NTN
	225,000	100,000	13,20	SL04-5030LLN	26 NTN
	225,000	100,000	13,60	SL04-5030LLNR	26 NTN
	225,000	100,000	13,60	SL04-5030NR	26 NTN
	225,000	123,000	16,40	SLX150X225X124	26 NTN
	230,000	130,000	20,00	4R3029	28 NTN
	230,000	156,000	23,50	4R3040	28 NTN
	230,000	168,000	25,80	4R3042	28 NTN
	250,000	100,000	19,80	2R3050	24 NTN
	250,000	100,000	19,80	2R3051	24 NTN
	250,000	150,000	29,60	4R3039	28 NTN
	255,000	169,000	30,50	RE3036V	17 NTN
	270,000	45,000	9,72	N230	20 NTN
	270,000	45,000	11,10	NF230	22 NTN
	270,000	45,000	10,50	NJ230	18 NTN
	270,000	45,000	11,00	NJ230E	18 NTN
	270,000	45,000	12,20	NJ 230 EM	18 SNR
	270,000	45,000	10,30	NU230	17 NTN
	270,000	45,000	11,00	NU230E	17 NTN
	270,000	45,000	12,00	NU 230 EM	17 SNR
	270,000	45,000	9,92	NUP230	19 NTN
	270,000	45,000	11,00	NUP230E	19 NTN
	270,000	57,000	12,29	NH230	21 NTN
	270,000	73,000	16,00	N2230	20 NTN
	270,000	73,000	16,30	NJ2230	18 NTN
	270,000	73,000	19,70	NJ2230E	18 NTN
	270,000	73,000	16,70	NU2230	17 NTN
	270,000	73,000	19,70	NU2230E	17 NTN
	270,000	73,000	15,90	NUP2230	19 NTN
	270,000	73,000	19,70	NUP2230E	19 NTN
	270,000	96,000	24,50	NU3230	17 NTN
	270,000	125,000	19,70	RNU3066	17 NTN
	320,000	65,000	24,70	N330	20 NTN
	320,000	65,000	27,57	N 330 EM	20 SNR
	320,000	65,000	25,50	NF330	22 NTN
	320,000	65,000	25,30	NJ330	18 NTN
	320,000	65,000	28,40	NJ330E	18 NTN
320,000	65,000	24,70	NU330	17 NTN	
320,000	65,000	28,40	NU330E	17 NTN	
320,000	65,000	27,30	NU 330 EM	17 SNR	
320,000	65,000	25,30	NUP330	19 NTN	
320,000	65,000	28,40	NUP330E	19 NTN	
320,000	108,000	39,80	N2330	20 NTN	
320,000	108,000	42,10	NJ2330	18 NTN	
320,000	108,000	47,20	NJ2330E	18 NTN	
320,000	108,000	40,60	NU2330	17 NTN	
320,000	108,000	47,20	NU2330E	17 NTN	
320,000	108,000	43,20	NU 2330 EM	17 SNR	
320,000	108,000	40,50	NU2330K	17 NTN	





d	D	B	Kg	Reference	Brands
150,000	320,000	108,000	40,60	NUP2330	19 NTN
	320,000	108,000	47,20	NUP2330E	19 NTN
	320,000	123,825	50,31	R3025V	17 NTN
	380,000	85,000	52,10	NU430	17 NTN
151,500	230,000	168,000	25,00	2R3055K	24 NTN
	230,000	168,000	25,40	4R3033K	28 NTN
158,750	285,648	63,500	16,60	RNJ3215	18 NTN
160,000	200,000	40,000	2,86	SL01-4832	26 NTN
	200,000	40,000	2,85	SL02-4832	26 NTN
	220,000	28,000	3,35	NU1932	17 NTN
	220,000	36,000	4,30	NU2932	17 NTN
	220,000	60,000	7,00	SL01-4932	26 NTN
	220,000	60,000	6,64	SL02-4932	26 NTN
	220,000	180,000	20,20	4R3224	28 NTN
	230,000	130,000	16,60	4R3226	28 NTN
	230,000	168,000	23,20	4R3229	28 NTN
	230,000	168,000	22,90	4R3231	28 NTN
	230,000	168,000	23,40	4R3232	28 NTN
	230,000	168,000	26,00	4R3243	28 NTN
	230,000	180,000	25,50	4R3228	28 NTN
	240,000	38,000	5,81	N1032	20 NTN
	240,000	38,000	5,90	NJ1032	18 NTN
	240,000	38,000	5,90	NU1032	17 NTN
	240,000	38,000	5,90	NUP1032	19 NTN
	240,000	60,000	8,29	R3230	17 NTN
	240,000	80,000	1,80	R3263HTV	17 NTN
	240,000	109,000	16,80	SL04-5032LLNR	26 NTN
	240,000	109,000	16,80	SL04-5032NR	26 NTN
	240,000	170,000	27,80	4R3225	28 NTN
	250,000	70,000	12,30	RNN3215	24 NTN
	270,000	86,000	20,60	NU3132	17 NTN
	290,000	48,000	13,40	N232	20 NTN
	290,000	48,000	13,80	NF232	22 NTN
	290,000	48,000	13,70	NJ232	18 NTN
	290,000	48,000	14,00	NJ232A	18 NTN
	290,000	48,000	15,60	NJ232E	18 NTN
	290,000	48,000	15,30	NJ 232 EM	18 SNR
	290,000	48,000	13,70	NU232	17 NTN
	290,000	48,000	13,70	NU232E	17 NTN
290,000	48,000	3,34	NU 232E M	17 SNR	
290,000	48,000	13,70	NUP232	19 NTN	
290,000	48,000	15,60	NUP232E	19 NTN	
290,000	60,000	15,43	NH232	21 NTN	
290,000	75,000	22,40	RN233	17 NTN	
290,000	80,000	21,60	N2232	20 NTN	
290,000	80,000	20,20	NJ2232	18 NTN	
290,000	80,000	25,10	NJ2232E	18 NTN	
290,000	80,000	22,70	NU2232	17 NTN	
290,000	80,000	25,10	NU2232E	17 NTN	
290,000	80,000	22,00	NUP2232	19 NTN	
290,000	80,000	25,10	NUP2232E	19 NTN	
290,000	98,425	30,00	RNU3216	17 NTN	
300,000	70,000	24,00	2RT3215	36 NTN	
340,000	68,000	30,60	N332	20 NTN	
340,000	68,000	31,10	NF332	22 NTN	
340,000	68,000	31,30	NJ332	18 NTN	
340,000	68,000	34,00	NJ332E	18 NTN	
340,000	68,000	30,80	NU332	17 NTN	
340,000	68,000	34,00	NU332E	17 NTN	





						Brands	
	d	D	B	Kg	Reference		
160,000	340,000	68,000	31,30	NUP332	19	NTN	
	340,000	68,000	34,00	NUP332E	19	NTN	
	340,000	83,000	32,30	NH332	21	NTN	
	340,000	114,000	49,50	N2332	20	NTN	
	340,000	114,000	50,50	NJ2332	18	NTN	
	340,000	114,000	56,00	NJ2332E	18	NTN	
	340,000	114,000	50,40	NU2332	17	NTN	
	340,000	114,000	56,00	NU2332E	17	NTN	
	340,000	114,000	51,50	NU 2332 EM	17	SNR	
	340,000	114,000	50,50	NUP2332	19	NTN	
	340,000	114,000	56,00	NUP2332E	19	NTN	
	169,000	250,000	42,000	6,32	RUS228	23	NTN
	170,000	215,000	45,000	4,10	SL01-4834	26	NTN
215,000		45,000	3,79	SL02-4834	26	NTN	
230,000		28,000	3,52	NU1934	17	NTN	
230,000		36,000	4,53	NU2934	17	NTN	
230,000		36,000	4,24	R3428V	17	NTN	
230,000		60,000	7,19	SL01-4934	26	NTN	
230,000		60,000	7,02	SL02-4934	26	NTN	
230,000		120,000	14,20	4R3426	28	NTN	
230,000		120,000	14,60	4R3443	28	NTN	
240,000		156,000	22,20	4R3429	28	NTN	
240,000		160,000	22,80	4R3423	28	NTN	
250,000		168,000	28,50	4R3428	28	NTN	
250,000		168,000	28,20	4R3432	28	NTN	
255,000		180,000	19,30	4R3425	28	NTN	
260,000		42,000	7,02	N1034	20	NTN	
260,000		42,000	7,88	NJ1034	18	NTN	
260,000		42,000	7,86	NU1034	17	NTN	
260,000		42,000	7,88	NUP1034	19	NTN	
260,000		122,000	23,10	SL04-5034LLNR	26	NTN	
260,000		122,000	23,10	SL04-5034NR	26	NTN	
260,000		150,000	29,50	4R3433	28	NTN	
260,000		225,000	44,00	4R3431	28	NTN	
280,000		88,000	29,60	SLX170X280X165	26	NTN	
280,000		88,000	29,60	SLX170X280X88	26	NTN	
280,000		95,000	24,80	SLX170X280X95	26	NTN	
280,000		145,000	23,72	RNU3430	17	NTN	
280,000		185,000	26,25	RNU3431	17	NTN	
295,000		137,000	21,00	R3431K30	17	NTN	
295,000		180,000	25,50	R3451K30	17	NTN	
310,000		52,000	16,70	N234	20	NTN	
310,000		52,000	17,20	NF234	22	NTN	
310,000		52,000	17,30	NJ234	18	NTN	
310,000		52,000	19,60	NJ234E	18	NTN	
310,000		52,000	17,00	NU234	17	NTN	
310,000		52,000	19,60	NU234E	17	NTN	
310,000		52,000	17,96	NU 234 EM	17	SNR	
310,000		52,000	17,00	NUP234	19	NTN	
310,000		52,000	19,60	NUP234E	19	NTN	
310,000		86,000	26,70	N2234	20	NTN	
310,000		86,000	27,20	NJ2234	18	NTN	
310,000		86,000	31,00	NJ2234E	18	NTN	
310,000		86,000	27,60	NU2234	17	NTN	
310,000		86,000	31,00	NU2234E	17	NTN	
310,000		86,000	27,20	NUP2234	19	NTN	
310,000		86,000	31,00	NUP2234E	19	NTN	
310,000	104,770	36,00	RNU3415	17	NTN		
310,000	110,000	37,40	NU3234	17	NTN		
310,000	172,000	57,20	RNNU3421	24	NTN		

						Brands	
	d	D	B	Kg	Reference		
170,000	360,000	72,000	36,10	N334	20	NTN	
	360,000	72,000	37,90	N 334 EM	20	SNR	
	360,000	72,000	31,30	NF334	22	NTN	
	360,000	72,000	37,30	NJ334	18	NTN	
	360,000	72,000	37,00	NU334	17	NTN	
	360,000	72,000	37,00	NUP334	19	NTN	
	360,000	120,000	58,70	E-NU2334BG1	17	NTN	
	360,000	120,000	70,80	E-NUP2334BG1	19	NTN	
	360,000	120,000	58,30	N2334	20	NTN	
	360,000	120,000	59,50	NJ2334	18	NTN	
	360,000	120,000	59,70	NU2334	17	NTN	
	360,000	120,000	59,50	NUP2334	19	NTN	
	177,800	260,350	63,500	10,99	RN629	17	NTN
		260,350	63,500	10,99	RNU3629	17	NTN
		320,000	193,000	64,19	RNU3653	17	NTN
		355,600	114,300	43,00	2RT3627	36	NTN
		395,350	88,900	62,00	2RT3623	36	NTN
		395,351	130,000	60,00	2RT3629	36	NTN
180,000		220,000	22,000	2,10	RT3615	36	NTN
		225,000	45,000	4,08	SL01-4836	26	NTN
		225,000	45,000	4,15	SL02-4836	26	NTN
		240,000	76,000	8,94	2R3612	24	NTN
	240,000	80,000	9,42	SLX180X240X80LL	26	NTN	
	250,000	33,000	5,21	NU1936	17	NTN	
	250,000	42,000	6,63	NU2936	17	NTN	
	250,000	69,000	10,70	SL01-4936	26	NTN	
	250,000	69,000	10,20	SL02-4936	26	NTN	
	250,000	138,000	20,40	SL02-4936D2	26	NTN	
	250,000	156,000	23,20	4R3625	28	NTN	
	250,000	156,000	24,00	4R3640	28	NTN	
	250,000	168,000	25,60	4R3639	28	NTN	
	252,000	110,000	16,20	RNN3611	24	NTN	
	260,000	168,000	26,90	4R3628	28	NTN	
	260,000	168,000	28,80	4R3642	28	NTN	
	260,000	168,000	33,00	4R3644	28	NTN	
	265,000	180,000	34,20	4R3618	28	NTN	
	265,000	180,000	34,30	4R3631	28	NTN	
	280,000	46,000	10,10	N1036	20	NTN	
	280,000	46,000	10,30	NJ1036	18	NTN	
	280,000	46,000	10,30	NU1036	17	NTN	
	280,000	46,000	10,30	NUP1036	19	NTN	
	280,000	74,000	16,80	NFV3036A	22	NTN	
	280,000	74,000	17,80	NU3036	17	NTN	
	280,000	74,000	15,90	R3624	17	NTN	
	280,000	136,000	32,30	SL04-5036LLNR	26	NTN	
	280,000	136,000	30,60	SL04-5036NR	26	NTN	
	310,000	115,000	30,30	SL07-040	26	NTN	
	310,000	120,000	34,90	2R3616V	24	NTN	
	320,000	52,000	17,30	N236	20	NTN	
	320,000	52,000	17,10	NF236	22	NTN	
320,000	52,000	18,00	NJ236	18	NTN		
320,000	52,000	20,40	NJ236E	18	NTN		
320,000	52,000	17,70	NU236	17	NTN		
320,000	52,000	20,40	NU236E	17	NTN		
320,000	52,000	19,13	NU 236 EM	17	SNR		
320,000	52,000	17,70	NUP236	19	NTN		
320,000	52,000	20,40	NUP236E	19	NTN		
320,000	86,000	27,80	N2236	20	NTN		
320,000	86,000	29,60	NJ2236	18	NTN		
320,000	86,000	31,90	NJ2236E	18	NTN		

								Brands		
d	D	B	Kg	Reference						
180,000	320,000	86,000	29,10	NU2236	17	NTN				
	320,000	86,000	31,90	NU2236E	17	NTN				
	320,000	86,000	28,40	NUP2236	19	NTN				
	320,000	86,000	31,90	NUP2236E	19	NTN				
	320,000	112,000	39,60	NU3236	17	NTN				
	320,000	126,000	31,70	RNU3658K	17	NTN				
	320,000	172,000	58,20	NU2236D2	17	NTN				
	340,000	55,000	24,70	2RT3632	36	NTN				
	380,000	75,000	42,74	N336	20	NTN				
	380,000	75,000	44,20	NJ336	18	NTN				
	380,000	75,000	42,30	NU336	17	NTN				
	380,000	75,000	44,20	NUP336	19	NTN				
	380,000	126,000	64,30	2R3618	24	NTN				
	380,000	126,000	68,10	N2336	20	NTN				
	380,000	126,000	61,00	NJ2336	18	NTN				
	380,000	126,000	69,50	NU2336	17	NTN				
	380,000	126,000	69,50	NUP2336	19	NTN				
	380,000	150,000	88,00	NU3336	17	NTN				
	406,400	171,040	132,00	3RCS3615	27	NTN				
	406,400	171,040	126,80	3RCS3621	27	NTN				
	190,000	240,000	24,000	2,54	NFV1838	22	NTN			
		240,000	50,000	5,65	SL01-4838	26	NTN			
		240,000	50,000	5,14	SL02-4838	26	NTN			
		260,000	42,000	6,93	NU2938	17	NTN			
260,000		42,000	6,55	R3819V	17	NTN				
260,000		69,000	11,00	SL01-4938	26	NTN				
260,000		69,000	10,90	SL02-4938	26	NTN				
260,000		168,000	26,90	4R3820	28	NTN				
270,000		170,000	31,70	4R3818	28	NTN				
270,000		200,000	37,20	4R3817	28	NTN				
270,000		200,000	37,50	4R3821	28	NTN				
280,000		90,000	18,00	RN3813NA	17	NTN				
280,000		200,000	41,50	4R3823	28	NTN				
280,000		200,000	42,80	4R3830	28	NTN				
290,000		46,000	10,50	N1038	20	NTN				
290,000		46,000	10,70	NJ1038	18	NTN				
290,000		46,000	10,70	NU1038	17	NTN				
290,000		46,000	10,70	NUP1038	19	NTN				
290,000		75,000	18,00	N3038	20	NTN				
290,000		136,000	31,70	SL04-5038NR	26	NTN				
300,000		85,725	24,10	RNU3840	17	NTN				
300,000		85,725	21,40	RNU3842	17	NTN				
320,000		75,000	26,40	2RT3814	36	NTN				
340,000		55,000	21,13	N238	20	NTN				
340,000		55,000	21,70	NF238	22	NTN				
340,000		55,000	21,80	NJ238	18	NTN				
340,000		55,000	24,20	NJ238E	18	NTN				
340,000		55,000	21,30	NU238	17	NTN				
340,000		55,000	24,20	NU238E	17	NTN				
340,000		55,000	23,04	NU 238 EM	17	SNR				
340,000		55,000	21,30	NUP238	19	NTN				
340,000		55,000	24,20	NUP238E	19	NTN				
340,000		92,000	33,70	N2238	20	NTN				
340,000		92,000	34,40	NJ2238	18	NTN				
340,000		92,000	39,50	NJ2238E	18	NTN				
340,000		92,000	35,20	NU2238	17	NTN				
340,000		92,000	39,50	NU2238E	17	NTN				
340,000		92,000	34,40	NUP2238	19	NTN				
340,000		92,000	39,50	NUP2238E	19	NTN				
340,000		114,300	45,60	RNU3819	17	NTN				
340,000		120,000	48,20	NU3238	17	NTN				

								Brands		
d	D	B	Kg	Reference						
190,000	340,000	220,000	75,50	RNU3824	17	NTN				
	340,000	275,000	94,40	RNU3823	17	NTN				
	400,000	78,000	48,30	N338	20	NTN				
	400,000	78,000	50,50	N 338 EM	20	SNR				
	400,000	78,000	49,60	NF338	22	NTN				
	400,000	78,000	41,70	NJ338	18	NTN				
	400,000	78,000	49,40	NU338	17	NTN				
	400,000	78,000	49,40	NUP338	19	NTN				
	400,000	105,000	33,04	E-RNJ3849	18	NTN				
	400,000	132,000	78,90	N2338	20	NTN				
	400,000	132,000	80,50	NJ2338	18	NTN				
	400,000	132,000	80,72	NU2338	17	NTN				
	400,000	132,000	80,50	NUP2338	19	NTN				
	400,000	155,000	101,00	NU3338	17	NTN				
	190,500	340,000	190,500	56,90	RNU3820	17	NTN			
	200,000	250,000	50,000	5,58	SL01-4840	26	NTN			
		250,000	50,000	5,39	SL02-4840	26	NTN			
		270,000	170,000	28,50	4R4039	28	NTN			
		280,000	38,000	6,76	N1940K	20	NTN			
		280,000	38,000	7,65	NU1940	17	NTN			
280,000		48,000	9,66	NU2940	17	NTN				
280,000		80,000	15,70	SL01-4940	26	NTN				
280,000		80,000	15,10	SL02-4940	26	NTN				
280,000		152,000	29,50	4R4054	28	NTN				
280,000		170,000	33,00	4R4048	28	NTN				
280,000		190,000	36,70	4R4026	28	NTN				
280,000		200,000	38,80	4R4027	28	NTN				
280,000		200,000	37,90	4R4037	28	NTN				
280,000		200,000	45,00	4R4050	28	NTN				
280,000		200,000	45,00	4R4052	28	NTN				
290,000		55,000	11,80	E-RNJ4022	18	NTN				
290,000		192,000	42,50	4R4041	28	NTN				
290,000		192,000	46,00	4R4043	28	NTN				
310,000		51,000	13,70	N1040	20	NTN				
310,000		51,000	13,33	N1040K	20	NTN				
310,000		51,000	13,90	NJ1040	18	NTN				
310,000		51,000	13,90	NU1040	17	NTN				
310,000		51,000	13,90	NUP1040	19	NTN				
310,000		82,000	24,10	NU3040	17	NTN				
310,000	109,000	32,30	R4046	17	NTN					
310,000	140,000	31,70	SL08-040	26	NTN					
310,000	150,000	41,80	SL04-5040NR	26	NTN					
320,000	48,000	46,16	RN4022	17	NTN					
320,000	216,000	67,00	4R4028	28	NTN					
340,000	75,000	30,80	2RT4028	36	NTN					
340,000	85,000	35,00	2RT4030	36	NTN					
340,000	112,000	42,80	NU3140A	17	NTN					
340,000	115,000	45,00	2R4031VK	24	NTN					
340,000	175,000	68,21	2R4029	24	NTN					
360,000	58,000	25,10	N240	20	NTN					
360,000	58,000	26,00	NJ240	18	NTN					
360,000	58,000	28,10	NJ240E	18	NTN					
360,000	58,000	25,50	NU240	17	NTN					
360,000	58,000	28,10	NU240E	17	NTN					
360,000	58,000	25,30	NUP240	19	NTN					
360,000	58,000	28,10	NUP240E	19	NTN					
360,000	98,000	40,50	N2240	20	NTN					
360,000	98,000	41,30	NJ2240	18	NTN					
360,000	98,000	47,80	NJ2240E	18	NTN					
360,000	98,000	41,30	NU2240	17	NTN					

								Brands	
d	D	B	Kg	Reference					
200,000	360,000	98,000	42,50	NU2240E	17	NTN			
	360,000	98,000	41,30	NUP2240	19	NTN			
	360,000	98,000	47,80	NUP2240E	19	NTN			
	360,000	98,000	40,00	R4032K	17	NTN			
	360,000	104,000	42,90	RNU4046	17	NTN			
	360,000	128,000	58,00	NU3240	17	NTN			
	378,000	75,000	41,10	2RT4046	36	NTN			
	400,000	122,000	66,70	2RT4032	36	NTN			
	420,000	80,000	54,50	N340	20	NTN			
	420,000	80,000	57,00	N 340 EM	20	SNR			
	420,000	80,000	56,14	NF340	22	NTN			
	420,000	80,000	55,80	NJ340	18	NTN			
	420,000	80,000	55,02	NU340	17	NTN			
	420,000	80,000	55,80	NUP340	19	NTN			
	420,000	138,000	90,70	N2340	20	NTN			
	420,000	138,000	92,60	NJ2340	18	NTN			
	420,000	138,000	92,60	NU2340	17	NTN			
	420,000	138,000	92,60	NUP2340	19	NTN			
	420,000	140,000	82,50	RNU4036	17	NTN			
	420,000	160,000	109,60	2RN4024	24	NTN			
	420,000	165,000	118,10	NU3340	17	NTN			
	420,000	165,000	120,00	R4056	17	NTN			
203,200	273,050	41,275	6,36	RNJ4103	18	NTN			
210,000	290,000	45,000	8,20	R4207	17	NTN			
	290,000	70,000	17,50	R4208	17	NTN			
	290,000	80,000	15,10	RNN4207K	24	NTN			
	290,000	192,000	39,50	4R4206	28	NTN			
	380,000	127,000	63,30	RNU4203	17	NTN			
215,900	355,600	79,375	29,80	RNU4302	17	NTN			
220,000	270,000	25,000	4,30	RT4411	36	NTN			
	270,000	50,000	6,40	SL01-4844	26	NTN			
	270,000	50,000	5,87	SL02-4844	26	NTN			
	290,000	192,000	33,80	4R4413	28	NTN			
	300,000	48,000	10,00	NFV2944	22	NTN			
	300,000	48,000	10,50	NU2944	17	NTN			
	300,000	48,000	9,84	R4416V	17	NTN			
	300,000	80,000	16,80	SL01-4944	26	NTN			
	300,000	80,000	16,40	SL02-4944	26	NTN			
	300,000	160,000	32,80	4R4419	28	NTN			
	300,000	160,000	33,70	4R4445	28	NTN			
	300,000	160,000	41,00	4R4446	28	NTN			
	310,000	110,000	29,70	RNN4411	24	NTN			
	310,000	110,000	29,50	RNN4411K	24	NTN			
	310,000	192,000	46,30	4R4410	28	NTN			
	310,000	192,000	46,90	4R4426	28	NTN			
	310,000	192,000	45,90	4R4432	28	NTN			
	310,000	192,000	44,50	4R4448	28	NTN			
	310,000	204,000	49,80	4R4425	28	NTN			
	310,000	215,000	51,50	4R4420	28	NTN			
	310,000	225,000	54,90	4R4416	28	NTN			
	310,000	225,000	62,00	4R4440	28	NTN			
	310,000	225,000	54,30	4R4449	28	NTN			
	310,000	265,000	63,50	4R4430	28	NTN			
	320,000	160,000	46,50	4R4428	28	NTN			
	320,000	210,000	60,50	4R4429	28	NTN			
	320,000	210,000	55,40	4R4444	28	NTN			
	340,000	56,000	18,10	N1044	20	NTN			
	340,000	56,000	17,90	N1044K	20	NTN			





								Brands	
d	D	B	Kg	Reference					
220,000	340,000	56,000	18,20	NJ1044	18	NTN			
	340,000	56,000	18,30	NU1044	17	NTN			
	340,000	56,000	18,20	NUP1044	19	NTN			
	340,000	90,000	31,70	NU3044	17	NTN			
	340,000	142,000	42,60	2RNU4412	24	NTN			
	340,000	160,000	53,80	SL04-5044LLNR	26	NTN			
	340,000	160,000	55,40	SL04-5044NR	26	NTN			
	350,000	98,425	37,00	RNU4424	17	NTN			
	360,000	85,000	32,60	2RT4416	36	NTN			
	370,000	120,000	53,30	NU3144	17	NTN			
	370,000	120,000	65,40	SLX220X370X200	26	NTN			
	370,000	125,000	63,00	2R4413V	24	NTN			
	370,000	125,000	59,05	SLX220X370X125	26	NTN			
	370,000	195,000	67,50	2R4414V	24	NTN			
	400,000	65,000	36,50	N244	20	NTN			
	400,000	65,000	37,46	NJ244	18	NTN			
	400,000	65,000	37,70	NU244	17	NTN			
	400,000	65,000	37,70	NUP244	19	NTN			
	400,000	108,000	57,80	N2244	20	NTN			
	400,000	108,000	59,00	NJ2244	18	NTN			
	400,000	108,000	59,00	NU2244	17	NTN			
	400,000	108,000	59,00	NUP2244	19	NTN			
	400,000	133,350	64,30	RNU4423	17	NTN			
	400,000	144,000	84,20	NU3244	17	NTN			
	440,000	200,000	145,60	2RNU4413	24	NTN			
	460,000	88,000	71,70	N344	20	NTN			
	460,000	88,000	74,00	NJ344	18	NTN			
	460,000	88,000	73,40	NU344	17	NTN			
	460,000	88,000	73,40	NUP344	19	NTN			
	460,000	108,000	81,10	NH344	21	NTN			
	460,000	145,000	114,00	N2344	20	NTN			
	460,000	145,000	116,00	NJ2344	18	NTN			
	460,000	145,000	116,00	NU2344	17	NTN			
460,000	145,000	116,00	NUP2344	19	NTN				
460,000	176,000	159,00	RNN4410	24	NTN				
460,000	180,000	154,00	RNNU4421	24	NTN				
222,250	520,700	165,000	202,00	2RT4427	36	NTN			
	520,760	114,300	123,50	2RT4426	36	NTN			
230,000	330,000	206,000	64,00	4R4610	28	NTN			
	330,000	206,000	58,60	4R4614	28	NTN			
	330,000	206,000	64,00	4R4620	28	NTN			
	340,000	260,000	82,60	4R4611	28	NTN			
	340,000	260,000	74,30	4R4617	28	NTN			
	400,000	108,000	57,10	RNU4614	17	NTN			
234,950	327,025	114,300	27,79	RNU4702	17	NTN			
235,000	376,000	250,000	100,80	E-2R4703	24	NTN			
240,000	300,000	28,000	4,49	NFV1848	22	NTN			
	300,000	60,000	9,61	SL01-4848	26	NTN			
	300,000	60,000	9,42	SL02-4848	26	NTN			
	320,000	48,000	9,44	N2948	20	NTN			
	320,000	48,000	11,30	NU2948	17	NTN			
	320,000	48,000	10,40	R4808V	17	NTN			
	320,000	80,000	18,40	SL01-4948	26	NTN			
	320,000	80,000	17,90	SL02-4948	26	NTN			
	330,000	180,000	46,40	4R4827	28	NTN			
	330,000	220,000	57,10	4R4804	28	NTN			
	330,000	220,000	56,10	4R4811	28	NTN			





								Brands		
d	D	B	Kg	Reference						
240,000	330,000	220,000	69,60	4R4818	28	NTN				
	330,000	220,000	54,10	4R4819	28	NTN				
	330,000	220,000	57,10	4R4821	28	NTN				
	340,000	220,000	63,22	4R4806	28	NTN				
	360,000	56,000	19,50	N1048	20	NTN				
	360,000	56,000	19,60	NJ1048	18	NTN				
	360,000	56,000	19,60	NU1048	17	NTN				
	360,000	56,000	19,60	NUP1048	19	NTN				
	360,000	92,000	34,70	NU3048	17	NTN				
	360,000	160,000	57,80	SL04-5048NR	26	NTN				
	360,000	220,000	79,60	4R4807	28	NTN				
	360,000	220,000	80,10	4R4813	28	NTN				
	390,000	130,000	65,70	SLX240X390X130	26	NTN				
	390,000	200,000	71,40	SLX240X390X200	26	NTN				
	440,000	72,000	49,20	N248	20	NTN				
	440,000	72,000	50,80	NJ248	18	NTN				
	440,000	72,000	49,90	NU248	17	NTN				
	440,000	72,000	50,20	NUP248	19	NTN				
	440,000	120,000	78,40	N2248	20	NTN				
	440,000	120,000	80,00	NJ2248	18	NTN				
	440,000	120,000	81,50	NU2248	17	NTN				
	440,000	120,000	80,00	NUP2248	19	NTN				
	440,000	146,000	101,00	RNU4817	17	NTN				
	440,000	146,050	93,32	RNU4804	17	NTN				
	500,000	95,000	91,30	N348	20	NTN				
	500,000	95,000	93,40	NJ348	18	NTN				
	500,000	95,000	92,70	NU348	17	NTN				
	500,000	95,000	93,40	NUP348	19	NTN				
	500,000	155,000	144,00	N2348	20	NTN				
	500,000	155,000	147,00	NJ2348	18	NTN				
	500,000	155,000	147,00	NU2348	17	NTN				
	500,000	155,000	147,00	NUP2348	19	NTN				
	500,000	157,000	130,00	RNU4807	17	NTN				
	500,000	250,000	219,00	RNN4805	24	NTN				
	250,000	278,000	220,000	19,60	4R5008	28	NTN			
		400,000	263,000	126,80	E-2R5005	24	NTN			
	254,000	420,010	76,200	44,10	2RT5106	36	NTN			
	260,000	320,000	60,000	11,00	SL01-4852	26	NTN			
		320,000	60,000	10,10	SL02-4852	26	NTN			
		320,000	145,000	49,60	RNNU5218	24	NTN			
360,000		46,000	14,10	N1952K	20	NTN				
360,000		46,000	14,18	NF1952	22	NTN				
360,000		46,000	14,90	NU1952	17	NTN				
360,000		60,000	19,50	NU2952	17	NTN				
360,000		60,000	18,70	R5213V	17	NTN				
360,000		100,000	32,00	SL01-4952	26	NTN				
360,000		100,000	30,70	SL02-4952	26	NTN				
360,000		220,000	62,70	4R5221	28	NTN				
360,000		230,000	70,10	4R5236	28	NTN				
360,000		260,000	81,50	4R5231	28	NTN				
370,000		85,000	31,90	2RT5202	36	NTN				
370,000		220,000	77,10	4R5208	28	NTN				
370,000		220,000	76,50	4R5217	28	NTN				
380,000		280,000	109,00	4R5213	28	NTN				
380,000		280,000	98,00	4R5224	28	NTN				
400,000		65,000	28,70	N1052	20	NTN				
400,000		65,000	29,10	NJ1052	18	NTN				
400,000		65,000	29,30	NU1052	17	NTN				
400,000		65,000	29,10	NUP1052	19	NTN				

								Brands		
d	D	B	Kg	Reference						
260,000	400,000	104,000	50,40	NU3052	17	NTN				
	400,000	110,000	46,60	RNN5208K	24	NTN				
	400,000	190,000	89,36	SL04-5052N	26	NTN				
	400,000	190,000	89,36	SL04-5052NR	26	NTN				
	400,000	290,000	135,00	4R5218	28	NTN				
	420,000	216,000	122,90	2R5215	24	NTN				
	440,000	144,000	95,10	NU3152	17	NTN				
	440,000	145,000	87,70	SLX260X440X145	26	NTN				
	480,000	80,000	65,60	N252	20	NTN				
	480,000	80,000	56,30	NJ252	18	NTN				
	480,000	80,000	66,40	NU252	17	NTN				
	480,000	80,000	66,90	NUP252	19	NTN				
	480,000	130,000	102,00	N2252	20	NTN				
	480,000	130,000	104,00	NJ2252	18	NTN				
	480,000	130,000	109,88	NU2252	17	NTN				
	480,000	130,000	104,00	NUP2252	19	NTN				
	480,000	150,000	105,00	RNU5214	17	NTN				
	480,000	158,800	131,00	RNU5215	17	NTN				
	480,000	158,800	135,00	RNU5216	17	NTN				
	480,000	200,000	109,60	2RN52102	24	NTN				
	480,000	260,000	212,90	2RN5212	24	NTN				
	540,000	102,000	114,00	N352	20	NTN				
	540,000	102,000	117,00	NJ352	18	NTN				
	540,000	102,000	117,00	NU352	17	NTN				
	540,000	102,000	117,00	NUP352	19	NTN				
	540,000	165,000	178,00	N2352	20	NTN				
	540,000	165,000	182,00	NJ2352	18	NTN				
	540,000	165,000	182,00	NU2352	17	NTN				
	540,000	165,000	182,00	NUP2352	19	NTN				
	540,000	167,000	162,00	RNU5209	17	NTN				
	540,000	206,000	242,00	NU3352	17	NTN				
	540,000	230,000	235,00	RNNU5217	24	NTN				
	540,000	300,000	306,00	2RN5213	24	NTN				
	540,000	382,000	421,00	RNNJ5208DF	24	NTN				
	260,500	480,000	260,000	234,00	2RN5214	24	NTN			
	265,000	370,000	234,000	78,90	4R5306	28	NTN			
	266,700	406,400	139,700	67,30	RNU5311	17	NTN			
	270,000	380,000	280,000	100,00	4R5405	28	NTN			
380,000		280,000	101,00	4R5407	28	NTN				
273,000	510,000	300,000	278,00	RNNU5503	24	NTN				
277,000	385,000	65,000	22,90	R5501	17	NTN				
280,000	350,000	69,000	15,40	SL01-4856	26	NTN				
	350,000	69,000	15,00	SL02-4856	26	NTN				
	350,000	138,000	31,20	SL02-4856D2	26	NTN				
	350,000	208,000	46,40	4R5614	28	NTN				
	380,000	46,000	14,55	F-NU1956	17	NTN				
	380,000	46,000	14,86	NU1956	17	NTN				
	380,000	60,000	20,00	NFV2956	22	NTN				
	380,000	60,000	20,80	NU2956	17	NTN				
	380,000	60,000	17,10	R5608V	17	NTN				
	380,000	75,000	25,60	NU3956	17	NTN				
	380,000	100,000	33,90	SL01-4956	26	NTN				
	380,000	100,000	33,10	SL02-4956	26	NTN				
	390,000	220,000	95,00	4R5604	28	NTN				
	390,000	220,000	80,80	4R5610	28	NTN				

								Brands		
d	D	B	Kg	Reference						
280,000	390,000	220,000	81,30	4R5611	28	NTN				
	390,000	275,000	105,00	4R5612	28	NTN				
	400,000	150,000	59,40	RNNU5609	24	NTN				
	420,000	65,000	30,40	N1056	20	NTN				
	420,000	65,000	30,90	NJ1056	18	NTN				
	420,000	65,000	30,90	NU1056	17	NTN				
	420,000	65,000	30,90	NUP1056	19	NTN				
	420,000	106,000	54,40	NU3056	17	NTN				
	420,000	190,000	93,90	SL04-5056N	26	NTN				
	420,000	190,000	93,90	SL04-5056NR	26	NTN				
	420,000	235,000	95,00	2R5613V	24	NTN				
	420,000	280,000	139,00	4R5605	28	NTN				
	450,000	320,000	149,00	E-2R5614	24	NTN				
	460,000	123,800	84,00	RN5609	17	NTN				
	460,000	200,000	127,80	SLX280X460X200	26	NTN				
	460,000	260,000	166,30	SLX280X460X260	26	NTN				
	500,000	80,000	69,40	N256	20	NTN				
	500,000	80,000	70,80	NJ256	18	NTN				
	500,000	80,000	70,80	NU256	17	NTN				
	500,000	80,000	70,80	NUP256	19	NTN				
	500,000	130,000	107,00	N2256	20	NTN				
	500,000	130,000	109,00	NJ2256	18	NTN				
	500,000	130,000	109,00	NU2256	17	NTN				
	500,000	130,000	109,00	NUP2256	19	NTN				
	500,000	165,100	150,00	RNU5617	17	NTN				
	500,000	165,100	148,00	RNU5619	17	NTN				
	500,000	165,100	146,00	RNU5623	17	NTN				
	560,000	300,000	354,80	RNN5610	24	NTN				
	580,000	108,000	139,00	N356	20	NTN				
	580,000	108,000	142,00	NJ356	18	NTN				
	580,000	108,000	142,00	NU356	17	NTN				
	580,000	108,000	142,00	NUP356	19	NTN				
	580,000	175,000	218,00	N2356	20	NTN				
	580,000	175,000	222,00	NJ2356	18	NTN				
	580,000	175,000	222,00	NU2356	17	NTN				
	580,000	175,000	222,00	NUP2356	19	NTN				
	285,000	460,000	190,000	193,00	SLX285X460X190	26	NTN			
		460,000	260,000	133,00	SLX285X460X260	26	NTN			
	290,000	390,000	234,000	101,00	4R5810	28	NTN			
		410,000	240,000	103,00	4R5806	28	NTN			
		420,000	120,000	60,00	RTD5803	36	NTN			
		420,000	300,000	141,00	4R5805	28	NTN			
		510,000	260,000	233,00	RNNU5804	24	NTN			
292,100	387,350	50,800	15,50	RNU5804	17	NTN				
	387,350	66,670	18,60	RN5804	17	NTN				
	387,350	66,670	18,60	RN58042	17	NTN				
300,000	380,000	60,000	17,10	NU3860	17	NTN				
	380,000	80,000	23,00	SL01-4860	26	NTN				
	380,000	80,000	21,30	SL02-4860	26	NTN				
	400,000	300,000	104,00	4R6014	28	NTN				
	400,000	300,000	104,00	E-4R6014	28	NTN				
	410,000	143,000	55,00	2R6015	24	NTN				
	420,000	56,000	25,40	NU1960	17	NTN				
	420,000	72,000	32,60	NU2960	17	NTN				
	420,000	118,000	53,00	SL01-4960	26	NTN				
	420,000	118,000	51,90	SL02-4960	26	NTN				
	420,000	240,000	103,10	4R6012	28	NTN				
	420,000	240,000	94,50	4R6017	28	NTN				

								Brands		
d	D	B	Kg	Reference						
300,000	420,000	240,000	105,00	4R6023	28	NTN				
	420,000	240,000	117,00	4R6025	28	NTN				
	420,000	240,000	105,00	4R6027	28	NTN				
	420,000	240,000	106,00	E-4R6017	28	NTN				
	420,000	300,000	125,00	4R6015	28	NTN				
	420,000	300,000	130,00	4R6020	28	NTN				
	420,000	300,000	136,00	4R6030	28	NTN				
	420,000	300,000	129,00	4R6040	28	NTN				
	420,000	300,000	125,00	E-4R6015	28	NTN				
	420,000	300,000	130,00	E-4R6020	28	NTN				
	420,000	320,000	136,00	4R6018	28	NTN				
	420,000	320,000	136,00	E-4R6018	28	NTN				
	430,000	165,000	76,30	RNN6011	24	NTN				
	430,000	240,000	115,00	4R6021	28	NTN				
	460,000	74,000	42,90	N1060	20	NTN				
	460,000	74,000	43,60	NJ1060	18	NTN				
	460,000	74,000	43,50	NU1060	17	NTN				
	460,000	74,000	43,60	NUP1060	19	NTN				
	460,000	118,000	65,40	2R6010	24	NTN				
	460,000	118,000	75,20	NU3060	17	NTN				
	460,000	218,000	137,00	SL04-5060NR	26	NTN				
	460,000	270,000	162,00	4R6019	28	NTN				
	460,000	270,000	162,00	E-4R6019	28	NTN				
	466,000	370,000	221,10	E-2R6018	24	NTN				
	480,000	170,000	125,00	SLX300X480X170	26	NTN				
	540,000	85,000	86,40	N260	20	NTN				
	540,000	85,000	88,20	NJ260	18	NTN				
	540,000	85,000	88,20	NU260	17	NTN				
	540,000	85,000	88,20	NUP260	19	NTN				
	540,000	140,000	135,00	N2260	20	NTN				
	540,000	140,000	138,00	NJ2260	18	NTN				
	540,000	140,000	138,00	NU2260	17	NTN				
	540,000	140,000	138,00	NUP2260	19	NTN				
	540,000	145,000	157,00	2RT6016	36	NTN				
	540,000	177,800	182,00	RNU6028	17	NTN				
	540,000	192,000	193,00	NU3260	17	NTN				
	540,000	350,000	360,00	RNNJ6001DF	24	NTN				
	620,000	185,000	316,00	NU2360	17	NTN				
	310,000	430,000	240,000	108,00	4R6202	28	NTN			
		430,000	240,000	108,00	E-4R6202	28	NTN			
320,000	380,000	30,000	8,40	RT6405	36	NTN				
	400,000	60,000	18,10	NU3864	17	NTN				
	400,000	80,000	23,00	SL01-4864	26	NTN				
	400,000	80,000	23,50	SL02-4864	26	NTN				
	440,000	56,000	26,80	NU1964	17	NTN				
	440,000	72,000	28,40	R6410V	17	NTN				
	440,000	90,000	42,20	NU3964	17	NTN				
	440,000	118,000	56,00	SL01-4964	26	NTN				
	440,000	118,000	54,90	SL02-4964	26	NTN				
	440,000	236,000	110,00	SL02-496402	26	NTN				
	440,000	240,000	106,00	4R6414	28	NTN				
	440,000	240,000	106,00	E-4R6414	28	NTN				
	450,000	240,000	125,00	4R6411	28	NTN				
	450,000	240,000	125,00	E-4R6411	28	NTN				
	460,000	340,000	178,00	4R6412	28	NTN				
	460,000	340,000	178,00	E-4R6412	28	NTN				
	470,000	350,000	212,00	4R6406	28	NTN				
	470,000	350,000	212,00	E-4R6406	28	NTN				
480,000	74,000	45,30	N1064	20	NTN					
480,000	74,000	46,00	NJ1064	18	NTN					

								Brands		
d	D	B	Kg	Reference						
320,000	480,000	74,000	46,00	NU1064	17	NTN				
	480,000	74,000	46,00	NUP1064	19	NTN				
	480,000	121,000	81,20	NU3064	17	NTN				
	480,000	175,000	110,00	RNNU6414	24	NTN				
	480,000	218,000	144,00	SL04-5064NR	26	NTN				
	500,000	71,000	53,70	RNF6404	22	NTN				
	520,000	176,000	128,00	RN6407	17	NTN				
	540,000	176,000	175,00	NU3164	17	NTN				
	580,000	92,000	109,00	N264	20	NTN				
	580,000	92,000	111,00	NJ264	18	NTN				
	580,000	92,000	111,00	NU264	17	NTN				
	580,000	92,000	111,00	NUP264	19	NTN				
	580,000	150,000	168,00	N2264	20	NTN				
	580,000	150,000	172,00	NJ2264	18	NTN				
	580,000	150,000	172,00	NU2264	17	NTN				
	580,000	150,000	172,00	NUP2264	19	NTN				
	580,000	160,000	196,00	RNU6411	17	NTN				
	580,000	160,000	196,00	RNU6416	17	NTN				
	580,000	160,000	192,00	RNU6424	17	NTN				
	580,000	190,500	210,00	RNU6422	17	NTN				
	622,300	268,000	330,00	RE6405	17	NTN				
	670,000	200,000	402,00	NU2364	17	NTN				
	670,000	202,000	302,00	RNU6407	17	NTN				
	323,850	444,500	85,725	40,70	RN6502	17	NTN			
	330,000	440,000	200,000	83,60	4R6603	28	NTN			
		440,000	200,000	85,60	4R6608	28	NTN			
		440,000	200,000	83,60	E-4R6603	28	NTN			
		460,000	340,000	177,00	4R6602	28	NTN			
		460,000	340,000	181,00	4R6605	28	NTN			
		460,000	340,000	181,00	E-4R6605	28	NTN			
340,000	420,000	80,000	25,60	SL01-4868	26	NTN				
	420,000	80,000	24,80	SL02-4868	26	NTN				
	440,000	143,000	49,60	E-2R6805	24	NTN				
	460,000	56,000	28,20	NU1968	17	NTN				
	460,000	72,000	33,90	NU2968	17	NTN				
	460,000	118,000	57,60	SL01-4968	26	NTN				
	460,000	118,000	57,80	SL02-4968	26	NTN				
	480,000	350,000	211,00	4R6819	28	NTN				
	480,000	370,000	198,00	4R6811	28	NTN				
	480,000	370,000	198,00	E-4R6811	28	NTN				
	490,000	300,000	187,00	4R6804	28	NTN				
	490,000	300,000	189,00	4R6805	28	NTN				
	490,000	300,000	187,00	E-4R6804	28	NTN				
	520,000	82,000	60,50	N1068	20	NTN				
	520,000	82,000	61,80	NJ1068	18	NTN				
	520,000	82,000	61,80	NU1068	17	NTN				
	520,000	82,000	61,80	NUP1068	19	NTN				
	520,000	133,000	108,00	NU3068	17	NTN				
	520,000	243,000	190,00	SL04-5068	26	NTN				
	520,000	243,000	194,00	SL04-5068NR	26	NTN				
	580,000	190,000	204,00	NU3168	17	NTN				
	590,000	210,000	235,00	RNU6808	17	NTN				
	600,000	170,000	225,00	RNU6805	17	NTN				
	620,000	165,000	260,00	NU2268	17	NTN				
	620,000	224,000	316,00	N268	20	NTN				
	620,000	224,000	316,00	NU3268	17	NTN				
	710,000	118,000	246,00	NU368	17	NTN				
	710,000	212,000	477,00	NU2368	17	NTN				

								Brands		
d	D	B	Kg	Reference						
342,900	457,200	57,150	27,40	RNJ6901	18	NTN				
350,000	600,000	190,000	240,00	SLX350X600X190	26	NTN				
	600,000	280,000	270,00	SLX350X600X280	26	NTN				
354,600	550,000	400,000	355,00	4R7108	28	NTN				
355,600	495,300	208,000	90,00	R71055	17	NTN				
356,760	550,000	400,000	354,00	4R7105K	28	NTN				
359,845	540,000	180,000	146,50	E-RNU7204	17	NTN				
360,000	440,000	38,000	11,90	NU1872	17	NTN				
	440,000	60,000	20,10	NU3872	17	NTN				
	440,000	80,000	27,00	SL01-4872	26	NTN				
	440,000	80,000	26,00	SL02-4872	26	NTN				
	480,000	56,000	29,60	NU1972	17	NTN				
	480,000	72,000	38,00	NU2972	17	NTN				
	480,000	118,000	62,00	SL01-4972	26	NTN				
	480,000	118,000	60,80	SL02-4972	26	NTN				
	480,000	290,000	148,00	4R7207	28	NTN				
	480,000	290,000	148,00	4R7214	28	NTN				
	500,000	125,000	81,00	RNNU7205	24	NTN				
	500,000	250,000	146,00	4R7219	28	NTN				
	510,000	370,000	244,00	4R7212	28	NTN				
	510,000	400,000	262,00	4R7203	28	NTN				
	510,000	400,000	251,00	4R7205	28	NTN				
	510,000	400,000	262,00	E-4R7203	28	NTN				
	540,000	82,000	63,70	N1072	20	NTN				
	540,000	82,000	64,70	NJ1072	18	NTN				
	540,000	82,000	64,70	NU1072	17	NTN				
	540,000	82,000	64,70	NUP1072	19	NTN				
	540,000	134,000	114,00	NU3072	17	NTN				
	540,000	243,000	203,00	SL04-5072NR	26	NTN				
	600,000	192,000	232,00	NU3172A	17	NTN				
610,000	210,000	250,00	RNU7205	17	NTN					
650,000	170,000	250,00	NU2272	17	NTN					
650,000	170,000	245,00	R7207	17	NTN					
650,000	172,000	218,00	RNU7203	17	NTN					
650,000	232,000	369,00	N272	20	NTN					
650,000	232,000	356,00	NU3272	17	NTN					
750,000	224,000	562,00	NU2372	17	NTN					
370,000	480,000	230,000	106,00	4R7405	28	NTN				
	480,000	230,000	106,00	E-4R7405	28	NTN				
	480,000	250,000	118,00	4R7408	28	NTN				
	520,000	380,000	256,00	4R7411	28	NTN				
	520,000	400,000	273,00	4R7404	28	NTN				
	520,000	400,000	273,00	E-4R7404	28	NTN				
	550,000	400,000	341,00	4R7414	28	NTN				
380,000	480,000	100,000	45,30	SL01-4876	26	NTN				
	480,000	100,000	44,00	SL02-4876	26	NTN				
	520,000	65,000	42,90	NU1976	17	NTN				
	520,000	82,000	55,00	NF2976	22	NTN				
	520,000	82,000	54,10	NU2976	17	NTN				
	520,000	140,000	92,30	SL01-4976	26	NTN				
	520,000	140,000	90,50	SL02-4976	26	NTN				
	520,000	190,000	110,00	SLX380X520X190	26	NTN				
	520,000	280,000	174,00	4R7605	28	NTN				
	520,000	280,000	174,00	E-4R7605	28	NTN				

				Brands			
d	D	B	Kg	Reference			
380,000	520,000	290,000	185,00	4R7617	28	NTN	
	520,000	300,000	210,00	4R7607	28	NTN	
	520,000	300,000	210,00	E-4R7607	28	NTN	
	540,000	400,000	325,00	4R7604	28	NTN	
	540,000	400,000	300,00	4R7612	28	NTN	
	540,000	400,000	298,00	4R7613	28	NTN	
	540,000	400,000	309,00	4R7618	28	NTN	
	540,000	400,000	325,00	E-4R7604	28	NTN	
	560,000	82,000	66,10	N1076	20	NTN	
	560,000	82,000	67,50	NJ1076	18	NTN	
	560,000	82,000	67,50	NU1076	17	NTN	
	560,000	82,000	67,50	NUP1076	19	NTN	
	560,000	135,000	120,00	NU3076	17	NTN	
	560,000	243,000	212,00	SL04-5076NR	26	NTN	
	570,000	135,000	111,00	2R7603	24	NTN	
	620,000	200,000	268,00	SLX380X620X200	26	NTN	
	620,000	280,000	280,00	SLX380X620X280	26	NTN	
	657,000	410,000	600,00	E-2R7615	24	NTN	
	680,000	175,000	326,00	NU2276	17	NTN	
	680,000	177,000	295,00	RNU7611	17	NTN	
	680,000	240,000	348,00	2RNU7605	24	NTN	
	680,000	240,000	355,00	2RNU7606	24	NTN	
	680,000	240,000	400,00	N276	20	NTN	
	680,000	240,000	400,00	NU3276	17	NTN	
	400,000	500,000	46,000	19,20	RN8005	17	NTN
		500,000	75,000	35,40	NU3880	17	NTN
		540,000	112,000	79,70	RT8010	36	NTN
		540,000	140,000	96,40	SL01-4980	26	NTN
		540,000	140,000	94,60	SL02-4980	26	NTN
		560,000	400,000	303,00	4R8007	28	NTN
		560,000	400,000	303,00	E-4R8007	28	NTN
		560,000	410,000	349,00	4R8010	28	NTN
		560,000	410,000	349,00	E-4R8010	28	NTN
		570,000	250,000	214,00	E-RNNU8013	24	NTN
		590,000	420,000	399,00	4R8011	28	NTN
		600,000	90,000	87,60	F-NU1080	17	NTN
		600,000	90,000	86,30	N1080	20	NTN
		600,000	90,000	87,60	NJ1080	18	NTN
		600,000	90,000	87,60	NU1080	17	NTN
		600,000	90,000	87,60	NUP1080	19	NTN
600,000		148,000	155,00	NU3080	17	NTN	
600,000		272,000	281,00	SL04-5080NR	26	NTN	
655,000		285,000	396,00	RNNU8016	24	NTN	
720,000		187,000	290,00	RNU8005	17	NTN	
720,000		256,000	451,00	NU3280	17	NTN	
405,000		730,000	195,000	335,00	RNU8102	17	NTN
410,000		546,000	400,000	256,00	E-4R8201	28	NTN
420,000	520,000	46,000	20,90	NFV1884	22	NTN	
	560,000	65,000	44,00	N1984K	20	NTN	
	560,000	65,000	46,70	NU1984	17	NTN	
	560,000	82,000	59,00	NU2984	17	NTN	
	560,000	140,000	101,00	SL01-4984	26	NTN	
	560,000	140,000	98,60	SL02-4984	26	NTN	
	560,000	280,000	189,00	4R8403	28	NTN	
	560,000	280,000	189,00	E-4R8403	28	NTN	
	580,000	230,000	181,00	4R8404	28	NTN	
	580,000	230,000	181,00	E-4R8404	28	NTN	
	600,000	440,000	423,00	4R8407	28	NTN	

				Brands			
d	D	B	Kg	Reference			
420,000	620,000	90,000	89,60	N1084	20	NTN	
	620,000	90,000	91,00	NJ1084	18	NTN	
	620,000	90,000	91,00	NU1084	17	NTN	
	620,000	90,000	91,00	NUP1084	19	NTN	
	620,000	272,000	292,00	SL04-5084NR	26	NTN	
	620,000	400,000	410,00	4R8401	28	NTN	
	620,000	400,000	410,00	E-4R8401	28	NTN	
	700,000	224,000	340,00	NU3184	17	NTN	
	700,000	280,000	440,70	2RNU8404	24	NTN	
	730,000	230,000	460,00	2RNU8403	24	NTN	
	740,000	320,000	565,00	2RE8404	24	NTN	
	760,000	272,000	548,00	NU3284	17	NTN	
	760,000	280,000	558,00	RNNU8413	24	NTN	
	430,000	591,000	420,000	362,00	4R8605	28	NTN
	432,000	610,000	102,000	102,00	2RT8608	36	NTN
	440,000	540,000	45,000	39,00	2RT8807	36	NTN
		540,000	46,000	22,20	NFV1888	22	NTN
		600,000	95,000	82,80	NF2988	22	NTN
		600,000	95,000	82,00	NU2988	17	NTN
		600,000	160,000	139,00	SL01-4988	26	NTN
600,000		160,000	137,00	SL02-4988	26	NTN	
600,000		450,000	392,00	4R8805	28	NTN	
600,000		450,000	392,00	4R8806	28	NTN	
620,000		450,000	437,00	4R8801	28	NTN	
620,000		450,000	450,00	4R8803	28	NTN	
620,000		450,000	437,00	E-4R8801	28	NTN	
650,000		94,000	103,00	N1088	20	NTN	
650,000		94,000	105,00	NJ1088	18	NTN	
650,000		94,000	105,00	NU1088	17	NTN	
650,000		94,000	105,00	NUP1088	19	NTN	
650,000		157,000	188,00	NU3088	17	NTN	
650,000		280,000	331,00	SL04-5088NR	26	NTN	
670,000		160,000	186,00	2RT18801	36	NTN	
780,000	280,000	630,00	2RNU8802	24	NTN		
780,000	280,000	630,00	2RNU8804	24	NTN		
450,000	680,000	190,000	272,00	2RT19004V	36	NTN	
	680,000	280,000	284,00	2RT19005V	36	NTN	
457,000	660,000	102,000	105,00	2RT9101	36	NTN	
457,200	660,400	228,600	236,00	RNNU9103	24	NTN	
460,000	580,000	56,000	34,90	NFV1892	22	NTN	
	580,000	72,000	47,10	NU2892	17	NTN	
	620,000	74,000	65,20	E-NU1992	17	NTN	
	620,000	400,000	341,00	4R9209	28	NTN	
	620,000	400,000	383,00	4R9211	28	NTN	
	620,000	400,000	341,00	E-4R9209	28	NTN	
	620,000	400,000	383,00	E-4R9211	28	NTN	
	620,000	460,000	417,00	4R9223	28	NTN	
	650,000	470,000	540,00	4R9216	28	NTN	
	650,000	470,000	540,00	E-4R9216	28	NTN	
	680,000	100,000	120,00	N1092	20	NTN	
	680,000	100,000	122,00	NJ1092	18	NTN	
	680,000	100,000	122,00	NU1092	17	NTN	
	680,000	100,000	122,00	NUP1092	19	NTN	
	710,000	150,000	240,00	2RT9202	36	NTN	
	820,000	200,000	466,00	RNU9211	17	NTN	

								Brands		
d	D	B	Kg	Reference						
470,000	660,000	470,000	529,00	4R9403	28	NTN				
	810,000	300,000	680,00	2RNU9406	24	NTN				
	870,000	210,000	563,00	RNU9403	17	NTN				
	890,000	325,000	945,00	2RNU9404	24	NTN				
480,000	600,000	236,000	155,00	4R9610	28	NTN				
	650,000	78,000	78,16	NF1996	22	NTN				
	650,000	78,000	73,10	NU1996	17	NTN				
	650,000	78,000	64,70	R9605	17	NTN				
	650,000	100,000	101,00	NU2996	17	NTN				
	650,000	420,000	369,00	4R9607	28	NTN				
	650,000	420,000	423,00	4R9613	28	NTN				
	650,000	420,000	369,00	E-4R9607	28	NTN				
	650,000	450,000	395,00	E-4R9609	28	NTN				
	680,000	250,000	295,00	RNNU9606	24	NTN				
	680,000	500,000	640,00	4R9604	28	NTN				
	680,000	500,000	640,00	E-4R9604	28	NTN				
	700,000	100,000	124,00	N1096	20	NTN				
	700,000	100,000	126,00	NJ1096	18	NTN				
	700,000	100,000	126,00	NU1096	17	NTN				
	700,000	100,000	126,00	NUP1096	19	NTN				
	790,000	308,000	552,00	2RT19607	36	NTN				
	875,000	260,000	724,00	2RNU9610	24	NTN				
	960,000	175,000	562,00	2RT9605	36	NTN				
	500,000	600,000	46,000	23,60	RN10005	17	NTN			
620,000		56,000	37,68	NF18/500	22	NTN				
620,000		56,000	38,60	NU18/500	17	NTN				
620,000		72,000	50,70	NU28/500	17	NTN				
670,000		78,000	81,30	NU19/500	17	NTN				
680,000		420,000	495,00	4R10010	28	NTN				
680,000		420,000	451,00	4R10020	28	NTN				
680,000		420,000	495,00	E-4R10010	28	NTN				
690,000		470,000	590,00	4R10016	28	NTN				
690,000		470,000	590,00	E-4R10016	28	NTN				
690,000		510,000	640,00	4R10006	28	NTN				
690,000		510,000	640,00	E-4R10006	28	NTN				
700,000		515,000	680,00	4R10011	28	NTN				
700,000		515,000	680,00	E-4R10011	28	NTN				
710,000		480,000	675,00	4R10008	28	NTN				
710,000		480,000	675,00	E-4R10008	28	NTN				
720,000		100,000	128,00	N10/500	20	NTN				
720,000		100,000	130,00	NJ10/500	18	NTN				
720,000		100,000	134,00	NU10/500	17	NTN				
720,000		100,000	130,00	NUP10/500	19	NTN				
720,000		270,000	360,00	RNNU10024	24	NTN				
720,000		530,000	780,00	4R10015	28	NTN				
720,000		530,000	745,00	4R10024	28	NTN				
720,000		530,000	780,00	E-4R10015	28	NTN				
800,000		350,000	690,00	RNN10005	24	NTN				
830,000		264,000	588,00	NU31/500	17	NTN				
900,000		210,000	598,00	RNU10010	17	NTN				
920,000		336,000	1 020,00	2RNU10006	24	NTN				
505,000		820,000	290,000	656,00	2RNU10101	24	NTN			
510,000	670,000	320,000	335,00	4R10201	28	NTN				
	670,000	320,000	335,00	E-4R10201	28	NTN				
	700,000	540,000	689,00	4R10202	28	NTN				
	700,000	540,000	689,00	E-4R10202	28	NTN				
520,000	640,000	175,000	112,40	RNNU10407	24	NTN				

								Brands	
d	D	B	Kg	Reference					
520,000	700,000	540,000	658,00	4R10403	28	NTN			
	700,000	540,000	658,00	E-4R10403	28	NTN			
	720,000	550,000	715,00	4R10406	28	NTN			
	735,000	390,000	422,00	ER10406V	17	NTN			
	735,000	535,000	740,00	4R10402	28	NTN			
	735,000	535,000	740,00	E-4R10402	28	NTN			
	1 000,000	140,000	446,00	2RT10404	36	NTN			
521,333	800,000	100,000	188,00	R10405K	17	NTN			
530,000	650,000	56,000	37,70	NFV18/530	22	NTN			
	650,000	56,000	41,60	NU18/530	17	NTN			
	650,000	72,000	51,50	NJ28/530	18	NTN			
	700,000	540,000	626,00	4R10603	28	NTN			
	700,000	540,000	626,00	E-4R10603	28	NTN			
	710,000	82,000	95,90	NU19/530	17	NTN			
	710,000	106,000	124,00	NU29/530	17	NTN			
	760,000	520,000	800,00	4R10601	28	NTN			
	760,000	520,000	800,00	E-4R10601	28	NTN			
	780,000	112,000	192,00	NU10/530	17	NTN			
	780,000	185,000	318,00	NU30/530	17	NTN			
	780,000	570,000	1 010,00	4R10602	28	NTN			
	780,000	570,000	978,00	4R10606	28	NTN			
	780,000	570,000	1 010,00	E-4R10602	28	NTN			
	920,000	330,000	976,00	2RNU10602	24	NTN			
	536,180	762,030	558,800	859,00	4R10704	28	NTN		
540,000	705,000	100,000	98,50	RT10802	36	NTN			
	960,000	343,000	1 170,00	2RNU10803	24	NTN			
550,000	800,000	520,000	965,00	4R11001	28	NTN			
	800,000	520,000	965,00	E-4R11001	28	NTN			
559,000	762,000	102,000	144,00	2RT11213	36	NTN			
560,000	660,000	50,000	50,00	2RT11207	36	NTN			
	680,000	72,000	56,10	NU28/560	17	NTN			
	680,000	90,000	72,70	NU38/560	17	NTN			
	680,000	360,000	265,00	4R11202	28	NTN			
	680,000	360,000	265,00	E-4R11202	28	NTN			
	735,000	170,000	220,00	RNNU11208	24	NTN			
	740,000	240,000	280,00	RNNU11207	24	NTN			
	750,000	85,000	112,00	NFV19/560	22	NTN			
	750,000	85,000	91,40	NU19/560	17	NTN			
	750,000	112,000	146,00	NU29/560	17	NTN			
570,000	820,000	115,000	216,00	NU10/560	17	NTN			
	850,000	175,000	387,00	2RT11215	36	NTN			
	880,000	260,000	546,00	2R11203	24	NTN			
	800,000	514,000	849,00	4R11404	28	NTN			
	815,000	594,000	1 040,00	4R11402	28	NTN			
	815,000	594,000	1 040,00	E-4R11402	28	NTN			
575,000	950,000	270,000	807,00	RNNU11501	24	NTN			
580,000	670,000	54,000	31,00	RT11704	36	NTN			
	680,000	110,000	65,70	RNNU11601	24	NTN			
	780,000	100,000	140,00	RNU11601	17	NTN			
	1 000,000	350,000	1 200,00	2RNU11603	24	NTN			
	1 070,000	220,000	965,00	RNU11604	17	NTN			

								Brands	
d	D	B	Kg	Reference					
600,000	730,000	78,000	70,70	NU28/600	17	NTN			
	800,000	90,000	132,00	NU19/600	17	NTN			
	800,000	90,000	109,00	R12001	17	NTN			
	800,000	118,000	170,00	N29/600	20	NTN			
	800,000	118,000	165,00	NFV29/600	22	NTN			
	800,000	118,000	171,19	NU29/600	17	NTN			
	820,000	575,000	941,00	4R12006	28	NTN			
	820,000	575,000	980,00	E-4R12003	28	NTN			
	870,000	200,000	416,00	NU30/600	17	NTN			
	870,000	540,000	1 150,00	4R12002	28	NTN			
	870,000	540,000	1 150,00	E-4R12002	28	NTN			
	870,000	640,000	1 330,00	4R12001	28	NTN			
	870,000	640,000	1 330,00	E-4R12001	28	NTN			
	1 130,000	175,000	660,00	2RT12013	36	NTN			
	1 130,000	175,000	660,00	2RT12015	36	NTN			
	605,000	960,000	125,000	326,00	2RT12101	36	NTN		
980,000		290,000	935,00	2RNU12101	24	NTN			
610,000	813,000	102,000	186,00	2RT12201	36	NTN			
	850,000	290,000	516,00	RNNU12203	24	NTN			
	870,000	660,000	1 400,00	4R12202	28	NTN			
	870,000	660,000	1 400,00	E-4R12202	28	NTN			
628,000	922,000	600,000	1 430,00	4R12602	28	NTN			
630,000	780,000	69,000	72,80	NFV18/630	22	NTN			
	780,000	88,000	97,50	NU28/630	17	NTN			
	850,000	100,000	166,00	NF19/630	22	NTN			
	850,000	100,000	162,00	NU19/630	17	NTN			
	850,000	128,000	218,00	NU29/630	17	NTN			
	920,000	128,000	302,00	NU10/630	17	NTN			
640,000	880,000	600,000	1 150,00	4R12802	28	NTN			
650,000	730,000	57,000	29,00	RT13004	36	NTN			
	780,000	100,000	80,30	RT13001	36	NTN			
	920,000	670,000	1 500,00	4R13005	28	NTN			
	920,000	670,000	1 500,00	E-4R13005	28	NTN			
	920,000	680,000	1 510,00	4R13010	28	NTN			
	920,000	690,000	1 550,00	4R13003	28	NTN			
	920,000	690,000	1 550,00	E-4R13003	28	NTN			
660,000	820,000	440,000	580,00	4R13201	28	NTN			
	820,000	440,000	580,00	E-4R13201	28	NTN			
663,800	740,000	38,100	21,20	RNUP13301	19	NTN			
670,000	820,000	69,000	75,00	NFV18/670	22	NTN			
	820,000	88,000	103,00	NU28/670	17	NTN			
	820,000	112,000	136,00	NU38/670	17	NTN			
	900,000	103,000	195,00	NU19/670	17	NTN			
	900,000	136,000	257,00	NU29/670	17	NTN			
	900,000	200,000	330,00	R3402	17	NTN			
	1 130,000	200,000	860,00	2RT14003	36	NTN			
	1 150,000	380,000	1 570,00	RNNU13404	24	NTN			
	1 160,000	410,000	1 790,00	2RNU13401	24	NTN			
677,000	1 060,000	127,000	390,00	2RT13502	36	NTN			
680,000	840,000	180,000	216,00	RNN13602	24	NTN			
	1 020,000	650,000	1 970,00	4R13603	28	NTN			

								Brands	
d	D	B	Kg	Reference					
680,000	1 020,000	680,000	2 060,00	4R13604	28	NTN			
690,000	980,000	715,000	1 850,00	4R13802	28	NTN			
	980,000	715,000	1 850,00	E-4R13802	28	NTN			
	980,000	750,000	1 900,00	4R13803	28	NTN			
700,000	930,000	620,000	1 200,00	E-4R14003	28	NTN			
710,000	900,000	112,000	172,00	RN14205	17	NTN			
	950,000	106,000	221,00	NU19/710	17	NTN			
	950,000	140,000	232,00	NJ29/710	18	NTN			
	950,000	140,000	287,34	NU29/710	17	NTN			
	950,000	145,000	312,00	2RT14208	36	NTN			
	950,000	345,000	628,00	2RT14204	36	NTN			
	1 000,000	715,000	1 900,00	4R14205	28	NTN			
	1 000,000	715,000	1 900,00	E-4R14205	28	NTN			
725,000	1 030,000	236,000	677,00	NU30/710	17	NTN			
730,000	1 000,000	700,000	1 730,00	4R14501	28	NTN			
	1 000,000	700,000	1 730,00	E-4R14501	28	NTN			
740,000	1 280,000	225,000	1 130,00	2RT15002	36	NTN			
750,000	1 000,000	115,000	264,00	RNU14801	17	NTN			
	1 000,000	112,000	257,00	NU19/750	17	NTN			
	1 000,000	145,000	332,00	NU29/750	17	NTN			
	1 050,000	745,000	2 180,00	4R15001	28	NTN			
	1 050,000	745,000	2 180,00	E-4R15001	28	NTN			
	1 090,000	745,000	2 530,00	4R15002	28	NTN			
755,000	1 090,000	745,000	2 530,00	E-4R15002	28	NTN			
	1 070,000	750,000	2 260,00	4R15101	28	NTN			
760,000	840,000	57,000	34,15	RT15207	36	NTN			
	1 030,000	750,000	2 000,00	4R15204	28	NTN			
	1 030,000	750,000	2 000,00	E-4R15204	28	NTN			
	1 080,000	805,000	2 550,00	4R15207	28	NTN			
	1 080,000	805,000	2 550,00	E-4R15207	28	NTN			
	1 100,000	745,000	2 560,00	4R15203	28	NTN			
	1 100,000	745,000	2 560,00	E-4R15203	28	NTN			
761,430	1 079,600	787,400	2 420,00	4R15201	28	NTN			
765,000	1 250,000	175,000	772,00	2RT15302	36	NTN			
793,000	1 055,000	100,000	223,00	2RT15901	36	NTN			
800,000	950,000	90,000	120,00	RT16005	36	NTN			
	980,000	106,000	169,00	NFV28/800	22	NTN			
	980,000	106,000	178,00	NU28/800	17	NTN			
	1 060,000	150,000	380,00	NU29/800	17	NTN			
	1 080,000	700,000	1 950,00	4R16004	28	NTN			
	1 080,000	700,000	1 950,00	E-4R16004	28	NTN			
	1 080,000	750,000	2 090,00	4R16005	28	NTN			
	1 080,000	750,000	2 090,00	E-4R16005	28	NTN			
	1 150,000	155,000	554,00	NU10/800	17	NTN			
1 373,124	192,024	1 200,00	2RT16009	36	NTN				
812,700	1 016,000	127,000	258,00	2RT16301	36	NTN			
820,000	1 130,000	800,000	2 450,00	4R16406	28	NTN			

								Brands	
d	D	B	Kg	Reference					
820,000	1 130,000	800,000	2 530,00	4R16413	28	NTN			
	1 130,000	800,000	2 530,00	4R16415	28	NTN			
	1 130,000	800,000	2 450,00	E-4R16406	28	NTN			
	1 130,000	825,000	2 520,00	4R16405	28	NTN			
	1 130,000	825,000	2 520,00	E-4R16405	28	NTN			
	1 160,000	840,000	2 930,00	4R16403	28	NTN			
	1 160,000	840,000	2 930,00	E-4R16403	28	NTN			
830,000	1 040,000	115,000	219,00	RNU16603	17	NTN			
	1 080,000	710,000	1 780,00	4R16601	28	NTN			
	1 090,000	115,000	285,00	RNU16602	17	NTN			
	1 090,000	115,000	281,00	RNU16604	17	NTN			
838,200	1 041,400	88,900	182,00	E-RNF16801	22	NTN			
840,000	1 160,000	840,000	2 840,00	4R16801	28	NTN			
	1 160,000	840,000	2 840,00	E-4R16801	28	NTN			
850,000	1 030,000	106,000	188,00	NU28/850	17	NTN			
	1 050,000	125,000	245,00	RNJ17002	18	NTN			
	1 120,000	118,000	271,00	NU19/850	17	NTN			
	1 120,000	155,000	432,00	NU29/850	17	NTN			
	1 120,000	160,000	460,00	2RT17002	36	NTN			
	1 150,000	650,000	1 980,00	4R17001	28	NTN			
	1 150,000	650,000	1 980,00	E-4R17001	28	NTN			
	1 150,000	800,000	2 430,00	4R17003	28	NTN			
	1 150,000	800,000	2 430,00	E-4R17003	28	NTN			
	1 150,000	840,000	2 640,00	4R17009	28	NTN			
	1 180,000	650,000	2 270,00	4R17004	28	NTN			
	1 180,000	650,000	2 270,00	E-4R17004	28	NTN			
	1 180,000	850,000	2 970,00	4R17002	28	NTN			
	1 180,000	850,000	2 980,00	4R17014	28	NTN			
	1 180,000	850,000	2 970,00	E-4R17002	28	NTN			
860,000	1 140,000	750,000	2 200,00	4R17202	28	NTN			
	1 160,000	735,000	2 310,00	4R17201	28	NTN			
	1 160,000	735,000	2 310,00	E-4R17201	28	NTN			
863,600	1 066,800	146,050	309,00	E-RNF17301	22	NTN			
900,000	1 060,000	130,000	220,00	RT18003	36	NTN			
	1 230,000	895,000	3 250,00	4R18001	28	NTN			
	1 230,000	895,000	3 250,00	E-4R18001	28	NTN			
	1 375,000	200,000	987,00	2RT18001	36	NTN			
910,000	1 430,000	180,000	945,00	2RT18204	36	NTN			
920,000	1 280,000	865,000	3 560,00	4R18401	28	NTN			
	1 280,000	865,000	3 560,00	E-4R18401	28	NTN			
945,000	1 055,000	60,000	67,00	RT19008	36	NTN			
950,000	1 250,000	180,000	644,00	2RT19008	36	NTN			
970,000	1 550,000	200,000	1 225,00	2RT19402	36	NTN			
980,000	1 600,000	175,000	1 250,00	2RT19602	36	NTN			
	1 600,000	181,000	1 256,00	2RT19606	36	NTN			
	1 600,000	190,000	1 520,00	2RT19605	36	NTN			
1 000,000	1 310,000	880,000	3 260,00	4R20001	28	NTN			
	1 310,000	880,000	3 260,00	E-4R20001	28	NTN			

								Brands	
d	D	B	Kg	Reference					
1 000,000	1 360,000	800,000	3 530,00	4R20002	28	NTN			
	1 360,000	800,000	3 530,00	E-4R20002	28	NTN			
1 023,000	1 600,000	192,000	1 410,00	2RT20501	36	NTN			
1 030,000	1 380,000	850,000	3 800,00	4R20601	28	NTN			
	1 380,000	850,000	3 800,00	E-4R20601	28	NTN			
1 060,000	1 400,000	195,000	855,00	NU29/1060	17	NTN			
1 090,000	1 580,000	175,000	1 288,00	2RT21801	36	NTN			
1 093,600	1 601,724	192,024	1 370,00	2RT21904	36	NTN			
1 093,724	1 601,724	192,024	1 453,00	2RT21902	36	NTN			
1 105,000	1 600,000	175,000	1 165,00	2RT22101	36	NTN			
1 110,000	1 750,000	220,000	1 829,00	2RT20006	36	NTN			
1 130,000	1 750,000	190,000	1 350,00	2RT22604	36	NTN			
1 180,000	1 540,000	206,000	1 060,00	NU29/1180	17	NTN			
	1 540,000	206,000	1 090,00	NUP29/1180	19	NTN			
1 200,000	1 590,000	1 050,000	6 220,00	4R24002	28	NTN			
	1 590,000	1 050,000	6 220,00	E-4R24002	28	NTN			
1 210,000	1 380,000	97,000	206,00	R4803	17	NTN			
	1 700,000	200,000	1 320,00	2RT24201	36	NTN			
1 250,000	1 630,000	170,000	975,00	NU19/1250	17	NTN			
1 260,000	1 580,000	335,000	1 580,00	E-RNU25201	17	NTN			
	1 850,000	240,000	2 260,00	2RT25201	36	NTN			
1 410,000	2 000,000	200,000	1 870,00	2RT28205	36	NTN			
	2 000,000	200,000	1 602,00	2RT28206	36	NTN			
	2 100,000	240,000	2 760,00	2RT28204	36	NTN			
1 440,000	1 580,000	97,000	237,00	R8803	17	NTN			
1 600,000	1 795,000	111,000	380,00	RT32503	36	NTN			

