



Tapered roller bearing



Kegelrollenlager



Rodamientos de rodillos cónicos



Конические роликоподшипники



Roulements à rouleaux coniques



Cuscintetti a rulli conici



Rolamentos de rolos cónicos



Łożyska stożkowe







Classification by references – Classification par références

Klassifizierung nach Referenzen – Classificazione per codice






Clasificación por referencias – Classificação por referências

Классификация по кодам – Klasyfikacja wg numerów katalogowych





Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-02420		68,262		17,462			0,15	29	NTN
4T-02473	25,400		22,225				0,28	29	NTN
4T-02473/02420	25,400	68,262	22,225	17,462	22,225		0,43	29	NTN
4T-02474	28,575		22,225				0,26	29	NTN
4T-02474/02420	28,575	68,262	22,225	17,462	22,225		0,41	29	NTN
4T-02475	31,750		22,225				0,23	29	NTN
4T-02475/02420	31,750	68,262	22,225	17,462	22,225		0,38	29	NTN
4T-02476	31,750		22,225				0,23	29	NTN
4T-02476/02420	31,750	68,262	22,225	17,462	22,225		0,38	29	NTN
4T-02820		73,025		17,462			0,16	29	NTN
4T-02872	28,575		22,225				0,32	29	NTN
4T-02872/02820	28,575	73,025	22,225	17,462	22,225		0,48	29	NTN
4T-02875	31,750		22,225				0,29	29	NTN
4T-02875/02820	31,750	73,025	22,225	17,462	22,225		0,45	29	NTN
4T-02877	34,925		22,225				0,26	29	NTN
4T-02877/02820	34,925	73,025	22,225	17,462	23,812		0,42	29	NTN
4T-02878	34,925		22,225				0,27	29	NTN
4T-02878/02820	34,925	73,025	22,225	17,462	22,225		0,43	29	NTN
4T-03062	15,875		14,681				0,06	29	NTN
4T-03062/03162	15,875	41,275	14,681	11,112	14,681		0,09	29	NTN
4T-03162		41,275		11,112			0,04	29	NTN
4T-CR-0468	21,430	50,005	13,470	17,788	17,788		0,16	29	NTN
4T-05062	15,875		14,381				0,08	29	NTN
4T-05062/05185	15,875	47,000	14,381	11,112	14,381		0,13	29	NTN
4T-05066/05185	16,993	47,000	14,381	11,112	14,381		0,13	29	NTN
4T-05068	17,462		14,381				0,08	29	NTN
4T-05075	19,050		14,381				0,08	29	NTN
4T-05075/05185	19,050	47,000	14,381	11,112	14,381		0,12	29	NTN
4T-05079	19,987		14,381				0,07	29	NTN
4T-05079/05185	20,000	47,000	14,381	11,112	14,381		0,12	29	NTN
4T-05079/05185S	20,000	47,000	14,381	11,112	14,381		0,12	29	NTN
4T-05175		44,450		11,430			0,03	29	NTN
4T-05185		47,000		11,112			0,05	29	NTN
4T-05185S		47,000		11,112			0,05	29	NTN
4T-CR-0566	25,000	52,000	18,000	15,000	19,250		0,19	29	NTN
4T-CR-0574	26,010	47,000	13,000	11,500	15,000		0,06	29	NTN
4T-CR-0594	23,812	50,005	14,260	9,525	14,260		0,11	29	NTN
4T-CR-0620	28,000	58,000	20,000	16,000	20,000		0,25	29	NTN
4T-CR-0627	30,000	51,000	15,000	11,000	15,000		0,12	29	NTN
4T-CR-0643	30,000	52,000	16,000	11,500	16,000		0,13	29	NTN
4T-CR-0643L	30,000	52,000	16,000	11,500	16,000		0,13	29	NTN
4T-CR-0659	32,000	65,000	26,000	15,000	27,250		0,31	29	NTN
4T-CR-0676	28,000	50,292	16,724	10,668	16,724		0,11	29	NTN
4T-CR-0678	31,750	59,131	16,167	11,811	16,167		0,18	29	NTN
4T-CR-0687	31,750	54,000	15,000	15,000	15,000		0,13	29	NTN
4T-CR1-0691	30,000	69,012	46,040				0,86	30	NTN
4T-CR1-0695LL	30,000	60,037	37,000				0,48	30	NTN
4T-CR-06A84	29,000	50,292	17,547	10,668	17,547		0,12	29	NTN
CRTD0701	36,000	120,000	240,000				13,80	38	NTN
E-E07057/107105CD+A	146,050	268,288	160,338				37,80	30	NTN
4T-07079	20,000		14,260				0,10	29	NTN
4T-07079/07196	20,000	50,005	14,260	9,525	14,260		0,14	29	NTN

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-07087	22,225		14,260			0,10	29	NTN
4T-07087/07196	22,225	50,005	14,260	9,525	14,260	0,13	29	NTN
4T-07087/07204	22,225	51,994	14,260	12,700	15,011	0,16	29	NTN
4T-07087/07210X	22,225	50,800	14,260	12,700	15,011	0,15	29	NTN
4T-07087X	22,225		14,260			0,10	29	NTN
4T-07087X/07210X	22,225	50,800	14,260	12,700	15,011	0,15	29	NTN
4T-07093	23,812		14,260			0,09	29	NTN
4T-07096/07196	25,159	50,005	14,260	9,525	13,495	0,12	29	NTN
4T-07097	25,000		14,260			0,08	29	NTN
4T-07097/07196	25,000	50,005	14,260	9,525	13,495	0,12	29	NTN
4T-07098	24,981		14,260			0,08	29	NTN
4T-07098/07196	24,981	50,005	14,260	9,525	13,495	0,12	29	NTN
4T-07100	25,400		14,260			0,08	29	NTN
4T-07100/07196	25,400	50,005	14,260	9,525	13,495	0,12	29	NTN
4T-07100/07204	25,400	51,994	14,260	12,700	15,011	0,14	29	NTN
4T-07100/07210X	25,400	50,800	14,260	12,700	15,011	0,13	29	NTN
4T-07100S	25,400		14,260			0,08	29	NTN
4T-07100S/07196	25,400	50,005	14,260	9,525	14,260	0,12	29	NTN
4T-07100S/07204	25,400	51,994	14,260	12,700	15,011	0,14	29	NTN
4T-07100S/07210X	25,400	50,800	14,260	12,700	15,011	0,13	29	NTN
4T-07100SA	25,400		14,260			0,08	29	NTN
4T-07100SA/07210X	25,400	50,800	14,260	12,700	15,011	0,13	29	NTN
4T-07196		50,005		9,525		0,03	29	NTN
4T-07204		51,994		12,700		0,06	29	NTN
4T-07205		52,000		12,700		0,06	29	NTN
4T-07210X		50,800		12,700		0,05	29	NTN
E-CRT0752V	35,000	65,000	18,000			0,28	37	NTN
E-CR1-07A01LL	35,000	140,000	76,700			3,92	30	NTN
4T-CR-07A14	35,000	70,000	23,000	18,500	24,250	0,42	29	NTN
4T-08125/08231	31,750	58,738	15,080	10,716	14,684	0,16	29	NTN
CR-0864	40,000	80,000	29,000	23,000	30,000	0,66	29	NTN
E-CR1-0874	40,000	86,000	47,000			1,20	30	NTN
E-CR1-0875	40,000	111,000	48,000			2,26	30	NTN
4T-CR-0880	41,000	78,000	18,000	13,500	18,000	0,36	29	NTN
4T-CR-0889	38,100	65,088	21,139	13,970	21,139	0,24	29	NTN
4T-CR-0891	40,000	68,000	19,000	17,500	22,000	0,29	29	NTN
4T-CR-0898	40,000	76,200	17,384	14,288	18,009	0,33	29	NTN
4T-CR-08A37	40,000	85,000	19,000	16,000	20,750	0,56	29	NTN
4T-CR-08A75	38,000	80,000	22,000	16,000	24,000	0,53	29	NTN
4T-CR-08A86	39,688	80,167	32,941	23,812	29,370	0,67	29	NTN
4T-CR-08B01	40,000	90,000			23,250	0,70	29	NTN
4T-09062	15,875		21,539			0,14	29	NTN
4T-09062/09195	15,875	49,225	21,539	14,288	21,539	0,20	29	NTN
4T-09067	19,050		19,050			0,11	29	NTN
4T-09067/09195	19,050	49,225	19,050	14,288	19,845	0,17	29	NTN
4T-09067/09196	19,050	49,225	19,050	17,462	23,020	0,20	29	NTN
4T-09074	19,050		21,539			0,12	29	NTN
4T-09074/09194	19,050	49,225	19,050	17,462	23,020	0,20	29	NTN
4T-09074/09195	19,050	49,225	19,050	14,288	19,845	0,19	29	NTN
4T-09074/09196	19,050	49,225	19,050	17,462	23,020	0,21	29	NTN
4T-09078	19,063		21,539			0,12	29	NTN
4T-09078/09195	19,050	49,225	21,539	14,288	19,845	0,19	29	NTN






Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-09081	20,625		21,539				0,11	29	NTN
4T-09081/09195	20,625	49,225	21,539	14,288	21,539		0,18	29	NTN
4T-09081/09196	20,625	49,225	21,539	17,462	23,020		0,19	29	NTN
4T-09194		49,225		17,462			0,08	29	NTN
4T-09195		49,225		14,288			0,07	29	NTN
4T-09196		49,225		17,462			0,08	29	NTN
E-CRT0953V	45,000	76,000	22,000				0,42	37	NTN
CR-0996	45,000	90,000	29,000	20,000	29,000		0,82	29	NTN
4T-CR-09A47	44,450	88,900	29,370	23,020	30,162		0,86	29	NTN
4T-CR-09B11	45,000	75,000	20,000	17,700	22,200		0,36	29	NTN
CRO-10003	500,000	730,000	440,000				535,00	32	NTN
E-CRO-10003	500,000	730,000	440,000				535,00	32	NTN
CRI-10004	500,000	670,000	180,000				175,00	30	NTN
CRD-10005	500,000	670,000	150,000				148,00	31	NTN
CRO-10005	500,000	690,000	480,000				600,00	32	NTN
E-CRO-10005	500,000	690,000	480,000				600,00	32	NTN
CRD-10008	500,000	820,000	256,000				535,00	31	NTN
CRO-10008	500,000	670,000	515,000				598,00	32	NTN
E-CRO-10008	500,000	670,000	515,000				598,00	32	NTN
CR-10010DB	500,000	640,000	500,000				346,00	30	NTN
E-CRT1002	550,000	760,000	230,000				296,00	37	NTN
CRO-10023	500,000	730,000	420,000				606,00	32	NTN
CR-10024	500,000	750,000	140,000	120,000	150,000		224,00	29	NTN
CRD-10206	510,134	800,001	284,493				511,00	31	NTN
CRD-10208	509,948	733,425	200,020				256,00	31	NTN
CRO-10208 (CRO-10214)	509,948	654,924	377,000				320,00	32	NTN
E-CRD-10211	509,948	733,425	200,020				273,00	31	NTN
4T-LM102910		73,431		15,748			0,10	29	NTN
4T-LM102911		73,431		17,620			0,12	29	NTN
4T-LM102949	45,242		19,812				0,20	29	NTN
4T-LM102949/LM102910	45,242	73,431	19,812	15,748	19,812		0,31	29	NTN
CRO-10402	520,000	735,000	535,000				750,00	32	NTN
E-CRO-10402	520,000	735,000	535,000				750,00	32	NTN
4T-JLM104910		82,000		17,000			0,13	29	NTN
4T-LM104911		82,550		16,510			0,13	29	NTN
4T-LM104911A		82,550		18,542			0,16	29	NTN
4T-LM104912		82,931		16,510			0,14	29	NTN
4T-LM104947A/LM104911	49,987	82,550	22,225	16,510	21,590		0,43	29	NTN
4T-JLM104948	50,000		21,500				0,29	29	NTN
4T-JLM104948/JLM104910	50,000	82,000	21,500	17,000	21,500		0,42	29	NTN
4T-LM104949	50,800		22,225				0,28	29	NTN
4T-LM104949/LM104911	50,800	82,550	22,225	16,510	21,590		0,42	29	NTN
4T-LM104949/LM104912	50,800	82,931	22,225	16,510	22,225		0,42	29	NTN
CRD-1052	50,000	180,000	135,000				17,80	31	NTN
E-CRT1053V	50,000	82,000	22,000				0,47	37	NTN
CR-10601	530,000	670,000	95,000	82,000	100,000		76,20	29	NTN
CR-10604DB	530,000	670,000	270,000				198,00	30	NTN
CRO-10607LL	530,000	715,000	590,000				700,00	32	NTN
CRI-10702	533,400	736,600	225,425				268,00	30	NTN
CRO-10702	533,400	965,200	495,300				1 662,00	32	NTN
4T-CR-1075	52,388	85,000	20,000	15,000	20,000		0,41	29	NTN
4T-CR-1084	50,000	93,264	30,302	23,812	30,302		0,86	29	NTN

Reference						Kg	 Brands	
	d	D	B	C	T			
4T-CR-1091	50,800	104,775	30,958	23,812	30,958	1,30	29	NTN
4T-CR-10A28	47,625	100,000	29,370	23,020	30,162	1,11	29	NTN
4T-CR-10A33	50,000	110,000	27,000	19,000	29,250	1,21	29	NTN
4T-CR-10A62	50,000	90,000	28,000	23,000	28,000	0,74	29	NTN
CRD-11001	550,000	920,000	330,000			914,00	31	NTN
CR0-11101 (CR0-11103)	555,625	698,500	349,250			298,00	32	NTN
4T-M111012		107,950		20,320		0,31	29	NTN
4T-M111048	63,500		25,908			0,59	29	NTN
4T-11162	41,275		17,384			0,21	29	NTN
4T-11162/11300	41,275	76,200	17,384	14,288	18,009	0,34	29	NTN
4T-11162/11315	41,275	80,000	17,384	14,288	18,009	0,39	29	NTN
CR1-11206	560,000	735,000	225,000			224,00	30	NTN
CR1-11206	560,000	735,000	225,000			232,00	30	NTN
CRD-11207	560,000	820,000	195,000			347,00	31	NTN
CR1-11211	560,000	740,000	190,000			198,00	30	NTN
CR1-11213	560,000	820,000	244,000			415,00	30	NTN
CR1-11214	560,000	820,000	195,000			340,00	30	NTN
E-CR-11220	560,000	736,000	104,775	80,962	104,775	104,78	29	NTN
E-CR-11221	558,952	736,600	104,775	80,962	104,775	114,00	29	NTN
4T-11300		76,200		14,288		0,13	29	NTN
EE113089/113170	228,397	431,800	85,725	49,212	92,075	59,40	29	NTN
EE113091/113170	228,460	431,800	85,725	49,212	92,075	59,40	29	NTN
EE113091/113171D+A	228,460	431,800	196,850			116,00	30	NTN
CR1-11401	570,000	815,000	345,000			512,00	30	NTN
CR-11402	570,000	695,000	52,000	50,000	57,000	41,70	29	NTN
CR0-11402	570,000	780,000	515,000			625,00	32	NTN
E-CR0-11402	570,000	780,000	515,000			625,00	32	NTN
CR0-11403	570,000	810,000	590,000			845,00	32	NTN
E-CR0-11403	570,000	810,000	590,000			845,00	32	NTN
EE114080/114160	203,200	406,400	85,725	57,150	92,075	54,80	29	NTN
EE114080/114161D+A	203,200	406,400	196,850			107,00	30	NTN
4T-11520		42,862		9,525		0,04	29	NTN
CR-1154	55,000	100,000	31,000	24,500	32,000	1,04	29	NTN
4T-11590	15,875		14,288			0,06	29	NTN
4T-11590/11520	15,875	42,863	14,288	9,525	14,288	0,10	29	NTN
4T-L116149/L116110	82,550	115,888	21,433	16,670	20,638	0,64	29	NTN
CR1-1163	53,987	140,025	69,850			5,13	30	NTN
CRD-11701	585,788	771,525	230,188			285,00	31	NTN
CR0-11701	585,788	771,525	479,425			610,00	32	NTN
EE117063/117148	161,925	374,650	79,375	60,325	87,312	47,90	29	NTN
4T-LM11710		39,878		10,668		0,03	29	NTN
4T-LM11749	17,462		14,605			0,06	29	NTN
4T-LM11749/LM11710	17,462	39,878	14,605	10,668	14,605	0,08	29	NTN
4T-CR-1175	55,000	100,000	42,250	35,000	42,250	1,35	29	NTN
CR1-11801	590,000	780,000	255,000			291,00	30	NTN
4T-CR1-1185	55,000	90,000	52,000			1,20	30	NTN
4T-LM11910		45,237		12,065		0,04	29	NTN
CR0-11913	595,312	844,550	615,950			1 135,00	32	NTN
CR0-11919LL	595,312	844,550	615,950			1 130,00	32	NTN
4T-CR-1193DF	53,975	95,199	19,050	13,492	38,100	1,13	29	NTN
4T-CR-1194	57,150	100,000	21,946	16,238	21,946	0,64	29	NTN
4T-LM11949	19,050		16,637			0,08	29	NTN






Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-LM11949/LM11910	19,050	45,237	16,637	12,065	16,637	0,12	29	NTN	
4T-LM11949L	19,050		16,637			0,08	29	NTN	
4T-LM11949L/LM11910	19,050	45,237	16,637	12,065	17,066	0,13	29	NTN	
CRD-12002	600,000	1 000,000	350,000			1 130,00	31	NTN	
CRD-12005	600,000	760,000	115,000			120,00	31	NTN	
CR-12006	600,000	870,000	111,000	93,000	118,000	208,70	29	NTN	
CRD-12006	600,000	870,000	380,000			758,00	31	NTN	
E-CRD-12011	600,000	820,000	160,000			253,00	31	NTN	
E-CRT1215V	60,000	495,300	170,612			181,00	37	NTN	
4T-12175	44,450		17,145			0,21	29	NTN	
4T-12175/12303	44,450	76,992	17,145	11,908	17,462	0,31	29	NTN	
4T-1220		57,150		17,462		0,11	29	NTN	
CRO-12202	611,500	832,800	593,725			960,00	32	NTN	
4T-12303		76,992		11,908		0,10	29	NTN	
CR1-1252	60,000	175,000	69,000			7,58	30	NTN	
4T-12520		49,225		15,875		0,07	29	NTN	
CR-1252L	60,000	95,000	26,000	21,000	27,000	0,65	29	NTN	
CR-1257	60,325	140,000	36,513	33,000	38,500	2,70	29	NTN	
4T-12580	20,638		19,845			0,11	29	NTN	
4T-12580/12520	20,638	49,225	19,845	15,875	19,845	0,18	29	NTN	
E-HM125948/HM125910	123,825	204,775	60,325	45,237	55,562	7,13	29	NTN	
CRO-12604	630,000	920,000	600,000			1 390,00	32	NTN	
EE126096D/126150/126151D	244,475	381,000	304,800			132,00	32	NTN	
E-EE126096D/126150/126151D	244,475	381,000	304,800			132,00	32	NTN	
EE126096D/126150+A	244,475	381,000	146,050			61,40	31	NTN	
EE126097/126150	244,475	381,000	76,200	57,150	79,375	32,60	29	NTN	
EE126097/126151D+A	244,475	381,000	171,450			64,00	30	NTN	
EE126098/126150	249,250	381,000	76,200	57,150	79,375	31,70	29	NTN	
EE126098/126151D+A	249,250	381,000	171,450			62,20	30	NTN	
4T-M12610		50,005		13,970		0,06	29	NTN	
4T-M12648	22,225		18,288			0,11	29	NTN	
4T-M12648/M12610	22,225	50,005	18,288	13,970	17,526	0,17	29	NTN	
4T-M12648A	22,225		18,288			0,11	29	NTN	
4T-M12649	21,430		18,288			0,11	29	NTN	
4T-M12649/M12610	21,430	50,005	18,288	13,970	18,288	0,17	29	NTN	
4T-CR1-1264ZZ	60,000	125,000	70,000			3,53	30	NTN	
4T-CR1-1265	60,000	140,000	67,000			4,23	30	NTN	
CR-12701	635,000	850,000	105,000	75,000	105,000	151,00	29	NTN	
CR-12702	635,000	812,800	95,250	73,025	95,250	118,60	29	NTN	
EE127095/127135	241,300	349,148	57,150	44,450	57,150	15,90	29	NTN	
EE127095/127136D+A	241,300	349,148	127,000			35,40	30	NTN	
EE127097D/127135+A	241,478	349,148	107,950			33,80	31	NTN	
EE127097D/127137/127137D	241,478	350,838	228,600			76,40	32	NTN	
E-EE127097D/127137/127137D	241,478	350,838	228,600			76,40	32	NTN	
4T-LM12710		45,237		12,065		0,04	29	NTN	
4T-LM12711		45,974		12,065		0,04	29	NTN	
4T-CR-1272	60,325	101,600	28,400	19,845	28,400	0,87	29	NTN	
4T-LM12748	21,430		16,637			0,08	29	NTN	
4T-LM12748/LM12710	21,430	45,237	16,637	12,065	16,637	0,12	29	NTN	
4T-LM12749	21,986		16,637			0,08	29	NTN	
4T-LM12749/LM12710	21,986	45,237	16,637	12,065	16,637	0,12	29	NTN	
4T-LM12749/LM12711	21,986	45,974	16,637	12,065	16,637	0,12	29	NTN	

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-1280	22,225		22,225			0,18	29	NTN
4T-1280/1220	22,225	57,150	22,225	17,462	22,225	0,29	29	NTN
4T-CR-1281	61,000	150,000	35,000	30,000	38,000	3,38	29	NTN
EE128111/128160	280,192	406,400	67,673	53,975	69,850	29,10	29	NTN
EE128111/128160D+A	280,192	406,400	149,225			56,50	30	NTN
EE128112/128160	280,000	406,400	67,673	53,975	69,850	29,10	29	NTN
T-EE129120X/129120D+A	304,800	438,048	165,100			71,40	30	NTN
T-EE129120X/129172	304,800	438,048	76,992	53,975	76,200	34,80	29	NTN
CRO-13001	650,000	1 030,000	560,000			1 760,00	32	NTN
4T-C1R-1301	65,000	111,500	58,000			2,91	30	NTN
T-EE130902/131400	228,600	355,600	69,850	49,212	69,850	22,70	29	NTN
T-EE130902/131401D+A	228,600	355,600	152,400			49,40	30	NTN
CRO-13202	660,000	1 070,000	642,000			1 950,00	32	NTN
E-CRO-13202	660,000	1 070,000	642,000			1 950,00	32	NTN
CRD-13208	660,000	814,000	176,212			202,00	31	NTN
EE132082D/132125/132126D	203,200	317,500	215,900			62,50	32	NTN
E-EE132082D/132125/132126D	203,200	317,500	215,900			62,50	32	NTN
E-NA132083/132126D	203,200	317,500	120,650			31,00	30	NTN
CRD-13209	660,400	762,000	98,425			71,10	31	NTN
4T-1328		52,388		14,288		0,07	29	NTN
4T-1329		53,975		14,288		0,08	29	NTN
CRI-13401	670,000	880,000	185,000			277,00	30	NTN
CRO-13401	670,000	960,000	700,000			1 600,00	32	NTN
CRI-13402	670,000	830,000	180,000			201,00	30	NTN
CRO-13402	670,000	1 090,000	710,000			2 600,00	32	NTN
CRO-13404	670,000	1 090,000	710,000			2 690,00	32	NTN
T-EE134100/134143	254,000	365,125	58,738	42,862	58,738	17,70	29	NTN
T-EE134100/134144D+A	254,000	365,125	130,175			39,20	30	NTN
T-EE134102/134143	260,350	365,125	58,738	42,862	58,738	16,80	29	NTN
T-EE134102/134144D+A	260,350	365,125	130,175			37,30	30	NTN
EE134102D/134143/134144D	260,350	365,125	228,600			76,50	32	NTN
E-EE134102D/134143/134144D	260,350	365,125	228,600			76,50	32	NTN
EE135111D/135155/135156D	279,400	393,700	269,875			103,00	32	NTN
EE135111D/135155+A	279,400	393,700	127,000			48,10	31	NTN
CRO-13602	680,000	870,000	460,000			582,00	32	NTN
E-CRO-13602	680,000	870,000	460,000			582,00	32	NTN
4T-13620		69,012		15,083		0,10	29	NTN
4T-13621		69,012		15,083		0,10	29	NTN
CR-1363	65,000	100,000	23,000	19,000	23,000	0,62	29	NTN
4T-13685	38,100		19,050			0,19	29	NTN
4T-13685/13620	38,100	69,012	19,050	15,083	19,050	0,29	29	NTN
4T-13685/13621	38,100	69,012	19,050	15,083	19,050	0,29	29	NTN
4T-13685L	38,100		19,050			0,19	29	NTN
4T-13686	38,113		26,195			0,25	29	NTN
4T-13687	38,100		19,050			0,19	29	NTN
4T-13687/13620	38,100	69,012	19,050	15,083	19,050	0,30	29	NTN
4T-13687/13621	38,100	69,012	19,050	15,083	19,050	0,30	29	NTN
CRD-13701	685,876	939,876	234,950			435,00	31	NTN
CRD-13702	685,800	939,800	234,950			478,00	31	NTN
CR1-1372LL	65,000	140,000	77,500			2,73	30	NTN
4T-1380	22,225		20,168			0,13	29	NTN
4T-1380/1328	22,225	52,388	20,168	14,288	23,178	0,20	29	NTN








Reference	d		D		B	C	T	Kg	Brands	
4T-13830			63,500			9,525		0,05	29	NTN
4T-13836			65,088			9,525		0,06	29	NTN
4T-13889	38,100				11,908			0,10	29	NTN
4T-13889/13830	38,100		63,500		11,908	9,525	12,700	0,15	29	NTN
4T-CR-13A21	65,000		90,000		17,000	15,000	18,000	0,33	29	NTN
CR-14003	700,000		850,000		93,000	74,000	96,000	106,00	29	NTN
CRD-14003	700,000		890,000		150,000			224,00	31	NTN
4T-14116	30,226				19,583			0,24	29	NTN
4T-14116/14274	30,226		69,012		19,583	15,875	19,845	0,37	29	NTN
4T-14116/14276	30,226		69,012		19,583	15,875	19,845	0,37	29	NTN
4T-14117A	30,000				19,583			0,23	29	NTN
4T-14117A/14276	30,000		69,012		19,583	15,875	19,845	0,37	29	NTN
4T-14118	30,000				19,202			0,23	29	NTN
4T-14118/14283	30,000		72,085		19,202	18,415	22,385	0,44	29	NTN
4T-14118S	30,009				19,583			0,24	29	NTN
4T-14123A	31,750				26,721			0,26	29	NTN
4T-14124	31,750				19,583			0,22	29	NTN
4T-14124/14276	31,750		69,012		19,583	15,875	19,845	0,36	29	NTN
4T-14125A	31,750				19,583			0,22	29	NTN
4T-14125A/14274	31,750		69,012		19,583	15,875	19,845	0,35	29	NTN
4T-14125A/14276	31,750		69,012		19,583	15,875	19,845	0,36	29	NTN
4T-14130	33,338				19,583			0,21	29	NTN
4T-14130/14274	33,338		69,012		19,583	15,875	19,845	0,34	29	NTN
4T-14130/14276	33,338		69,012		19,583	15,875	19,845	0,34	29	NTN
4T-14131	33,338				19,583			0,21	29	NTN
4T-14131/14274	33,338		69,012		19,583	15,875	19,845	0,34	29	NTN
4T-14131/14276	33,338		69,012		19,583	15,875	19,845	0,35	29	NTN
4T-14136A	34,925				26,721			0,23	29	NTN
4T-14136AA	34,925				26,721			0,23	29	NTN
4T-14137A	34,925				19,583			0,20	29	NTN
4T-14137A/14274	34,925		69,012		19,583	15,875	19,845	0,33	29	NTN
4T-14137A/14276	34,925		69,012		15,583	15,875	19,845	0,33	29	NTN
4T-14138A	34,925				19,583			0,20	29	NTN
4T-14138A/14274	34,925		69,012		19,583	15,875	19,845	0,32	29	NTN
4T-14138A/14276	34,925		69,012		19,583	15,875	19,845	0,33	29	NTN
4T-14139	34,976				19,583			0,20	29	NTN
4T-14139/14276	34,976		69,012		19,583	15,875	19,845	0,33	29	NTN
CRI-14207	710,000		1 030,000		236,000			654,00	30	NTN
CRD-14208	710,000		900,000		410,000			620,00	32	NTN
E-CRO-14208	710,000		900,000		410,000			620,00	32	NTN
CRI-14209	710,000		1 030,000		295,000			810,00	30	NTN
CRD-14209LL	711,200		914,400		410,000			596,00	32	NTN
CRD-14214LL	711,200		914,400		387,350			616,00	32	NTN
4T-14274			69,012			15,875		0,13	29	NTN
4T-14276			69,012			15,875		0,13	29	NTN
4T-14282			71,996			15,032		0,16	29	NTN
4T-14283			72,085			18,415		0,21	29	NTN
CR1-14402	720,000		880,000		210,000			244,00	30	NTN
E-CRD-14402LL	720,000		1 060,000		545,000			1 400,00	31	NTN
CR-14403	720,000		880,000		75,000	60,000	80,000	94,00	29	NTN
CRD-14403	720,000		920,000		130,000			240,00	31	NTN
HH144642/HH144614	200,025		393,700		111,125	84,138	111,125	55,90	29	NTN

Reference						Kg	 Brands	
	d	D	B	C	T			
CR1-1460	70,000	249,000	100,000			24,40	30	NTN
CR0-14601	730,000	1 070,000	642,000			1 900,00	32	NTN
E-CR0-14601	730,000	1 070,000	642,000			1 900,00	32	NTN
CR1-1461	70,000	204,000	76,200			16,00	30	NTN
EE147112/147198D+A	285,750	501,650	203,200			151,00	30	NTN
CR-14803	740,000	900,000	75,000	65,000	80,000	96,00	29	NTN
CR-14901	745,000	1 000,000	115,000	83,000	115,000	237,00	29	NTN
E-CR1-1493LL	70,000	240,000	90,000			13,19	30	NTN
CRD-15001	750,000	1 075,000	320,000			955,00	31	NTN
CRT15001	749,300	958,000	127,000			245,00	37	NTN
CR-15002	750,000	1 000,000	107,000	80,000	110,000	210,00	29	NTN
4T-15100	25,400		20,638			0,22	29	NTN
4T-15100/15245	25,400	62,000	20,638	14,288	20,638	0,30	29	NTN
4T-15100/15250X	25,400	63,500	20,638	15,875	20,638	0,33	29	NTN
4T-15100S	25,400		20,638			0,21	29	NTN
4T-15100S/15245	25,400	62,000	20,638	14,288	20,638	0,29	29	NTN
4T-15100S/15250X	25,400	63,500	20,638	15,875	20,638	0,33	29	NTN
4T-15101	25,400		20,638			0,23	29	NTN
4T-15101/15243	25,400	61,912	20,638	14,288	19,050	0,30	29	NTN
4T-15101/15245	25,400	62,000	20,638	14,288	20,638	0,30	29	NTN
4T-15101/15250X	25,400	63,500	20,638	15,875	20,638	0,34	29	NTN
4T-15102	25,400		20,638			0,22	29	NTN
4T-15103/15245	26,157	62,000	20,638	14,288	19,050	0,30	29	NTN
4T-15103S	26,162		19,939			0,21	29	NTN
4T-15103S/15243	26,162	61,912	19,939	14,288	19,939	0,29	29	NTN
4T-15106	26,988		20,638			0,21	29	NTN
4T-15106/15245	26,988	62,000	20,638	14,288	20,638	0,29	29	NTN
4T-15106/15250	26,988	62,000	20,638	15,875	20,638	0,32	29	NTN
4T-15106/15250X	26,988	63,500	20,638	15,875	20,638	0,32	29	NTN
4T-15112	28,575		20,638			0,20	29	NTN
4T-15112/15245	28,575	62,000	20,638	14,288	20,638	0,28	29	NTN
4T-15112/15250	28,575	63,500	20,638	15,875	20,638	0,31	29	NTN
4T-15113	28,575		20,638			0,20	29	NTN
4T-15113/15245	28,575	62,000	20,638	14,288	20,638	0,28	29	NTN
4T-15116	30,112		20,638			0,19	29	NTN
4T-15116/15245	30,112	62,000	20,638	14,288	19,050	0,27	29	NTN
4T-15117	30,000		20,638			0,19	29	NTN
4T-15117/15244	30,000	62,000	20,638	15,875	20,638	0,28	29	NTN
4T-15117/15245	29,987	62,000	20,638	14,288	20,638	0,27	29	NTN
NA15117SW/K33867	30,005	88,900	50,803			1,56	30	NTN
4T-15118	30,213		20,638			0,18	29	NTN
4T-15118/15245	30,213	62,000	20,638	14,288	20,638	0,26	29	NTN
4T-15118/15250	30,213	63,500	20,638	15,875	20,638	0,30	29	NTN
4T-15118/15250X	30,213	63,500	20,638	15,875	20,638	0,30	29	NTN
4T-15119	30,213		20,638			0,19	29	NTN
4T-15119/15245	30,213	62,000	20,638	14,288	19,050	0,27	29	NTN
CRT1512	76,200	161,925	33,338			3,58	37	NTN
4T-15120	30,213		20,638			0,19	29	NTN
4T-15120/15245	30,213	62,000	20,638	14,288	19,050	0,27	29	NTN
4T-15123	31,750		19,050			0,16	29	NTN
4T-15123/15245	31,750	62,000	19,050	14,288	19,050	0,24	29	NTN
4T-15125	31,750		20,638			0,17	29	NTN





Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-15125/15245	31,750	62,000	20,638	14,288	20,638	0,25	29	NTN	
4T-15126	31,750		20,638			0,17	29	NTN	
4T-15126/15245	31,750	62,000	20,638	14,288	19,050	0,26	29	NTN	
4T-15243		61,912		14,288		0,08	29	NTN	
4T-15244		62,000		15,875		0,08	29	NTN	
4T-15245		62,000		14,288		0,08	29	NTN	
4T-15250		63,500		15,875		0,11	29	NTN	
4T-15250X		63,500		15,875		0,11	29	NTN	
4T-15520		57,150		13,495		0,07	29	NTN	
4T-15523		60,325		15,875		0,16	29	NTN	
4T-15578	25,413		17,462			0,15	29	NTN	
4T-15578/15520	25,400	57,150	17,462	13,495	17,462	0,21	29	NTN	
4T-15578/15523	25,400	60,325	17,462	15,875	19,842	0,27	29	NTN	
4T-15579X	26,000		17,462			0,14	29	NTN	
4T-15579X/15520	26,000	57,150	17,462	13,495	17,462	0,21	29	NTN	
4T-15580	26,988		17,462			0,14	29	NTN	
4T-15580/15520	26,988	57,150	17,462	13,495	17,462	0,21	29	NTN	
4T-15590	28,575		17,462			0,13	29	NTN	
4T-15590/15520	28,575	57,150	17,462	13,495	17,462	0,19	29	NTN	
4T-15590/15523	28,575	60,325	17,462	15,875	19,842	0,25	29	NTN	
CRD-15601	780,000	1 000,000	200,000			384,00	31	NTN	
CR-15602	780,000	925,000	92,000	75,000	95,000	115,00	29	NTN	
E-CR-15602	780,000	925,000	92,000	75,000	95,000	103,00	29	NTN	
CR1-1561	75,000	130,000	80,000			4,00	30	NTN	
CRI-16001	800,000	1 150,000	350,000			1 119,00	30	NTN	
CRO-16001	800,000	1 120,000	820,000			3 960,00	32	NTN	
E-CRO-16001	800,000	1 120,000	820,000			3 960,00	32	NTN	
T-EE161300/161900	330,200	482,600	55,562	38,100	60,325	35,90	29	NTN	
T-EE161300/161901D+A	330,200	482,600	133,350			72,20	30	NTN	
T-EE161363/161900	346,075	482,600	55,562	38,100	60,325	32,80	29	NTN	
T-EE161363/161901D+A	346,075	482,600	133,350			66,00	30	NTN	
4T-16137/16284	34,925	72,238	20,638	15,875	20,638	0,39	29	NTN	
T-EE161400/161850	355,600	469,900	55,562	38,100	60,325	27,30	29	NTN	
T-EE161400/161900	355,600	482,600	55,562	38,100	60,325	30,80	29	NTN	
T-EE161400/161901D+A	355,600	482,600	133,350			62,10	30	NTN	
4T-16150	38,100		20,638			0,21	29	NTN	
4T-16150/16282	38,100	72,000	20,638	14,237	19,000	0,33	29	NTN	
4T-16150/16283	38,100	72,238	20,638	19,050	23,812	0,39	29	NTN	
4T-16150/16284	38,100	72,238	20,638	15,875	20,638	0,35	29	NTN	
4T-16282		72,000		14,237		0,12	29	NTN	
4T-16283		72,238		19,050		0,18	29	NTN	
4T-16284		72,238		15,875		0,14	29	NTN	
CR1-16301	812,800	1 066,800	190,500			410,00	30	NTN	
T-L163149/L163110	355,600	444,500	60,325	47,625	60,325	18,80	29	NTN	
T-L163149/L163110D+A	355,600	444,500	136,525			42,50	30	NTN	
E-L163149D/L163110/L163110D	355,600	444,500	241,300			89,50	32	NTN	
L163149D/L163110/L163110D	355,600	444,500	241,300			89,50	32	NTN	
T-L163149D/L163110+A	355,600	444,500	114,300			40,10	31	NTN	
CR1-1677C3	80,000	140,000	61,000			3,54	30	NTN	
CRO-16803	840,000	1 170,000	840,000			3 970,00	32	NTN	
E-CRO-16803	840,000	1 170,000	840,000			3 970,00	32	NTN	
CR-17001	850,000	1 120,000	112,000	80,000	118,000	276,00	29	NTN	

Reference						Kg		Brands
	d	D	B	C	T			
CRD-17003	850,000	1 250,000	370,000			1 562,00	31	NTN
EE170950/171450	241,300	368,300	50,800	33,338	50,800	17,20	29	NTN
EE170950/171450D+A	241,300	368,300	120,650			40,80	30	NTN
EE170975/171450	247,650	368,300	50,800	50,800	50,800	16,50	29	NTN
EE170975/171451D+A	247,650	368,300	120,650			39,20	30	NTN
EE170975D/171450+A	254,000	368,300	92,862			32,50	31	NTN
4T-17098/17244	24,981	62,000	16,566	14,288	16,002	0,26	29	NTN
EE171000D/171450/171451D	254,000	368,300	204,622			71,80	32	NTN
E-EE171000D/171450/171451D	254,000	368,300	204,622			71,80	32	NTN
4T-17118	29,987		16,566			0,14	29	NTN
4T-17118/17244	29,987	62,000	16,566	14,288	16,566	0,23	29	NTN
4T-17119/17244	30,162	62,000	16,566	14,288	16,566	0,23	29	NTN
4T-17244		62,000		14,288		0,09	29	NTN
4T-1729		56,896		15,875		0,10	29	NTN
4T-1729X		56,896		15,875		0,10	29	NTN
4T-1730		53,975		15,875		0,07	29	NTN
4T-17520		42,862		13,495		0,05	29	NTN
4T-1755	22,225		19,837			0,16	29	NTN
4T-1755/1729	22,225	56,896	19,837	15,875	19,368	0,26	29	NTN
4T-17580	15,875		16,670			0,07	29	NTN
4T-17580/17520	15,875	42,862	16,670	13,495	16,670	0,12	29	NTN
4T-1775	19,050		19,837			0,17	29	NTN
4T-1775/1729	19,050	56,896	19,837	15,875	19,368	0,27	29	NTN
4T-1779	23,812		19,837			0,15	29	NTN
4T-1779/1729	23,812	56,896	19,837	15,875	19,368	0,25	29	NTN
4T-1780	25,400		19,837			0,14	29	NTN
4T-1780/1729	25,400	56,896	19,837	15,875	19,368	0,24	29	NTN
4T-17830		79,375		15,875		0,13	29	NTN
4T-17831		79,985		15,080		0,13	29	NTN
4T-17831SA		79,985		15,080		0,13	29	NTN
4T-17887	45,230		20,638			0,27	29	NTN
4T-17887/17831	45,230	79,985	20,638	15,080	20,638	0,40	29	NTN
4T-17887/17831SA	45,230	79,985	20,638	15,080	19,842	0,40	29	NTN
4T-17887SA	45,230		20,638			0,27	29	NTN
4T-17888	44,450		31,354			0,40	29	NTN
CR-18011DB	900,000	1 120,000	430,000			785,00	30	NTN
CR1-1812ZZC3	90,000	300,000	119,000			40,70	30	NTN
EE181455D/182350/182351D	368,300	596,900	342,900			373,00	32	NTN
CRT18401	920,000	1 120,000	150,000			269,00	37	NTN
4T-18520		73,025		12,700		0,08	29	NTN
4T-18590	41,275		17,462			0,20	29	NTN
4T-18590/18520	41,275	73,025	17,462	12,700	17,462	0,28	29	NTN
E-CR-18604	930,000	1 060,000	90,000	76,000	92,000	114,00	29	NTN
E-CR-18605	928,000	1 060,000	90,000	76,000	92,000	116,00	29	NTN
4T-18620		79,375		13,495		0,12	29	NTN
4T-18685	44,450		17,462			0,22	29	NTN
4T-18685/18620	44,450	79,375	17,462	13,495	17,462	0,35	29	NTN
4T-18690	46,038		17,462			0,21	29	NTN
4T-18690/18620	46,038	79,375	17,462	13,495	17,462	0,33	29	NTN
CR1-1871	90,000	140,000	72,500			3,67	30	NTN
4T-18720		85,000		13,495		0,13	29	NTN
4T-18780	46,038		17,462			0,29	29	NTN






Reference	d		B	C	T	Kg	Brands	
	d	D	B	C	T			
4T-18790	50,800		17,462			0,24	29	NTN
4T-18790/18720	50,800	85,000	17,462	13,495	17,462	0,37	29	NTN
4T-18790/18724	50,800	88,900	17,462	13,495	17,462	0,43	29	NTN
4T-CR1-1881	90,000	155,000	85,000			6,10	30	NTN
CRO-19001	950,000	1 360,000	880,000			4 100,00	32	NTN
E-CRO-19001	950,000	1 360,000	880,000			4 100,00	32	NTN
4T-19150	38,100		16,520			0,17	29	NTN
4T-19150/19268	38,100	68,262	16,520	11,908	16,520	0,24	29	NTN
4T-19150/19281	38,100	71,438	16,520	11,908	15,875	0,27	29	NTN
4T-19150/19283X	38,100	72,000	16,520	14,288	17,018	0,30	29	NTN
EE192150/192200	381,000	508,000	58,738	38,100	63,500	34,40	29	NTN
EE192150/192201D+A	381,000	508,000	139,700			69,00	30	NTN
4T-1922		57,150		15,875		0,08	29	NTN
4T-19268		68,262		11,908		0,07	29	NTN
4T-19283X		72,000		14,288		0,13	29	NTN
4T-1930		56,896		15,875		0,07	29	NTN
4T-1931		60,325		15,875		0,11	29	NTN
4T-1932		58,738		15,080		0,09	29	NTN
CR1-1959LL	95,000	180,000	100,000			12,00	30	NTN
4T-1975	22,225		19,355			0,18	29	NTN
4T-1975/1931	22,225	60,325	19,355	15,875	19,845	0,29	29	NTN
4T-1985	28,575		19,355			0,14	29	NTN
4T-1985/1922	28,575	57,150	19,355	15,875	19,845	0,22	29	NTN
4T-1985/1930	28,575	56,896	19,355	15,875	19,845	0,22	29	NTN
4T-1985/1931	28,575	60,325	19,355	15,875	19,845	0,26	29	NTN
4T-1985/1932	28,575	58,738	19,355	15,080	19,355	0,23	29	NTN
4T-1986	25,400		19,355			0,16	29	NTN
4T-1986/1922	25,400	57,150	19,355	15,875	19,845	0,24	29	NTN
4T-1986/1931	25,400	60,325	19,355	15,875	19,845	0,26	29	NTN
4T-1988	28,575		19,355			0,14	29	NTN
4T-1988/1922	28,575	57,150	19,355	15,875	19,845	0,21	29	NTN
CRD-2005	100,000	215,000	105,000			19,70	31	NTN
CRO-2008	100,000	170,000	155,000			14,50	32	NTN
CRI-2010	100,000	180,000	140,000			13,80	30	NTN
4T-M201011		73,025		21,336		0,17	29	NTN
4T-M201047	39,688		22,098			0,26	29	NTN
4T-M201047/M201011	39,688	73,025	22,098	21,336	25,654	0,43	29	NTN
4T-M201047S	39,688		22,098			0,26	29	NTN
CRD-2011	100,000	250,000	120,000			31,20	31	NTN
4T-HM204010		91,000		26,500		0,31	29	NTN
4T-HM204049	46,000		32,000			0,62	29	NTN
4T-HM204049/HM204010	46,000	91,000	32,000	26,500	32,000	0,92	29	NTN
4T-A2047	12,000		10,785			0,02	29	NTN
4T-A2047/A2126	12,000	31,991	10,785	7,938	10,785	0,04	29	NTN
CR-2051	100,000	170,000	43,000	37,000	45,500	4,20	29	NTN
CRD-2051	100,000	250,000	116,000			26,80	31	NTN
4T-JM205110		90,000		23,000		0,24	29	NTN
4T-JM205149	50,000		28,000			0,51	29	NTN
4T-JM205149/JM205110	50,000	90,000	28,000	23,000	28,000	0,75	29	NTN
4T-JM205149A	50,000		28,000			0,50	29	NTN
CRI-2052	100,000	165,000	52,000			3,94	30	NTN
CRI-2054	100,000	215,000	115,000			18,20	30	NTN

								Brands
Reference	d	D	B	C	T	Kg		
CRI-2059	100,000	180,000	82,000			8,08	30	NTN
4T-CR-2064DB	100,000	150,000	60,000			2,72	30	NTN
4T-JM207010		95,000		23,500		0,26	29	NTN
4T-JM207049	55,000		29,000			0,56	29	NTN
4T-JM207049/JM207010	55,000	95,000	29,000	23,500	29,000	0,82	29	NTN
4T-JM207049A	55,000		29,000			0,55	29	NTN
4T-CR1-2072	100,000	190,000	124,500			14,30	30	NTN
CRI-2072	100,000	190,000	124,500			14,30	30	NTN
CRI-20802	1 040,000	1 290,000	350,000			975,00	30	NTN
CR1-2088	100,000	215,000	162,000			26,70	30	NTN
CRI-2105	105,000	240,000	110,000			23,60	30	NTN
4T-21075	19,050		21,839			0,15	29	NTN
4T-21075/21212	19,050	53,975	21,839	15,875	22,225	0,25	29	NTN
4T-JH211710		120,000		32,000		0,61	29	NTN
4T-JH211749	65,000		38,500			1,22	29	NTN
4T-JH211749/JH211710	65,000	120,000	38,500	32,000	39,000	1,84	29	NTN
4T-HM212010		122,238		29,718		0,60	29	NTN
4T-HM212011		122,238		29,718		0,59	29	NTN
4T-HM212044	60,325		38,354			1,42	29	NTN
4T-HM212044/HM212011	60,325	122,238	38,354	29,718	38,100	2,02	29	NTN
4T-HM212046	63,500		38,354			1,35	29	NTN
4T-HM212046/HM212011	63,500	122,238	38,354	29,718	38,100	1,95	29	NTN
4T-HM212047	63,500		38,354			1,34	29	NTN
4T-HM212047/HM212010	63,500	122,238	38,354	29,718	38,354	1,92	29	NTN
4T-HM212047/HM212011	63,500	122,238	38,354	29,718	38,354	1,92	29	NTN
4T-HM212049	66,675		38,354			1,26	29	NTN
4T-HM212049/HM212010	66,675	122,238	38,354	29,718	38,354	1,86	29	NTN
4T-21212		53,975		15,875		0,10	29	NTN
4T-A2126		31,991		7,938		0,02	29	NTN
4T-H212710		124,000		34,000		0,68	29	NTN
4T-H212749	66,000		41,500			1,48	29	NTN
4T-H212749/H212710	66,000	124,000	41,500	34,000	41,500	2,14	29	NTN
CRD-2151	105,000	170,000	90,000			7,92	31	NTN
CRO-2151	105,000	190,000	210,000			26,00	32	NTN
4T-L21511		34,988		8,712		0,02	29	NTN
CRI-2152	105,000	190,000	117,000			12,90	30	NTN
4T-HM215210		132,000		32,000		0,66	29	NTN
4T-HM215249	76,000		39,000			1,43	29	NTN
4T-HM215249/HM215210	76,000	132,000	39,000	32,000	39,000	2,08	29	NTN
4T-L21549	15,875		11,000			0,03	29	NTN
4T-L21549/L21511	15,875	34,988	11,000	8,712	10,998	0,05	29	NTN
4T-JH217210		150,000		38,000		1,09	29	NTN
4T-JH217249	85,000		46,000			2,28	29	NTN
4T-JH217249/JH217210	85,000	150,000	46,000	38,000	46,000	3,36	29	NTN
4T-L217810		123,825		16,670		0,23	29	NTN
4T-L217849	88,900		20,638			0,50	29	NTN
4T-L217849/L217810	88,900	123,825	20,638	16,670	20,638	0,73	29	NTN
4T-LL217849/LL217810	88,900	121,442	15,083	11,112	15,083	0,45	29	NTN
4T-HM218210		147,000		32,500		0,78	29	NTN
4T-HM218238/HM218210	80,000	147,000	40,000	35,200	40,000	2,94	29	NTN
4T-HM218248	90,000		40,000			1,74	29	NTN
4T-HM218248/HM218210	90,000	147,000	40,000	32,500	40,000	2,52	29	NTN





Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
T-EE219068/219117	174,625	298,450	82,550	63,500	82,550	21,10	29	NTN	
T-EE219068/219122	174,625	311,150	82,550	63,500	82,550	23,90	29	NTN	
4T-HM220110		157,000		34,000		0,87	29	NTN	
4T-HM220149	100,000		42,000			1,98	29	NTN	
4T-HM220149/HM220110	100,000	157,000	42,000	34,000	42,000	2,82	29	NTN	
4T-EH220749/EH220710	95,250	200,025	73,025	58,738	73,025	10,80	29	NTN	
EE221025D/221575+A	260,350	400,050	114,300			52,00	31	NTN	
EE221026/221575	260,350	400,050	67,470	46,038	69,850	27,00	29	NTN	
EE221026/221576D+A	260,350	400,050	155,575			62,70	30	NTN	
EE221027D/221575/221576D	260,350	400,050	255,588			117,00	32	NTN	
E-EE221027D/221575/221576D	260,350	400,050	255,588			117,00	32	NTN	
CRD-2214	110,000	240,000	118,000			26,60	31	NTN	
4T-HH221410		190,500		46,038		2,20	29	NTN	
4T-HH221430/HH221410	76,200	190,500	57,531	46,038	57,150	8,69	29	NTN	
4T-HH221431/HH221410	79,375	190,500	57,531	46,038	57,150	8,52	29	NTN	
4T-HH221434	88,900		57,531			5,85	29	NTN	
4T-HH221434/HH221410	88,900	190,500	57,531	46,038	57,531	7,94	29	NTN	
4T-HH221440/HH221410	95,250	190,500	57,531	46,038	57,150	7,50	29	NTN	
4T-HH221449	101,600		57,531			4,90	29	NTN	
4T-HH221449/HH221410	101,600	190,500	57,531	46,038	57,531	7,00	29	NTN	
4T-HH221449/HH221416	101,600	200,025	57,531	50,800	61,912	8,56	29	NTN	
4T-HH221449A/HH221410	101,600	190,500	57,531	46,038	57,150	7,06	29	NTN	
CRI-2219	110,000	180,000	125,000			11,20	30	NTN	
CR-2220	110,000	240,000	50,000	32,000	54,500	8,12	29	NTN	
EE222070/222127D+A	177,800	320,675	185,738			57,80	30	NTN	
CR-2226	110,000	200,000	48,000	32,000	51,000	5,69	29	NTN	
CRI-22303	1 115,000	1 460,000	300,000			1 255,00	30	NTN	
4T-HH224310		212,725		53,975		3,06	29	NTN	
4T-HH224334/HH224310	99,975	212,725	66,675	53,975	66,675	11,50	29	NTN	
4T-HH224335	101,600		66,675			8,26	29	NTN	
4T-HH224335/HH224310	101,600	212,725	66,675	53,975	66,675	11,32	29	NTN	
4T-HH224335/HH224310D+A	101,600	212,725	142,875			23,70	30	NTN	
4T-HH224346	114,300		66,675			7,13	29	NTN	
4T-HH224346/HH224310	114,300	212,725	66,675	53,975	66,675	10,20	29	NTN	
4T-HH224346NA/HH224310D	114,300	212,725	142,875			20,20	30	NTN	
4T-M224749/M224710D+A	120,650	174,625	77,788			5,76	30	NTN	
E-M224749D/M224710/M224710D	127,000	174,625	141,288			11,50	32	NTN	
M224749D/M224710/M224710D	120,650	174,625	141,288			11,50	32	NTN	
CRD-2252	110,000	190,000	102,000			12,10	31	NTN	
CRI-2252	110,000	240,000	119,000			25,00	30	NTN	
CR0-2252	110,000	150,000	150,000			7,70	32	NTN	
CRD-2254	110,000	200,000	82,000			11,30	31	NTN	
CR-2256	110,000	150,000	20,500	15,500	20,500	0,98	29	NTN	
4T-LL225749/LL225710	127,000	165,895	17,462	13,495	18,258	0,92	29	NTN	
CRI-2258	110,000	160,000	57,500			3,41	30	NTN	
4T-L225810		169,862		20,638		0,55	29	NTN	
4T-L225849	127,000		26,195			1,02	29	NTN	
4T-L225849/L225810	127,000	169,862	26,195	20,638	25,400	1,58	29	NTN	
CRI-2262	110,000	240,000	118,000			22,00	30	NTN	
4T-22720		82,550		20,638		0,22	29	NTN	
CR1-2272LL	110,000	200,000	100,000			13,60	30	NTN	
4T-22780	42,862		26,988			0,39	29	NTN	

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-22780/22720	42,862	82,550	26,988	20,638	26,988	0,61	29	NTN
4T-HH228310		254,000		61,912		6,04	29	NTN
4T-HH228318		259,974		61,912		7,28	29	NTN
4T-HH228340	120,650		82,550			12,58	29	NTN
4T-HH228340/HH228310	120,650	254,000	82,550	61,912	77,788	19,20	29	NTN
4T-HH228344	123,825		82,550			12,30	29	NTN
4T-HH228349	127,000		82,550			13,46	29	NTN
4T-HH228349/HH228310	127,000	254,000	82,550	61,912	77,788	18,40	29	NTN
CR1-2290LL	110,000	190,000	249,400			24,50	30	NTN
CR1-2301	115,000	230,000	116,000			21,20	30	NTN
4T-23100	25,400		21,463			0,22	29	NTN
4T-23100/23256	25,400	65,088	21,463	15,875	22,225	0,36	29	NTN
4T-HM231132/HM231110	139,700	236,538	56,642	44,450	57,150	9,86	29	NTN
4T-HM231149/HM231110	149,225	236,538	56,642	44,450	57,150	8,94	29	NTN
T-EE231400/231975	355,600	501,650	66,675	50,800	74,612	44,90	29	NTN
T-EE231400/231976D+A	355,600	501,650	155,575			85,20	30	NTN
E-EE231400/231976D+A	355,600	501,650	155,575			85,20	30	NTN
T-EE231401D/231975+A	355,600	501,650	111,125			68,50	31	NTN
T-EE231462/231975	371,475	501,650	66,675	50,800	74,612	40,70	29	NTN
EE231462/231975	371,475	501,650	66,675	50,800	74,612	40,70	29	NTN
T-EE231462/231976D+A	371,475	501,650	155,575			77,30	30	NTN
EE231462/232026D+A	371,475	514,350	155,575			83,30	30	NTN
4T-M231610		222,250		34,925		1,88	29	NTN
T-HH231637/HH231615	127,000	295,275	87,312	57,150	82,550	27,10	29	NTN
4T-M231648/M231610	152,400	222,250	46,830	34,925	46,830	5,72	29	NTN
4T-M231649	152,400		46,830			3,89	29	NTN
4T-M231649/M231610	152,400	222,250	46,830	34,925	46,830	5,77	29	NTN
HH231649/HH231615	139,700	295,275	87,312	57,150	87,312	24,10	29	NTN
T-HH231649/HH231610	139,700	288,925	87,312	57,150	82,550	24,40	29	NTN
T-HH231649/HH231615	139,700	295,275	87,312	57,150	82,550	25,80	29	NTN
E-M231649D/M231610/M231610D	152,400	222,250	174,625			24,70	32	NTN
T-E-M231649D/M231610/M231610D	160,000	222,250	174,625			24,70	32	NTN
T-M231649D/M231610/M231610D	152,400	222,250	174,625			24,70	32	NTN
4T-23256		65,088		15,875		0,14	29	NTN
HH234010		307,975		66,675		8,69	29	NTN
HH234031	139,700		93,662			22,60	29	NTN
T-HH234031/HH234010	139,700	307,975	93,662	66,675	88,900	30,90	29	NTN
T-HH234031/HH234011D+A	139,700	307,975	200,025			65,90	30	NTN
E-HH234048/HH234010	152,400	307,975	93,662	66,675	88,900	29,40	29	NTN
HH234048/HH234010	152,400	307,975	93,662	66,675	93,662	28,10	29	NTN
T-HH234048/HH234010	152,400	307,975	93,662	66,675	88,900	29,40	29	NTN
T-HH234048/HM234011D+A	152,400	307,975	200,025			62,60	30	NTN
EE234156/234213D+A	396,875	539,750	142,875			83,60	30	NTN
EE234156/234215	396,875	546,100	61,120	55,562	76,200	51,50	29	NTN
EE234156/234216D+A	396,875	546,100	158,750			97,70	30	NTN
EE234160/234213D+A	406,400	539,750	142,875			78,80	30	NTN
EE234160/234215	406,400	546,100	61,120	55,562	76,200	48,70	29	NTN
EE234161D/234215/234216D	406,400	546,100	268,288			190,00	32	NTN
4T-23420		68,262		22,225		0,17	29	NTN
4T-23491	31,750		26,988			0,29	29	NTN
4T-M236810		260,350		41,275		2,86	29	NTN
E-M236848/M236810	177,800	260,350	53,975	41,275	53,975	9,28	29	NTN

Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-M236849	177,800		53,975				6,48	29	NTN
4T-M236849/M236810	177,800	260,350	53,975	41,275	53,975		9,34	29	NTN
4T-HM237510		288,925		47,625			4,49	29	NTN
T-HM237532/HM237510	160,325	288,925	63,500	47,625	63,500		16,00	29	NTN
T-HM237532/HM237510D+A	160,325	288,925	142,875				36,10	30	NTN
HM237535/HM237510	165,100	288,925	63,500	47,625	63,500		16,60	29	NTN
T-HM237535/HM237510	165,100	288,925	63,500	47,625	63,500		15,60	29	NTN
T-HM237535/HM237510D+A	165,100	288,925	142,875				35,10	30	NTN
T-HM237542/HM237510	174,625	288,925	63,500	47,625	63,500		14,70	29	NTN
T-HM237542/HM237510D+A	174,625	288,925	142,875				33,10	30	NTN
HM237545/HM237510D+A	177,800	288,925	142,875				32,10	30	NTN
E-HM237545/HM237510DC+A	177,800	288,925	142,875				32,96	30	NTN
T-HM237545/HM237510	177,800	288,925	63,500	47,625	63,500		14,40	29	NTN
T-HM237545/HM237510D+A	177,800	288,925	142,875				32,40	30	NTN
T-HM237545/HM237513	177,800	289,974	63,500	48,000	63,500		14,60	29	NTN
HM237545NA/HM237510CD	177,800	288,925	142,875				32,70	30	NTN
HM237546D/HM237510+A	177,800	288,925	123,825				29,40	31	NTN
T-HM237546D/HM237510+A	177,800	288,925	123,825				31,60	30	NTN
E-H238110		311,150		65,088			8,60	29	NTN
E-H238140	165,100		82,550				17,30	29	NTN
T-H238140/H238110	165,100	311,150	82,550	65,088	82,550		27,50	29	NTN
E-H238148/H238110	174,625	311,150	82,550	65,088	82,550		26,00	29	NTN
T-H238148/H238110	174,625	311,150	82,550	65,088	82,550		23,90	29	NTN
4T-M238810		269,875		42,862			3,12	29	NTN
4T-M238849	187,325		55,562				6,66	29	NTN
M238849/M238810	187,325	269,875	55,562	42,862	55,562		9,83	29	NTN
4T-M238849/M238810	187,325	269,875	55,562	42,862	55,562		9,83	29	NTN
E-M238849D/M238810/M238810D	187,325	269,875	211,138				41,80	32	NTN
M238849D/M238810/M238810D	187,325	269,875	211,138				41,80	32	NTN
H239640/H239610	177,800	319,964	85,725	65,088	88,900		28,00	29	NTN
T-H239640/H239610	177,800	319,964	85,725	65,088	88,900		30,20	29	NTN
T-H239640/H239612D+A	177,800	320,675	185,738				57,80	30	NTN
T-H239649/H239610	187,325	319,964	85,725	65,088	88,900		28,70	29	NTN
T-H239649/H239612	187,325	320,675	85,725	65,088	88,900		28,90	29	NTN
T-H239649/H239612D+A	187,325	320,675	185,738				55,00	30	NTN
T-H239649D/H239610+A	187,325	319,964	161,925				53,70	31	NTN
H239649NA/H239612CD	187,325	320,675	185,738				54,60	30	NTN
E-M240631T/M240644TD/M240647T/M240611D	180,843	284,162	239,715				50,90	32	NTN
M240648D/M240611/M240611D	198,438	284,162	225,425				46,00	32	NTN
CRD-2410	120,000	260,000	130,000				34,20	31	NTN
LM241149/LM241110	203,200	276,225	42,862	34,133	42,862		6,56	29	NTN
LM241149/LM241110D+A	203,200	276,225	90,485				13,80	30	NTN
E-M241538D/M241510/M241510D	190,000	292,100	225,425				59,60	32	NTN
M241538D/M241510/M241510D	190,000	292,100	225,425				59,60	32	NTN
T-M241543/M241510	200,025	292,100	57,945	46,038	57,945		11,50	29	NTN
T-M241543/M241510D+A	200,025	292,100	125,415				24,80	30	NTN
T-M241547/M241510	203,200	292,100	57,945	46,038	57,945		11,20	29	NTN
T-M241547/M241510D+A	203,200	292,100	125,415				24,10	30	NTN
T-M241549/M241510	204,788	292,100	57,945	46,038	57,945		11,00	29	NTN
T-M241549/M241510D+A	204,788	292,100	125,415				23,80	30	NTN
CR1-2416	120,000	200,000	100,000				12,57	30	NTN
CRI-2416	120,000	200,000	100,000				12,60	30	NTN






Reference						Kg	 Brands	
	d	D	B	C	T			
CR-2417	120,000	260,000	55,000	34,000	59,500	12,40	29	NTN
EE241701/242375	431,800	603,250	73,025	50,800	76,200	64,90	29	NTN
EE241701/242377D+A	431,800	603,250	159,639			124,00	30	NTN
CRO-2418	120,000	210,000	174,000			22,20	32	NTN
E-CRO-2418	120,650	210,000	174,000			22,20	32	NTN
4T-2420		68,288		17,462		0,14	29	NTN
CRD-2420	120,000	215,000	113,000			17,70	31	NTN
CRD-2421	120,000	170,000	120,000			8,57	31	NTN
CRD-2422	120,000	280,000	150,000			47,30	31	NTN
4T-H242610		336,550		77,788		11,00	29	NTN
4T-H242649	206,375		100,012			23,00	29	NTN
E-H242649/H242610CD	206,375	336,550	211,138			70,60	30	NTN
T-H242649/H242610	206,375	336,550	100,012	77,788	98,425	32,10	29	NTN
T-H242649/H242610D+A	206,375	336,550	211,138			65,20	30	NTN
T-H242649D/H242610+A	206,375	336,550	184,150			64,10	31	NTN
EE243190/243250	482,600	634,873	80,962	63,500	80,962	60,20	29	NTN
EE243190/243251D+A	482,600	634,873	177,800			148,00	30	NTN
EE243192/243250	489,026	634,873	80,962	63,500	80,962	58,00	29	NTN
EE243192/243251D+A	489,026	634,873	177,800			140,00	30	NTN
EE243196/243250	498,475	634,873	80,962	63,500	80,962	59,26	29	NTN
EE243196/243251D+A	498,475	634,873	177,800			129,00	30	NTN
EE244180/244235	457,200	596,900	73,025	53,975	76,200	50,87	29	NTN
EE244180/244236D+A	457,200	596,900	165,100			106,00	30	NTN
EE244181D/244235/244236D	457,200	596,900	276,225			207,00	32	NTN
4T-M244210		314,325		49,212		4,64	29	NTN
4T-M244249	220,662		61,912			9,83	29	NTN
4T-M244249/M244210	220,662	314,325	61,912	49,212	61,912	14,70	29	NTN
T-M244249/M244210	220,662	314,325	61,912	49,212	61,912	13,60	29	NTN
T-M244249/M244210D+A	220,662	314,325	131,762			28,90	30	NTN
T-E-M244249D/M244210/M244210D	220,662	314,325	239,712			60,20	32	NTN
T-M244249D/M244210/M244210D	220,662	314,325	239,712			60,20	32	NTN
T-M244249D/M244210+A	220,662	314,325	115,888			28,60	31	NTN
E-H244848TD/H244810A	202,405	358,826	200,100			79,82	31	NTN
E-H244848TD/H244810A+A	219,075	358,775	200,025			85,90	31	NTN
H244848TD/H244810A+A	202,406	358,775	200,025			85,00	31	NTN
H244849D/H244810A+A	219,075	358,775	200,025			79,50	31	NTN
4T-LM245846/LM245810	230,188	317,500	52,388	36,512	47,625	10,90	29	NTN
CRI-2460	120,000	200,000	78,000			8,78	30	NTN
CR-2465	120,000	180,000	48,000	29,000	48,000	7,10	29	NTN
4T-M246910		336,550		50,800		5,49	29	NTN
T-M246942/M246910	231,775	336,550	65,088	50,800	65,088	16,90	29	NTN
4T-M246949	237,330		65,088			12,00	29	NTN
T-M246949/M246910	237,330	336,550	65,088	50,800	65,088	16,20	29	NTN
4T-24720		76,200		17,462		0,15	29	NTN
4T-24721		76,200		20,638		0,19	29	NTN
4T-2474/2420	28,575	68,262	23,812	17,462	22,225	0,41	29	NTN
4T-2475	31,750		23,812			0,24	29	NTN
E-H247510		384,175		90,488		9,50	29	NTN
4T-H247510		384,175		90,488		16,90	29	NTN
E-H247535	200,025		112,712			36,10	29	NTN
E-H247535/H247510D+A	200,025	384,175	238,125			132,60	30	NTN
T-H247535/H247510	200,025	384,175	112,712	90,488	112,712	53,00	29	NTN

Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
T-H247535/H247510D+A	200,025	384,175	238,125				112,00	30	NTN
4T-H247540	219,974		112,712				38,00	29	NTN
4T-H247549	234,950		112,712				33,30	29	NTN
H247549/H247510A	234,950	384,175	112,712	90,488	112,712		52,00	29	NTN
E-H247549/H247510CD+A	234,950	384,175	238,125				104,00	30	NTN
T-H247549/H247510	234,950	384,175	112,712	90,488	112,712		45,50	29	NTN
T-H247549/H247510D+A	234,950	384,175	238,125				96,20	30	NTN
H247549D/H247510+A	234,950	384,175	209,550				98,00	31	NTN
E-LM247748D/LM247710/LM247710DA	244,475	327,025	193,675				46,10	32	NTN
LM247748D/LM247710/LM247710DA	244,475	327,025	193,675				46,10	32	NTN
LM247748D/LM247710A+A	244,475	327,025	92,075				21,40	31	NTN
NA24776SW/K97753ZZ	38,100	101,600	58,735				2,77	30	NTN
4T-24780	41,275		23,020				0,28	29	NTN
4T-24780/24720	41,275	76,200	23,020	17,462	23,020		0,43	29	NTN
4T-24780/24721	41,275	76,200	23,020	20,638	25,400		0,47	29	NTN
E-H249148/H249111DC+A	241,300	406,400	215,900				107,84	30	NTN
T-H249148/H249111D+A	241,300	406,400	215,900				101,00	30	NTN
4T-M249710		358,775		53,975			6,51	29	NTN
T-M249732/M249710	228,600	358,775	71,438	53,975	71,438		23,90	29	NTN
T-M249732/M249710D+A	228,600	358,775	152,400				50,90	30	NTN
4T-M249734	231,775		71,438				16,90	29	NTN
T-M249734/M249710	231,775	358,775	71,438	53,975	71,438		23,40	29	NTN
T-M249734/M249710D+A	231,775	358,775	152,400				50,00	30	NTN
T-M249736/M249710	237,330	358,775	71,438	53,975	71,438		22,60	29	NTN
T-M249736/M249710D+A	237,330	358,775	152,400				48,20	30	NTN
E-M249746TD/M249710UP	241,564	358,775	139,700				42,20	31	NTN
T-E-M249748D/M249710/M249710D	254,000	358,775	269,875				85,60	32	NTN
T-M249748D/M249710/M249710D	254,000	358,775	269,875				85,60	32	NTN
T-M249748D/M249710+A	254,000	358,775	130,175				41,20	31	NTN
E-M249749/M249710	254,000	358,775	71,438	53,975	71,438		21,48	29	NTN
M249749/M249710	254,000	358,775	71,438	53,975	71,438		21,50	29	NTN
M249749/M249710CD+A	254,000	358,775	152,400				44,70	30	NTN
M249749/M249710D+A	254,000	358,775	152,400				44,70	30	NTN
T-M249749/M249710	254,000	358,775	71,438	53,975	71,438		20,10	29	NTN
T-M249749/M249710D+A	254,000	358,775	152,400				42,80	30	NTN
E-M249749D/M249710/M249710D	254,000	258,775	269,875				74,40	32	NTN
CR1-2498	120,000	165,000	68,000				3,97	30	NTN
HH249949/HH249910	247,650	406,400	117,475	93,662	117,475		42,80	29	NTN
HH249949/HH249910D+A	247,650	406,400	247,650				112,00	30	NTN
HH249949D/HH249910+A	247,650	406,400	219,075				112,00	31	NTN
CRD-2503	125,000	305,000	180,000				68,90	31	NTN
CRT2503	127,000	266,700	58,738				17,70	37	NTN
CR-2503DF	125,000	305,000	180,000				63,90	30	NTN
4T-2520		66,421		20,638			0,12	29	NTN
4T-2523		69,850		19,050			0,17	29	NTN
4T-M252310		381,000		57,150			7,72	29	NTN
T-M252330/M252310	234,950	381,000	74,612	57,150	74,612		29,30	29	NTN
T-M252337/M252310	247,650	381,000	74,612	57,150	74,612		27,30	29	NTN
T-HM252343/HM252310	254,000	422,275	79,771	66,675	86,121		47,10	29	NTN
T-HM252343/HM252310D+A	254,000	422,275	178,592				88,90	30	NTN
T-HM252348/HM252310	260,350	422,275	79,771	66,675	86,121		45,70	29	NTN
T-HM252348/HM252310D+A	260,350	422,275	178,592				86,30	30	NTN





Reference						Kg	Brands	
	d	D	B	C	T			
4T-M252349	269,875		74,612			17,60	29	NTN
M252349/M252310D+A	269,875	381,000	158,750			52,30	30	NTN
T-M252349/M252310	269,875	381,000	74,612	57,150	74,612	25,40	29	NTN
T-M252349/M252310D+A	269,875	381,000	158,750			52,30	30	NTN
E-HM252349D/HM252310/HM252310D	260,350	422,275	314,325			180,00	32	NTN
HM252349D/HM252310/HM252310D	260,350	422,275	136,525	123,825	314,325	180,00	32	NTN
E-M252349D/M252310/M252310D	269,875	381,000	282,575			97,50	32	NTN
T-M252349D/M252310/M252310D	269,875	381,000	282,575			97,50	32	NTN
T-M252349D/M252310+A	269,875	381,000	136,525			48,60	31	NTN
4T-2523S		69,850		19,050		0,17	29	NTN
HH255149D/HH255110+A	279,400	457,200	244,475			158,00	31	NTN
HH255149TD/HH255110+A	259,027	457,200	244,475			165,43	31	NTN
4T-25519		82,550		19,050		0,19	29	NTN
4T-25520		82,931		19,050		0,20	29	NTN
4T-25521		83,058		19,050		0,20	29	NTN
4T-25522		83,058		19,114		0,20	29	NTN
4T-25523		82,931		22,225		0,23	29	NTN
4T-25526		85,027		19,050		0,24	29	NTN
4T-CR1-2554	125,000	230,000	116,000			19,00	30	NTN
CRI-2554	125,000	230,000	116,000			19,90	30	NTN
M255449/M255410A	288,925	406,400	77,788	60,325	77,788	27,80	29	NTN
M255449/M255410DA+A	288,925	406,400	165,100			59,00	30	NTN
E-M255449D/M255410/M255410DA	288,925	406,400	298,450			125,00	32	NTN
M255449D/M255410/M255410DA	288,925	406,400	298,450			125,00	32	NTN
E-M255449D/M255410A+A	288,925	406,400	144,462			59,00	31	NTN
M255449D/M255410A+A	288,925	406,400	144,462			58,10	31	NTN
E-M255449TD/M255410AUP	276,887	406,400	144,462			62,00	31	NTN
CRI-2555	125,000	210,000	110,000			14,50	30	NTN
4T-25572	38,112		25,400			0,44	29	NTN
4T-25572/25520	38,100	82,931	25,400	19,050	23,812	0,65	29	NTN
4T-25577	42,875		25,400			0,38	29	NTN
4T-25577/25520	42,875	82,931	25,400	19,050	25,400	0,58	29	NTN
4T-25577/25521	42,875	83,058	25,400	19,050	25,400	0,57	29	NTN
4T-25577/25522	42,875	83,058	25,400	19,114	25,400	0,58	29	NTN
4T-25577/25523	42,875	82,931	25,400	22,225	26,988	0,62	29	NTN
4T-25578	42,862		25,400			0,38	29	NTN
4T-25578/25520	42,862	82,931	25,400	19,050	23,812	0,58	29	NTN
4T-2558	30,162		25,357			0,30	29	NTN
4T-2558/2523	30,162	69,850	25,357	19,050	23,812	0,47	29	NTN
4T-2558/2523S	30,162	69,850	25,357	19,050	23,812	0,46	29	NTN
4T-25580	44,450		25,400			0,35	29	NTN
4T-25580/25520	44,450	82,931	25,400	19,050	25,400	0,56	29	NTN
4T-25580/25521	44,450	83,058	25,400	19,050	25,400	0,55	29	NTN
4T-25580/25522	44,450	83,058	25,400	19,114	25,400	0,56	29	NTN
4T-25580/25523	44,450	82,931	25,400	22,225	26,988	0,60	29	NTN
4T-25581	44,463		25,476			0,36	29	NTN
4T-25581/25520	44,450	82,931	25,476	19,050	25,400	0,56	29	NTN
4T-25582/25520	44,450	82,931	25,400	19,050	23,812	0,56	29	NTN
4T-25583	44,450		35,878			0,44	29	NTN
4T-25584	44,983		25,400			0,35	29	NTN
4T-25584/25520	44,983	82,931	25,400	19,050	25,400	0,55	29	NTN
4T-25584/25521	44,983	83,058	25,400	19,050	25,400	0,55	29	NTN







Reference						Kg		Brands
	d	D	B	C	T			
4T-25590	45,618		25,400			0,34	29	NTN
4T-25590/25519	45,618	82,550	25,400	19,050	23,812	0,53	29	NTN
4T-25590/25520	45,618	82,931	25,400	19,050	25,400	0,54	29	NTN
4T-25590/25521	45,618	83,058	25,400	19,050	25,400	0,53	29	NTN
4T-25590/25522	45,618	83,058	25,400	19,114	23,876	0,55	29	NTN
4T-25590/25523	45,618	82,931	25,400	22,225	26,988	0,56	29	NTN
4T-25590/25526	45,618	85,000	25,400	19,050	23,812	0,58	29	NTN
4T-25592/25520	46,038	82,931	25,400	19,050	23,812	0,54	29	NTN
E-HM256849/HM256810D+A	300,038	422,275	174,625			69,20	30	NTN
T-HM256849/HM256810DG2+A	300,038	422,275	174,625			67,40	30	NTN
T-HM256849/HM256810G2	300,038	422,275	82,550	63,500	82,550	31,90	29	NTN
T-E-HM256849D/HM256810/HM256810DG2	300,038	422,275	311,150			143,00	32	NTN
T-HM256849D/HM256810/HM256810DG2	300,038	422,275	311,150			143,00	32	NTN
T-HM256849D/HM256810G2+A	300,038	422,275	150,812			65,60	31	NTN
E-M257149D/M257110/M257110D	304,800	419,100	269,875			115,00	32	NTN
M257149D/M257110/M257110D	304,800	419,100	269,875			115,00	32	NTN
M257149D/M257110+A	304,800	419,100	130,175			53,10	31	NTN
E-M257248D/M257210/M257210D	304,902	412,648	266,700			107,00	32	NTN
M257248D/M257210/M257210D	304,902	412,648	266,700			107,00	32	NTN
M257248D/M257210+A	304,902	412,648	128,588			49,00	31	NTN
4T-2578	28,575		25,357			0,31	29	NTN
4T-2578/2523	28,575	69,850	25,357	19,050	25,357	0,48	29	NTN
4T-2580	31,750		25,357			0,28	29	NTN
4T-2580/2520	31,750	66,421	25,357	20,638	25,400	0,41	29	NTN
4T-2580/2523	31,750	69,850	25,357	19,050	23,812	0,45	29	NTN
4T-2580/2523S	31,750	69,850	25,357	19,050	25,357	0,45	29	NTN
4T-2581	33,338		25,357			0,27	29	NTN
4T-2582	31,750		25,357			0,28	29	NTN
4T-2582/2523	31,750	69,850	25,357	19,050	25,357	0,45	29	NTN
4T-25820		73,025		19,050		0,16	29	NTN
4T-25821		73,025		19,050		0,17	29	NTN
E-HH258248/HH258210	300,000	495,350	141,288	114,300	141,288	96,00	29	NTN
HH258248/HH258210DG2+A	299,974	495,300	301,625			205,00	30	NTN
HH258248/HH258210G2	299,974	495,300	141,288	114,300	141,288	96,00	29	NTN
E-HH258249TD/HH258210+A	281,252	495,300	263,525			225,00	31	NTN
4T-2585	33,338		25,357			0,26	29	NTN
4T-2585/2520	33,338	66,421	25,357	20,638	25,400	0,38	29	NTN
4T-2585/2523	33,338	69,850	25,357	19,050	25,357	0,43	29	NTN
LM258648D/LM258610+A	317,500	422,275	128,588			49,10	31	NTN
E-LM258649D/LM258610/LM258610D	317,500	422,275	269,875			110,00	32	NTN
LM258649D/LM258610/LM258610D (CRO-6431)	317,500	422,275	269,875			110,00	32	NTN
4T-25877	34,925		24,608			0,30	29	NTN
4T-25877/25820	34,925	73,025	24,608	19,050	24,608	0,46	29	NTN
4T-25877/25821	34,925	73,025	24,608	19,050	24,608	0,47	29	NTN
4T-25878	34,925		24,608			0,30	29	NTN
4T-25878/25820	34,925	73,025	24,608	19,050	24,608	0,46	29	NTN
4T-25880	36,487		24,608			0,29	29	NTN
4T-25880/25820	36,487	73,025	24,608	19,050	24,608	0,45	29	NTN
4T-25880/25821	36,487	73,025	24,608	19,050	24,608	0,45	29	NTN
E-HM259010		447,675		68,262		12,80	29	NTN
E-HM259048/HM259010	317,500	447,675	85,725	68,262	85,725	40,20	29	NTN
T-HM259048/HM259010	317,500	447,675	87,725	68,262	85,725	37,30	29	NTN

Reference						Kg		Brands
	d	D	B	C	T			
4T-HM259049/HM259010	317,500	447,675	85,725	68,262	85,725	40,20	29	NTN
HM259049/HM259010D+A	317,500	447,675	85,725	150,812	180,975	83,18	30	NTN
T-HM259049/HM259010D+A	317,500	447,675	180,975			78,80	30	NTN
HM259049D/HM259010+A	317,500	447,675	158,750			78,90	31	NTN
T-E-HM259049D/HM259010/HM259010D	317,500	447,675	327,025			161,00	32	NTN
T-HM259049D/HM259010/HM259010D	317,500	447,675	158,750	146,050	327,025	161,00	32	NTN
T-HM259049D/HM259010+A	317,500	447,675	158,750			77,90	32	NTN
HM261049/HM261010A	333,375	469,900	90,488	71,438	90,488	43,40	29	NTN
E-HM261049/HM261010DA+A	333,375	469,900	190,500			91,30	30	NTN
HM261049/HM261010DA+A	333,375	469,900	190,500			91,30	30	NTN
E-HM261049D/HM261010/HM261010D	333,375	496,900	342,900			186,15	32	NTN
HM261049D/HM261010/HM261010DA	333,375	469,900	342,900			187,00	32	NTN
HM261049D/HM261010A+A	333,375	469,900	166,688			90,10	31	NTN
CRI-2614	130,000	230,000	95,000			15,00	30	NTN
CR-2615	130,000	280,000	58,000	36,000	63,750	15,20	29	NTN
CR-2615DF	130,000	280,000	220,500			37,50	30	NTN
CRI-2616	130,000	230,000	145,000			23,00	30	NTN
CR1-2618	130,000	280,000	137,000			33,70	30	NTN
CRI-2618	130,000	280,000	137,000			34,50	30	NTN
CRI-2619	130,000	210,000	109,000			14,20	30	NTN
4T-2620		63,100		19,050		0,11	29	NTN
CR1-2624	130,000	299,000	137,000			43,70	30	NTN
CR1-2624	130,000	299,000	137,000			45,80	30	NTN
E-M262449D/M262410/M262410D	347,662	469,900	292,100			148,00	32	NTN
M262449D/M262410/M262410D	347,662	469,900	292,100			148,00	32	NTN
M262449D/M262410+A	347,662	469,900	138,112			68,00	31	NTN
E-HM262710		488,950		74,612		16,70	29	NTN
4T-HM262748	346,075		95,250			37,10	29	NTN
T-HM262748/HM262710	346,075	488,950	95,250	74,612	95,249	52,50	29	NTN
E-HM262749/HM262710	346,075	488,950	95,250	74,612	95,250	53,80	29	NTN
E-HM262749/HM262710CD+A	346,075	488,950	200,025			111,00	30	NTN
E-HM262749/HM262710D+A	346,075	488,950	200,025			104,00	30	NTN
T-HM262749/HM262710DG2+A	346,075	488,950	200,025			104,00	30	NTN
T-HM262749/HM262710G2	346,075	488,950	95,250	74,612	95,250	49,70	29	NTN
T-E-HM262749D/HM262710/HM262710DG2	346,075	488,950	358,775			227,00	32	NTN
T-HM262749D/HM262710/HM262710DG2	346,075	488,950	358,775			227,00	32	NTN
T-HM262749D/HM262710G2+A	346,075	488,950	174,625			103,00	31	NTN
4T-2631		66,421		19,050		0,16	29	NTN
E-LM263149D/LM263110/LM263110D	355,600	457,200	252,412			106,00	32	NTN
LM263149D/LM263110/LM263110D	355,600	457,200	252,412			106,00	32	NTN
LM263149D/LM263110+A	355,600	457,200	120,650			49,10	31	NTN
E-M263349D/M263310/M263310D	355,600	488,950	317,500			173,00	32	NTN
M263349D/M263310/M263310D	355,600	488,950	317,500			173,00	32	NTN
M263349D/M263310+A	355,600	488,950	153,988			85,40	31	NTN
E-CR1-2648LL	131,750	207,962	129,550	135,900	190,500	20,00	30	NTN
E-HM265049/HM265010	368,249	523,875	101,600	79,375	101,600	65,00	29	NTN
HM265049/HM265010DG2+A	368,249	523,875	101,600	169,862	214,312	142,00	30	NTN
HM265049/HM265010G2	368,249	523,875	101,600	79,375	101,600	61,70	29	NTN
E-HM265049D/HM265010/HM265010DG2	368,300	523,875	382,588			280,00	32	NTN
HM265049D/HM265010/HM265010DG2 (CRO-7406)	368,300	523,875	382,588			280,00	32	NTN
E-HM265049D/HM265010+A	368,300	523,875	185,738			133,00	31	NTN
HM265049D/HM265010G2+A	368,300	523,875	185,738			130,00	31	NTN





Reference	d		D		B	C	T	Kg	?	Brands
	d	D	B	C	T					
E-HM265049TD/HM265010	352,822	523,875	185,738					136,00	31	NTN
CRI-2651	130,000	214,000	115,000					15,50	30	NTN
CRD-2652	130,000	190,000	120,000					11,40	31	NTN
CRD-2654	130,000	195,000	120,000					12,50	31	NTN
CRI-2654	130,000	230,000	149,000					24,60	30	NTN
CRI-2655	130,000	230,000	100,000					15,80	30	NTN
CRI-2663	128,000	229,000	116,000					17,80	30	NTN
4T-HM266410		546,100		82,550				23,60	29	NTN
T-HM266446/HM266410	381,000	546,100	104,775	82,550	104,775			76,00	29	NTN
T-HM266446/HM266410D+A	381,000	546,100	222,250					149,00	30	NTN
T-HM266447/HM266410G2	381,000	546,100	104,775	82,550	104,775		70,10	29	NTN	
E-HM266448/HM266410	384,175	546,100	104,775	82,550	104,775		74,50	29	NTN	
T-HM266448/HM266410	384,175	546,100	104,775	82,550	104,775		69,00	29	NTN	
T-HM266448/HM266410D+A	384,175	546,100	222,250				146,00	30	NTN	
HM266449/HM266410	384,175	546,100	104,775	82,550	104,775		74,50	29	NTN	
HM266449/HM266410DC+A	384,175	546,100	222,250				156,42	30	NTN	
T-HM266449/HM266410DG2+A	384,175	546,100	222,250				146,00	30	NTN	
T-HM266449/HM266410G2	384,175	546,100	104,775	82,550	104,775		69,00	29	NTN	
E-HM266449D/HM266410/HM266410D	384,175	546,100	400,050				336,00	32	NTN	
T-E-HM266449D/HM266410/HM266410DG2	384,175	546,100	400,050				312,00	32	NTN	
T-HM266449D/HM266410/HM266410DG2	384,175	546,100	400,050				312,00	32	NTN	
T-HM266449D/HM266410G2+A	384,175	546,100	193,675				153,00	31	NTN	
HM266449TD/HM266410	384,175	546,100	193,675				152,00	31	NTN	
4T-JL26710		53,000		11,500			0,04	29	NTN	
4T-JL26749	32,000		15,000				0,08	29	NTN	
4T-JL26749/JL26710	32,000	53,000	15,000	11,500	14,500		0,12	29	NTN	
4T-2682/2631	26,162	66,421	25,433	19,050	23,812		0,44	29	NTN	
4T-26820		80,167		20,638			0,21	29	NTN	
4T-26822		79,375		19,050			0,19	29	NTN	
4T-26823		76,200		20,638			0,14	29	NTN	
4T-26824		80,000		19,050			0,20	29	NTN	
4T-26830		80,167		20,638			0,22	29	NTN	
4T-2687	25,400		25,433				0,28	29	NTN	
4T-2687/2620	25,400	63,100	25,433	19,050	23,812		0,39	29	NTN	
4T-2687/2631	25,400	66,421	25,433	19,050	25,433		0,44	29	NTN	
T-M268730/M268710DG2+A	381,000	590,550	244,475				247,00	30	NTN	
T-M268730/M268710G2	381,000	590,550	114,300	88,900	114,300		102,00	29	NTN	
E-M268749/M268710	415,925	590,550	114,300	88,900	114,300		97,90	29	NTN	
T-M268749/M268710DG2+A	415,925	590,550	244,475				188,00	30	NTN	
T-M268749/M268710G2	415,925	590,550	114,300	88,900	114,300		87,80	29	NTN	
T-E-M268749D/M268710/M268710DG2	415,925	590,550	434,975				421,00	32	NTN	
T-M268749D/M268710/M268710DG2	415,925	590,550	434,975				421,00	32	NTN	
T-M268749D/M268710G2+A	415,925	590,550	209,550				181,00	31	NTN	
E-M268749TD/M268710+A	398,462	590,550	209,550				207,00	31	NTN	
4T-26878	38,100		25,400				0,39	29	NTN	
4T-26878/26822	38,100	79,375	25,400	19,050	23,812		0,57	29	NTN	
4T-26878/26824	38,100	80,000	25,400	19,050	25,400		0,58	29	NTN	
4T-2688	26,988		25,433				0,25	29	NTN	
4T-26880	39,688		25,400				0,37	29	NTN	
4T-26880/26822	39,688	79,375	25,400	19,050	23,812		0,55	29	NTN	
4T-26881	39,688		25,400				0,37	29	NTN	
4T-26881/26822	39,688	79,375	25,400	19,050	25,400		0,55	29	NTN	

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-26882	41,275		25,400			0,34	29	NTN
4T-26882/26820	41,275	80,167	25,400	20,638	25,400	0,56	29	NTN
4T-26882/26822	41,275	79,375	25,400	19,050	25,400	0,53	29	NTN
4T-26882/26823	41,275	76,200	25,400	20,638	25,400	0,49	29	NTN
4T-26882/26824	41,275	80,000	25,400	19,050	23,812	0,54	29	NTN
4T-26882T	41,275		25,400			0,36	29	NTN
4T-26882T/26822	41,275	79,375	25,400	19,050	25,400	0,71	29	NTN
4T-26883	35,000		25,400			0,42	29	NTN
4T-26883/26822	35,000	79,375	25,400	19,050	25,400	0,60	29	NTN
4T-26884	42,875		25,400			0,32	29	NTN
4T-26884/26822	42,875	79,375	25,400	19,050	25,400	0,51	29	NTN
4T-26884/26824	42,875	80,000	25,400	19,050	25,400	0,52	29	NTN
4T-26885/26822	41,275	79,375	25,400	19,050	23,812	0,54	29	NTN
4T-26886	42,875		25,400			0,33	29	NTN
4T-26886/26824	42,875	80,000	25,400	19,050	23,812	0,53	29	NTN
4T-26886/26830	42,875	80,167	25,400	20,638	25,400	0,55	29	NTN
4T-26889	28,575		25,433			0,25	29	NTN
4T-26889/2631	28,575	66,421	25,433	19,050	25,433	0,41	29	NTN
4T-2690	29,367		25,433			0,24	29	NTN
4T-2690/2631	29,367	66,421	25,433	19,050	23,812	0,41	29	NTN
CRO-2701	135,000	180,000	160,000			13,50	32	NTN
E-CRO-2701	136,525	180,000	160,000			13,50	32	NTN
M270749/M270710AG2	447,675	635,000	120,650	95,250	120,650	107,00	29	NTN
M270749/M270710DAG2+A	447,675	635,000	257,175			228,00	30	NTN
E-M270749D/M270710/M270710DAG2	447,675	635,000	463,550			509,00	32	NTN
M270749D/M270710/M270710DG2	447,675	635,000	463,550			509,00	32	NTN
M270749D/M270710+A	447,675	635,000	223,838			234,00	31	NTN
M270749D/M270710AG2+A	447,675	635,000	223,838			224,00	31	NTN
E-M270749TD/M270710AUP	444,675	635,000	223,838			254,00	31	NTN
4T-2720		76,200		19,050		0,18	29	NTN
LM272235/LM272210G2	457,200	615,950	85,725	66,675	85,725	63,80	29	NTN
E-LM272249/LM272210D+A	482,600	615,950	184,150			118,00	30	NTN
LM272249/LM272210DG2+A	482,600	615,950	184,150			118,00	30	NTN
LM272249/LM272210G2	482,600	615,950	85,725	66,675	85,725	54,90	29	NTN
E-LM272249D/LM272210/LM272210DG2	482,600	615,950	330,200			250,00	32	NTN
LM272249D/LM272210/LM272210DG2	482,600	615,950	330,200			250,00	32	NTN
LM272249D/LM272210G2+A	482,600	615,950	158,750			115,00	31	NTN
M272647D/M272610G2+A	482,600	647,700	201,612			185,00	31	NTN
T-M272749/M272710DG2+A	479,425	679,450	276,225			310,00	30	NTN
T-M272749/M272710G2	479,425	679,450	128,588	101,600	128,588	130,00	29	NTN
E-M272749D/M272710+A	479,425	679,450	238,125			293,00	31	NTN
M272749D/M272710+A	479,425	679,450	238,125			272,00	31	NTN
T-M272749D/M272710G2+A	479,425	679,450	238,125			293,00	31	NTN
4T-2729		76,200		19,050		0,19	29	NTN
4T-2729X		76,200		19,050		0,19	29	NTN
4T-2735X		73,025		19,050		0,14	29	NTN
M274149/M274110G2	501,650	711,200	136,525	106,362	136,525	152,00	29	NTN
E-M274149D/M274110/M274110DG2	501,650	711,200	520,700			726,00	32	NTN
M274149D/M274110/M274110DG2	501,650	711,200	520,700			726,00	32	NTN
M274149D/M274110G2+A	501,650	711,200	250,825			314,00	31	NTN
E-LM274449D/LM274410/LM274410D	514,350	673,100	422,275			390,00	32	NTN
LM274449D/LM274410/LM274410D	514,350	673,100	422,275			390,00	32	NTN





Reference	d		D		B	C	T	Kg	Brands	
	d	D	B	D	B	C	T			
LM274449D/LM274410+A	514,350	673,100	203,200					189,00	31	NTN
T-EE275095/275155	241,300	393,700	69,850	50,005	73,817			34,30	29	NTN
T-EE275095/275156D+A	241,300	393,700	157,162					66,50	30	NTN
T-EE275100/275155	254,000	393,700	69,850	50,005	73,817			32,10	29	NTN
T-EE275100/275156D+A	254,000	393,700	157,162					62,20	30	NTN
T-EE275105/275155	266,700	393,700	69,850	50,005	73,817			29,70	29	NTN
T-EE275105/275156D+A	266,700	393,700	157,162					57,60	30	NTN
EE275106D/275155/275156D	266,700	393,700	269,878					116,00	32	NTN
E-EE275106D/275155/275156D	266,700	393,700	269,878					116,00	32	NTN
T-EE275108/275155	273,050	393,700	69,850	50,005	73,817			28,50	29	NTN
T-EE275108/275156D+A	273,050	393,700	157,162					55,30	30	NTN
T-EE275109D/275155+A	276,225	393,700	130,175					50,50	30	NTN
EE275109D/275160/275161D	276,225	406,400	268,290					122,00	32	NTN
E-EE275109D/275160/275161D	276,225	406,400	268,290					122,00	32	NTN
E-M275349D/M275310/M275310DG2	519,112	736,600	536,575					761,00	32	NTN
M275349D/M275310/M275310DG2 (CRO-10408)	519,112	736,600	536,575					761,00	32	NTN
M275349D/M275310G2+A	519,112	736,600	258,762					348,00	31	NTN
4T-27620		125,412		19,845				0,34	29	NTN
M276448D/M276410G2+A	536,575	761,873	269,875					389,00	31	NTN
M276449/M276410DG2+A	536,575	761,873	146,050	247,650	311,150			398,00	30	NTN
M276449/M276410G2	536,575	761,873	146,050	114,300	146,050			187,00	29	NTN
E-M276449D/M276410/M276410DG2	536,575	761,873	558,800					890,00	32	NTN
M276449D/M276410/M276410DG2	536,575	761,873	558,800					890,00	32	NTN
M276449D/M276410G2+A	536,575	761,873	269,875					389,00	31	NTN
4T-27687	82,550		25,400					0,70	29	NTN
4T-27687/27620	82,550	125,412	25,400	19,845	25,400			1,07	29	NTN
4T-27689/27620	83,345	125,412	25,400	19,845	25,400			1,06	29	NTN
4T-27690	83,345		25,400					0,68	29	NTN
4T-27690/27620	83,345	125,412	25,400	19,845	25,400			1,05	29	NTN
4T-27691/27620	83,345	125,412	25,400	19,845	25,400			1,04	29	NTN
4T-27695	84,975		25,400					0,63	29	NTN
4T-27695/27620	84,975	125,412	25,400	19,845	25,400			0,97	29	NTN
E-EE277455/277565	1 155,700	1 435,100	120,650	95,250	120,650			428,00	29	NTN
4T-2776	38,100		25,654					0,31	29	NTN
4T-2776/2720	38,100	76,200	25,654	19,050	23,812			0,50	29	NTN
4T-2777	38,100		25,654					0,30	29	NTN
4T-2780	36,487		25,654					0,33	29	NTN
4T-2780/2720	36,487	76,200	25,654	19,050	25,654			0,51	29	NTN
4T-27820		80,035		18,512				0,21	29	NTN
4T-2785	33,338		25,654					0,36	29	NTN
4T-2785/2720	33,338	76,200	25,654	19,050	23,812			0,55	29	NTN
M278749/M278710AG2	571,500	812,800	155,575	120,650	155,575			227,00	29	NTN
M278749/M278710DAG2+A	571,500	812,800	333,375					487,00	30	NTN
E-M278749D/M278710/M278710DAG2	571,500	812,800	593,725					1 080,00	32	NTN
M278749D/M278710/M278710DAG2	571,500	812,800	593,725					1 080,00	32	NTN
M278749D/M278710G2+A	571,500	812,800	285,750					470,00	31	NTN
4T-27875	34,925		23,698					0,38	29	NTN
4T-2788	38,100		25,654					0,31	29	NTN
4T-2788/2720	38,100	76,200	25,654	19,050	23,812			0,50	29	NTN
4T-2788/2729	38,100	76,200	25,654	19,050	25,654			0,49	29	NTN
4T-2788/2735X	38,100	73,025	25,654	19,050	23,812			0,44	29	NTN
4T-27880	38,100		23,698					0,35	29	NTN

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-27880/27820	38,100	80,035	23,698	18,512	24,608	0,56	29	NTN
4T-27881	38,100		23,698			0,35	29	NTN
4T-27881/27820	38,100	80,035	23,698	18,512	24,608	0,56	29	NTN
E-LM278849D/LM278810/LM278810D	585,788	771,525	479,425			750,00	32	NTN
LM278849D/LM278810/LM278810D	585,788	771,525	479,425			750,00	32	NTN
4T-2788A	38,100		25,654			0,31	29	NTN
4T-2789	39,688		25,654			0,29	29	NTN
4T-2789/2720	39,688	76,200	25,654	19,050	25,654	0,47	29	NTN
4T-2789/2729	39,688	76,200	25,654	19,050	25,654	0,47	29	NTN
4T-2790	33,338		25,654			0,36	29	NTN
4T-2790/2720	33,338	76,200	25,654	19,050	25,654	0,54	29	NTN
4T-2793	34,925		25,654			0,35	29	NTN
4T-2793/2720	34,925	76,200	25,654	19,050	25,654	0,53	29	NTN
4T-2793/2729	34,925	76,200	25,654	19,050	23,812	0,54	29	NTN
4T-2793/2735X	34,925	73,025	25,654	19,050	23,812	0,49	29	NTN
4T-2794	36,487		25,654			0,32	29	NTN
4T-2796	34,925		25,654			0,34	29	NTN
4T-2796/2720	34,925	76,200	25,654	19,050	25,654	0,53	29	NTN
CRD-28003	1 400,000	1 600,000	180,000			534,00	31	NTN
E-M280049D/M280010/M280010DG2	595,312	844,550	615,950			1 160,00	32	NTN
M280049D/M280010/M280010DG2	595,312	844,550	615,950			1 160,00	32	NTN
M280049D/M280010G2+A	595,312	844,550	296,862			525,00	31	NTN
M280349D/M280310/M280310DG2	609,600	863,600	660,400			1 250,00	32	NTN
M280349D/M280310G2+A	609,600	863,600	317,500			585,00	31	NTN
EE280626/281200	158,750	304,800	69,106	42,862	66,675	20,80	29	NTN
E-EE280700D/281200/281201D	177,800	304,800	238,227			69,90	32	NTN
EE280700D/281200/281201D (CRO-3663)	177,800	304,800	238,227			69,90	32	NTN
E-LM281031T/LM281044TD/LM281048T/LM2	595,312	857,250	590,550			1 020,00	32	NTN
M281049D/M281010G2+A	635,000	901,700	317,500			641,00	31	NTN
CRO-2810LL	140,000	198,000	174,000			16,00	32	NTN
L281148/L281110A	660,400	812,800	95,250	73,025	95,250	93,50	29	NTN
L281148/L281110DA+A	660,400	812,800	203,200			199,00	30	NTN
E-L281149D/L281110/L281110DG2	660,400	812,800	365,125			448,00	32	NTN
L281149D/L281110/L281110DG2	660,400	812,800	365,125			448,00	32	NTN
L281149D/L281110G2+A	660,400	812,800	176,212			195,00	31	NTN
CRO-2812LL	140,000	198,000	174,000			15,50	32	NTN
4T-28137	34,925		20,940			0,27	29	NTN
4T-28137/28317	34,925	80,035	20,940	15,875	21,433	0,47	29	NTN
4T-28150	38,100		20,940			0,26	29	NTN
4T-28150/28300	38,100	76,200	20,940	15,507	20,940	0,40	29	NTN
4T-28150/28315	38,100	80,000	20,940	15,875	21,006	0,47	29	NTN
4T-28156	39,980		19,649			0,23	29	NTN
4T-28158	40,000		20,940			0,25	29	NTN
4T-28158/28300	40,000	76,200	20,940	15,507	20,940	0,38	29	NTN
E-M281649D/M281610/M281610DG2	657,225	933,450	676,275			1 630,00	32	NTN
M281649D/M281610/M281610DG2	657,225	933,450	676,275			1 630,00	32	NTN
M281649D/M281610G2+A	657,225	933,450	328,612			711,00	31	NTN
CRO-2817	140,000	210,000	115,000			13,90	32	NTN
CR1-2818	140,000	210,000	106,000			12,60	30	NTN
CRI-2818	140,000	210,000	106,000			12,50	30	NTN
E-LM281849D/LM281810/LM281810DG2	679,450	901,700	552,450			1 040,00	32	NTN
LM281849D/LM281810/LM281810DG2	679,450	901,700	552,450			1 040,00	32	NTN

Reference	d		D		B	C	T	Kg	?	Brands
	d	D	B	C	T					
LM281849D/LM281810G2+A	679,450	901,700	265,112					459,00	31	NTN
CRD-2819	140,000	305,000	160,000					58,10	31	NTN
4T-2820		73,025			17,462			0,15	29	NTN
E-M282249D/M282210/M282210DG2	682,625	965,200	701,675					1 770,00	32	NTN
M282249D/M282210/M282210DG2	682,625	965,200	701,675					1 770,00	32	NTN
CRI-2825	140,000	230,000	140,000					20,50	30	NTN
LM282549D/LM282510G2+A	708,025	930,275	273,050					490,00	31	NTN
CRI-2826	140,000	260,000	120,000					26,60	30	NTN
4T-28300		76,200			15,507			0,14	29	NTN
CR-2831	140,000	210,000	55,000	34,000	55,000			4,30	29	NTN
4T-28317		80,035			15,875			0,20	29	NTN
CR1-2834	140,000	300,000	102,000					32,50	30	NTN
CRI-2834	140,000	300,000	102,000					32,50	30	NTN
M283449D/M283410/M283410D	730,250	1 035,050	755,650					2 210,00	31	NTN
E-M283449D/M283410/M283410DG2	730,250	1 035,050	755,650					2 210,00	32	NTN
LM283649/LM283610G2	749,300	990,600	160,337	123,000	159,500			309,00	29	NTN
E-LM283649D/LM283610/LM283610DG2	749,300	990,600	605,000					1 310,00	32	NTN
LM283649D/LM283610/LM283610DG2	749,300	990,600	605,000					1 250,00	32	NTN
LM283649D/LM283610G2+A	749,300	990,600	293,000					606,00	31	NTN
M284148D/M284111/M284110DG2	762,000	1 066,800	723,900					2 220,00	32	NTN
M284148D/M284111G2+A	762,000	1 066,800	352,425					968,00	31	NTN
E-M284249D/M284210/M284210DG2	762,000	1 079,500	787,400					2 480,00	32	NTN
M284249D/M284210/M284210DG2	762,000	1 079,500	787,400					2 480,00	32	NTN
M284249D/M284210G2+A	762,000	1 079,500	381,000					1 097,00	31	NTN
4T-28520		89,980			19,987			0,20	29	NTN
4T-28521		92,075			19,845			0,24	29	NTN
CRI-2855	140,000	230,000	120,000					15,50	30	NTN
4T-28579	49,987		25,400					0,46	29	NTN
4T-28580	50,800		25,400					0,45	29	NTN
4T-28580/28520	50,800	89,980	25,400	19,987	25,400			0,65	29	NTN
4T-28580/28521	50,800	92,075	25,400	19,845	25,400			0,70	29	NTN
4T-28584	52,388		25,400					0,43	29	NTN
4T-28584/28521	52,388	92,075	25,400	19,845	25,400			0,67	29	NTN
E-M285848D/M285810/M285810DG2	825,500	1 168,400	844,550					3 010,00	32	NTN
M285848D/M285810/M285810DG2	825,500	1 168,400	844,550					3 010,00	32	NTN
4T-28622		97,630			19,446			0,27	29	NTN
E-LM286249D/LM286210/LM286210DG2	863,600	1 130,300	669,925					1 950,00	32	NTN
LM286249D/LM286210/LM286210DG2	863,600	1 130,300	669,925					1 950,00	32	NTN
LM286249D/LM286210G2+A	863,600	1 130,300	323,850					848,00	31	NTN
4T-28678	50,800		24,608					0,58	29	NTN
4T-28678/28622	50,800	97,630	24,608	19,446	24,608			0,85	29	NTN
4T-28680	55,562		24,608					0,50	29	NTN
4T-28680/28622	55,562	97,630	24,608	19,446	24,608			0,77	29	NTN
4T-28682	57,150		24,608					0,47	29	NTN
4T-28682/28622	57,150	97,630	24,608	19,446	24,608			0,74	29	NTN
CRI-2869	140,000	240,000	132,000					22,10	30	NTN
4T-CR1-2869C3	140,000	240,000	132,000					22,10	30	NTN
CRI-2872	140,000	225,000	85,000					11,80	30	NTN
CRI-2874	140,000	270,000	120,000					27,60	30	NTN
E-LM287649D/LM287610/LM287610DG2	938,212	1 270,000	825,500					4 100,00	32	NTN
LM287649D/LM287610/LM287610DG2	938,212	1 270,000	825,500					4 100,00	32	NTN
LM287649D/LM287610G2+A	938,212	1 270,000	400,050					1 444,00	31	NTN

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-2878	34,925		23,812			0,28	29	NTN
4T-2878/2820	34,925	73,025	23,812	17,462	22,225	0,43	29	NTN
LM287849D/LM287810G2+A	939,800	1 333,500	349,250			1 540,00	31	NTN
4T-2879	31,750		23,812			0,32	29	NTN
4T-2879/2820	31,750	73,025	23,812	17,462	22,225	0,47	29	NTN
CR1-2884L	140,000	250,000	153,000			30,10	30	NTN
4T-28880/28820E1	247,650	304,800	22,225	15,875	22,225	3,29	29	NTN
E-LM288949D/LM288910/LM288910DG2	1 200,150	1 593,850	990,600			6 130,00	32	NTN
LM288949D/LM288910/LM288910DG2	1 200,150	1 593,850	990,600			6 130,00	32	NTN
4T-28919		99,979		19,050		0,22	29	NTN
4T-28920		101,600		19,845		0,27	29	NTN
4T-28921		100,000		19,845		0,23	29	NTN
4T-28980	59,977		25,400			0,53	29	NTN
4T-28985	60,325		25,400			0,53	29	NTN
4T-28985/28920	60,325	101,600	25,400	19,845	25,400	0,80	29	NTN
4T-28985/28921	60,325	100,000	25,400	19,845	25,400	0,77	29	NTN
4T-28990	61,976		24,608			0,49	29	NTN
4T-28990/28919	61,976	99,979	24,608	19,050	24,608	0,71	29	NTN
4T-28990/28920	91,976	101,600	24,608	19,845	25,400	0,77	29	NTN
4T-28995	62,738		25,400			0,49	29	NTN
4T-28995/28920	92,738	101,600	25,400	19,845	25,400	0,76	29	NTN
4T-28995/28921	62,738	100,000	25,400	19,845	25,400	0,71	29	NTN
EE291175/291750	298,450	444,500	61,912	39,688	63,500	33,10	29	NTN
EE291175/291751D+A	298,450	444,500	146,050			69,30	30	NTN
EE291200D/291750+A	304,800	444,500	107,950			55,70	30	NTN
EE291201/291750	304,800	444,500	61,912	39,688	63,500	31,90	29	NTN
EE291201/291751D+A	304,800	444,500	146,050			66,80	30	NTN
EE291202D/291750/291751D	304,800	444,500	247,650			127,00	32	NTN
E-EE291202D/291750/291751D	304,800	444,500	247,650			127,00	32	NTN
E-EE291250	317,500		61,912			17,00	29	NTN
EE291250/291750	317,500	444,500	61,912	39,688	63,500	29,50	29	NTN
EE291250/291751D+A	317,500	444,500	146,050			61,80	30	NTN
4T-2924		85,000		20,638		0,22	29	NTN
EE295102/295192D+A	260,350	488,950	254,000			190,00	30	NTN
EE295102/295193	260,350	488,950	120,650	92,075	120,650	90,30	29	NTN
EE295110/295192D+A	279,400	488,950	254,000			179,00	30	NTN
EE295110/295193	279,400	488,950	120,650	92,075	120,650	84,90	29	NTN
4T-29520		107,950		19,050		0,27	29	NTN
4T-29521		110,000		19,050		0,33	29	NTN
4T-29522		107,950		19,050		0,28	29	NTN
4T-29580	60,000		25,400			0,71	29	NTN
4T-29580/29520	60,000	107,950	25,400	19,050	25,400	0,99	29	NTN
4T-29582	60,013		25,400			0,72	29	NTN
4T-29585	63,500		25,400			0,64	29	NTN
4T-29585/29520	63,500	107,950	25,400	19,050	25,400	0,91	29	NTN
4T-29585/29521	63,500	110,000	25,400	19,050	25,400	0,98	29	NTN
4T-29586	63,500		25,400			0,65	29	NTN
4T-29586/29520	63,500	107,950	25,400	19,050	25,400	0,92	29	NTN
4T-29586/29522	63,500	107,950	25,400	19,050	25,400	0,96	29	NTN
4T-29590	66,675		25,400			0,58	29	NTN
4T-29590/29520	66,675	107,950	25,400	19,050	25,400	0,85	29	NTN
4T-29590/29521	66,675	110,000	25,400	19,050	25,400	0,91	29	NTN

Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-29590/29522	66,675	107,950	25,400	19,050	25,400	0,86	29	NTN	
4T-29620		112,712		19,050		0,27	29	NTN	
4T-29630		120,650		19,050		0,48	29	NTN	
4T-29675	69,850		25,400			0,67	29	NTN	
4T-29675/29620	69,850	112,712	25,400	19,050	25,400	0,95	29	NTN	
4T-29675/29630	69,850	120,650	25,400	19,050	25,400	1,17	29	NTN	
4T-29685	73,025		25,400			0,60	29	NTN	
4T-29685/29620	73,025	112,712	25,400	19,050	25,400	0,86	29	NTN	
4T-29685/29622D+A	73,025	114,287	58,738			2,09	30	NTN	
4T-29688	73,817		25,400			0,59	29	NTN	
4T-29688/29620	73,817	112,712	25,400	19,050	25,400	0,86	29	NTN	
4T-LM29710		65,088		13,970		0,08	29	NTN	
4T-LM29711		65,088		15,748		0,09	29	NTN	
4T-LM29748	38,100		18,288			0,15	29	NTN	
4T-LM29748/LM29710	38,100	65,088	18,288	13,970	18,034	0,23	29	NTN	
4T-LM29748L	38,100		18,288			0,16	29	NTN	
4T-LM29748L/LM29710	38,100	65,088	18,288	13,970	18,821	0,24	29	NTN	
4T-LM29749	38,100		18,288			0,16	29	NTN	
4T-LM29749/LM29710	38,100	65,088	18,288	13,970	18,034	0,23	29	NTN	
4T-LM29749/LM29711	38,100	65,088	18,288	15,748	19,812	0,25	29	NTN	
4T-2984	46,038		25,608			0,39	29	NTN	
4T-2984/2924	46,038	85,000	25,608	20,638	25,608	0,61	29	NTN	
29875/29820	254,000	323,850	22,225	15,875	22,225	3,92	29	NTN	
29875/29820D+A	254,000	323,850	63,500			11,20	30	NTN	
29880/29820	266,700	323,850	22,225	15,875	22,225	3,52	29	NTN	
29880/29820D+A	266,700	323,850	63,500			9,37	30	NTN	
4T-LM300811		68,000		13,500		0,08	29	NTN	
4T-LM300849	41,000		18,000			0,16	29	NTN	
4T-LM300849/LM300811	41,000	68,000	18,000	13,500	18,000	0,24	29	NTN	
CRD-3011	150,000	380,000	235,000			142,00	31	NTN	
CRD-3013	150,000	320,000	144,000			56,90	31	NTN	
CRI-3015	150,000	250,000	115,000			21,20	30	NTN	
CRD-3016	150,000	320,000	144,000			53,00	31	NTN	
E-CRT3018	152,400	317,500	69,850			28,20	37	NTN	
302/28	28,000	58,000	16,000	14,000	17,250	0,20	29	NTN	
302/32	32,000	65,000	17,000	15,000	18,250	0,18	29	NTN	
30202 A	15,000	35,000	11,000	10,000	11,750	0,05	29	SNR	
30203	17,000	40,000	12,000	11,000	13,250	0,08	29	NTN	
30203 A	17,000	40,000	12,000	11,000	13,250	0,08	29	SNR	
30204	20,000	47,000	14,000	12,000	15,250	0,13	29	NTN	
30204 A	20,000	47,000	14,000	12,000	15,250	0,12	29	SNR	
30205	25,000	52,000	15,000	13,000	16,250	0,15	29	NTN	
30205 A	25,000	52,000	15,000	13,000	16,250	0,16	29	SNR	
30206	30,000	62,000	16,000	14,000	17,250	0,24	29	NTN	
30206 A	30,000	62,000	16,000	14,000	17,250	0,24	29	SNR	
30207	35,000	72,000	17,000	15,000	18,250	0,34	29	NTN	
30207 A	35,000	72,000	17,000	15,000	18,250	0,35	29	SNR	
30208	40,000	80,000	18,000	16,000	19,750	0,44	29	NTN	
30208 A	40,000	80,000	18,000	16,000	19,750	0,44	29	SNR	
30209	45,000	85,000	19,000	16,000	20,750	0,49	29	NTN	
30209 C	45,000	85,000	19,000	16,000	20,750	0,48	29	SNR	
4T-30209DF	45,000	85,000	41,500			1,02	30	NTN	

Reference						Kg	?	Brands
	d	D	B	C	T			
30210	50,000	90,000	20,000	17,000	21,750	0,55	29	NTN
30210 C	50,000	90,000	20,000	17,000	21,750	0,55	29	SNR
30211	55,000	100,000	21,000	18,000	22,750	0,74	29	NTN
30211 A	55,000	100,000	21,000	18,000	22,750	0,80	29	SNR
30212	60,000	110,000	22,000	19,000	23,750	0,92	29	NTN
30212 A	60,000	110,000	22,000	19,000	23,750	0,92	29	SNR
30213	65,000	120,000	23,000	20,000	24,750	1,18	29	NTN
30213 A	65,000	120,000	23,000	20,000	24,750	1,15	29	SNR
30213 C	65,000	120,000	23,000	20,000	24,750	1,15	29	SNR
30214	70,000	125,000	24,000	21,000	26,250	1,28	29	NTN
30214 A	70,000	125,000	24,000	21,000	26,250	1,30	29	SNR
30214UDF	70,000	125,000	26,250			2,69	30	NTN
30215	75,000	130,000	25,000	22,000	27,250	1,41	29	NTN
30215 A	75,000	130,000	25,000	22,000	27,250	1,40	29	SNR
30215 C	75,000	130,000	25,000	22,000	27,250	1,39	29	SNR
4T-30215DF	75,000	130,000	54,500			2,85	30	NTN
30216	80,000	140,000	26,000	22,000	28,250	1,68	29	NTN
30216 A	80,000	140,000	26,000	22,000	28,250	1,74	29	SNR
30217	85,000	150,000	28,000	24,000	30,500	2,10	29	NTN
30217 A	85,000	150,000	28,000	24,000	30,500	2,14	29	SNR
30217UDF	85,000	150,000	61,000			4,46	30	NTN
30218	90,000	160,000	30,000	26,000	32,500	2,64	29	NTN
30218 A	90,000	160,000	30,000	26,000	32,500	2,63	29	SNR
4T-30218DF	90,000	160,000	65,000			5,47	30	NTN
30219	95,000	170,000	32,000	27,000	34,500	3,07	29	NTN
30219 A	95,000	170,000	32,000	27,000	34,500	3,15	29	SNR
30219UDF	95,000	170,000	69,000			6,45	30	NTN
30220	100,000	180,000	34,000	29,000	37,000	3,78	29	NTN
30220 A	100,000	180,000	34,000	29,000	37,000	3,79	29	SNR
4T-30220DFC3	100,000	180,000	74,000			7,80	30	NTN
30220UDF	100,000	180,000	74,000			7,56	30	NTN
30221	105,000	190,000	36,000	30,000	39,000	4,39	29	NTN
30221 A	105,000	190,000	36,000	30,000	39,000	4,46	29	SNR
30221UDF	105,000	190,000	78,000			9,24	30	NTN
30222	110,000	200,000	38,000	32,000	41,000	5,00	29	NTN
30222 A	110,000	200,000	38,000	32,000	41,000	5,14	29	SNR
30224	120,000	215,000	40,000	34,000	43,500	6,23	29	NTN
30224 A	120,000	215,000	40,000	34,000	43,500	6,25	29	SNR
30224UDF	120,000	215,000	87,000			13,10	30	NTN
30226	130,000	230,000	40,000	34,000	43,750	7,00	29	NTN
30226 A	130,000	230,000	40,000	34,000	43,750	7,16	29	SNR
30228	140,000	250,000	42,000	36,000	45,750	9,26	29	NTN
30228 A	140,000	250,000	42,000	36,000	45,750	8,87	29	SNR
30230	150,000	270,000	45,000	38,000	49,000	10,90	29	NTN
30230 A	150,000	270,000	45,000	38,000	49,000	11,20	29	SNR
30232	160,000	290,000	48,000	40,000	52,000	12,90	29	NTN
30234	170,000	310,000	52,000	43,000	57,000	17,00	29	NTN
30236	180,000	320,000	52,000	43,000	57,000	17,70	29	NTN
30238	190,000	340,000	55,000	46,000	60,000	21,20	29	NTN
30240	200,000	360,000	58,000	48,000	64,000	25,40	29	NTN
30244	220,000	400,000	65,000	54,000	72,000	34,40	29	NTN
30244DF	220,000	400,000	144,000			70,00	30	NTN





Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
30248	240,000	440,000	72,000	60,000	79,000	47,70	29	NTN	
30252	260,000	480,000	80,000	67,000	89,000	63,40	29	NTN	
30256	280,000	500,000	80,000	67,000	89,000	66,60	29	NTN	
30260	300,000	540,000	85,000	71,000	96,000	83,10	29	NTN	
30264	320,000	580,000	92,000	75,000	104,000	103,90	29	NTN	
30302	15,000	42,000	13,000	11,000	14,250	0,10	29	NTN	
30303	17,000	47,000	14,000	12,000	15,250	0,13	29	NTN	
30303 A	17,000	47,000	14,000	12,000	15,250	0,13	29	SNR	
30304 A	20,000	52,000	15,000	13,000	16,250	0,18	29	SNR	
30304CA	20,000	52,000	16,000	12,000	16,250	0,17	29	NTN	
30305	25,000	62,000	17,000	15,000	18,250	0,27	29	NTN	
30305 A	25,000	62,000	17,000	15,000	18,250	0,27	29	SNR	
30305C	25,000	62,000	17,000	14,000	18,250	0,26	29	NTN	
30305 C	25,000	62,000	17,000	15,000	18,250	0,26	29	SNR	
30305D	25,000	62,000	17,000	13,000	18,250	0,25	29	NTN	
4T-30305DF	25,000	62,000	-	-	-	0,55	30	NTN	
30306	30,000	72,000	19,000	16,000	20,750	0,40	29	NTN	
30306 A	30,000	72,000	19,000	16,000	20,750	0,42	29	SNR	
30306D	30,000	72,000	19,000	14,000	20,750	0,40	29	NTN	
30307	35,000	80,000	21,000	18,000	22,750	0,53	29	NTN	
30307 A	35,000	80,000	21,000	18,000	22,750	0,54	29	SNR	
30307C	35,000	80,000	21,000	17,000	22,750	0,52	29	NTN	
30307D	35,000	80,000	21,000	15,000	22,750	0,52	29	NTN	
30308	40,000	90,000	23,000	20,000	25,250	0,77	29	NTN	
30308 A	40,000	90,000	23,000	20,000	25,250	0,78	29	SNR	
30308C	40,000	90,000	23,000	19,000	25,250	0,73	29	NTN	
30308D	40,000	90,000	23,000	17,000	25,250	0,74	29	NTN	
4T-30308DDF	40,000	90,000	50,500	-	-	1,49	30	NTN	
30309	45,000	100,000	25,000	22,000	27,250	1,00	29	NTN	
30309 A	45,000	100,000	25,000	22,000	27,250	1,00	29	SNR	
30309D	45,000	100,000	25,000	18,000	27,250	0,96	29	NTN	
4T-30309DDF	45,000	100,000	54,500	-	-	2,00	30	NTN	
30310	50,000	110,000	27,000	23,000	29,250	1,29	29	NTN	
30310 A	50,000	110,000	27,000	23,000	29,250	1,29	29	SNR	
30310D	50,000	110,000	27,000	19,000	29,250	1,25	29	NTN	
4T-30310DDF	50,000	110,000	58,500	-	-	2,59	30	NTN	
30311	55,000	120,000	29,000	25,000	31,500	1,63	29	NTN	
30311 A	55,000	120,000	29,000	25,000	31,500	1,64	29	SNR	
30311D	55,000	120,000	29,000	21,000	31,500	1,59	29	NTN	
4T-30311DDF	55,000	120,000	63,000	-	-	3,34	30	NTN	
30312	60,000	130,000	31,000	26,000	33,500	2,04	29	NTN	
30312 A	60,000	130,000	31,000	26,000	33,500	2,06	29	SNR	
30312D	60,000	130,000	31,000	22,000	33,500	1,97	29	NTN	
4T-30312DDF	60,000	130,000	67,000	-	-	4,09	30	NTN	
30313	65,000	140,000	33,000	28,000	36,000	2,50	29	NTN	
30313 A	65,000	140,000	33,000	28,000	36,000	2,47	29	SNR	
30313D	65,000	140,000	33,000	23,000	36,000	2,42	29	NTN	
4T-30313DDF	65,000	140,000	72,000	-	-	4,13	30	NTN	
30314	70,000	150,000	35,000	30,000	38,000	3,02	29	NTN	
30314 A	70,000	150,000	35,000	30,000	38,000	3,05	29	SNR	
30314D	70,000	150,000	35,000	25,000	38,000	2,88	29	NTN	
4T-30314DDF	70,000	150,000	76,000	-	-	6,20	30	NTN	







Reference	d		D		B	C	T	Kg	?	Brands
	d	D	B	C	T					
30314UDF	70,000	150,000	76,000				6,14	30	NTN	
30315	75,000	160,000	37,000	31,000	40,000		3,54	29	NTN	
30315 A	75,000	160,000	37,000	31,000	40,000		3,57	29	SNR	
30315D	75,000	160,000	37,000	26,000	40,000		3,54	29	NTN	
30315DUDF	75,000	160,000	80,000				7,20	30	NTN	
30316	80,000	170,000	39,000	33,000	42,500		4,41	29	NTN	
30316 A	80,000	170,000	39,000	33,000	42,500		4,36	29	SNR	
30316D	80,000	170,000	39,000	27,000	42,500		4,11	29	NTN	
30316DUDF	80,000	170,000	85,000				8,46	30	NTN	
30317	85,000	180,000	41,000	34,000	44,500		5,20	29	NTN	
30317D	85,000	180,000	41,000	28,000	44,500		4,85	29	NTN	
30317DUDF	85,000	180,000	89,000				10,20	30	NTN	
30318	90,000	190,000	43,000	36,000	46,500		6,03	29	NTN	
30318D	90,000	190,000	43,000	30,000	46,500		5,66	29	NTN	
30319	95,000	200,000	45,000	38,000	49,500		6,62	29	NTN	
30319D	95,000	200,000	45,000	32,000	49,500		6,47	29	NTN	
30319UDF	95,000	200,000	99,000				14,12	30	NTN	
30320	100,000	215,000	47,000	39,000	51,500		8,56	29	NTN	
30320	100,000	215,000	47,000	39,000	51,500		7,72	29	NTN	
30321	105,000	225,000	49,000	41,000	53,500		9,79	29	NTN	
30322	110,000	240,000	50,000	42,000	54,500		11,10	29	NTN	
30324	120,000	260,000	55,000	46,000	59,500		14,20	29	NTN	
30326	130,000	280,000	58,000	49,000	63,750		17,10	29	NTN	
30328	140,000	300,000	62,000	53,000	67,750		21,10	29	NTN	
30330	150,000	320,000	65,000	55,000	72,000		25,50	29	NTN	
30332	160,000	340,000	68,000	58,000	75,000		29,90	29	NTN	
30332UDF	160,000	340,000	150,000				63,30	30	NTN	
30334	170,000	360,000	72,000	62,000	80,000		35,30	29	NTN	
30336	180,000	380,000	75,000	64,000	83,000		40,20	29	NTN	
30338	190,000	400,000	78,000	65,000	86,000		43,50	29	NTN	
30340	200,000	420,000	80,000	67,000	89,000		51,00	29	NTN	
30344	220,000	460,000	88,000	73,000	97,000		66,70	29	NTN	
30348	240,000	500,000	95,000	80,000	105,000		87,20	29	NTN	
30348DF	240,000	500,000	95,000	80,000	210,000		174,00	29	NTN	
CRD-3052	150,000	250,000	110,000				21,70	31	NTN	
CRO-3052	150,000	210,000	190,000				20,30	32	NTN	
CRO-3058	150,000	210,000	190,000				21,08	32	NTN	
CRI-3061	150,000	250,000	137,000				27,70	30	NTN	
CRI-3063	150,000	260,000	150,000				31,40	30	NTN	
CRI-3069	150,000	380,000	260,000				146,00	30	NTN	
4T-JH307710		110,000		32,000			0,56	29	NTN	
4T-JH307749	55,000		39,000				1,11	29	NTN	
4T-JH307749/JH307710	55,000	110,000	39,000	32,000	39,000		1,67	29	NTN	
E-E30902/131401D+A	228,600	355,600	152,400				49,50	30	NTN	
CRI-3101	155,000	330,000	180,000				66,00	30	NTN	
CR-3105DB	154,000	210,000	90,000				8,13	30	NTN	
4T-3120		72,626		23,812			0,22	29	NTN	
4T-3130		72,652		23,812			0,23	29	NTN	
31304	20,000	52,000	15,000	11,000	16,250		0,17	29	SNR	
31305 V	25,000	62,000	17,000	13,000	18,250		0,26	29	SNR	
31306 A	30,000	72,000	19,000	14,000	20,750		0,41	29	SNR	
31307 A	35,000	80,000	21,000	15,000	22,750		0,55	29	SNR	

Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
31308 A	40,000	90,000	23,000	17,000	25,250	0,76	29	SNR	
31309 A	45,000	100,000	25,000	18,000	27,250	0,96	29	SNR	
31310 A	50,000	110,000	27,000	19,000	29,250	1,24	29	SNR	
31311 A	55,000	120,000	29,000	21,000	31,500	1,58	29	SNR	
31312 A	60,000	130,000	31,000	22,000	33,500	2,00	29	SNR	
31312 VB22	60,000	130,000	31,000	22,000	33,500	1,89	29	SNR	
31313 A	65,000	140,000	33,000	23,000	36,000	2,47	29	SNR	
31314 A	70,000	150,000	35,000	25,000	38,000	2,95	29	SNR	
31320X	100,000	215,000	51,000	35,000	56,500	8,67	29	NTN	
31321X	105,000	225,000	53,000	36,000	58,000	9,68	29	NTN	
31322X	110,000	240,000	57,000	38,000	63,000	11,90	29	NTN	
31322XUDF	110,000	240,000	126,000			25,90	30	NTN	
31324X	120,000	260,000	62,000	42,000	68,000	15,90	29	NTN	
31324XUDF	120,000	260,000	136,000			31,80	30	NTN	
31326X	130,000	280,000	66,000	44,000	72,000	19,00	29	NTN	
31326XUDF	130,000	280,000	144,000			41,00	30	NTN	
31328X	140,000	300,000	70,000	47,000	77,000	23,00	29	NTN	
31328XUDF	140,000	300,000	154,000			49,70	30	NTN	
31330X	150,000	320,000	75,000	50,000	82,000	27,70	29	NTN	
4T-31520		76,200		23,812		0,23	29	NTN	
4T-31521		76,200		23,812		0,24	29	NTN	
4T-31593	34,925		28,575			0,39	29	NTN	
4T-31593/31520	34,925	76,200	28,575	23,812	29,370	0,63	29	NTN	
4T-31594	34,575		28,575			0,39	29	NTN	
4T-31594/31520	34,925	76,200	28,575	23,812	29,370	0,63	29	NTN	
4T-31597	36,512		28,575			0,37	29	NTN	
4T-31597/31520	36,512	76,200	28,575	23,812	29,370	0,61	29	NTN	
4T-JHM318410		155,000		35,500		1,02	29	NTN	
4T-JHM318448	90,000		44,000			2,31	29	NTN	
4T-JHM318448/JHM318410	90,000	155,000	44,000	35,500	44,000	3,33	29	NTN	
4T-3187/3120	30,162	72,626	29,997	23,812	30,162	0,62	29	NTN	
4T-3188	31,750		29,997			0,38	29	NTN	
4T-3188/3120	31,750	72,626	29,997	23,812	30,162	0,60	29	NTN	
4T-3188S	31,750		29,997			0,38	29	NTN	
4T-3188S/3120	31,750	72,626	29,997	23,812	30,162	0,60	29	NTN	
4T-L319210		130,175		16,670		0,25	29	NTN	
4T-L319249	95,250		21,433			0,53	29	NTN	
4T-L319249/L319210	95,250	130,175	21,433	16,670	21,433	0,78	29	NTN	
4T-3193	31,750		29,997			0,38	29	NTN	
4T-3193/3120	31,750	72,626	29,997	23,812	30,162	0,60	29	NTN	
4T-LL319349/LL319310	95,250	128,588	15,083	11,908	15,875	0,52	29	NTN	
4T-3196	33,338		29,997			0,35	29	NTN	
4T-3196/3120	33,338	72,626	29,997	23,812	30,162	0,58	29	NTN	
4T-3198	28,575		29,997			0,41	29	NTN	
320/22X	22,000	44,000	15,000	11,500	15,000	0,10	29	NTN	
320/28X	28,000	52,000	16,000	12,000	16,000	0,15	29	NTN	
320/32X	32,000	58,000	17,000	13,000	17,000	0,19	29	NTN	
32004X	20,000	42,000	15,000	12,000	15,000	0,10	29	NTN	
4T-32004XDF	20,000	42,000	30,000			0,20	30	NTN	
32005X	25,000	47,000	15,000	11,500	15,000	0,11	29	NTN	
32006X	30,000	55,000	17,000	13,000	17,000	0,17	29	NTN	
32006XT2LX3	30,000	55,000	17,000	13,000	17,000	0,17	29	NTN	






Reference	Diagram 1		Diagram 2	Diagram 3	Diagram 4	Diagram 5	Kg	?	Brands
	d	D	B	C	T				
32007 C	35,000	62,000	18,000	14,000	18,000	0,23	29	SNR	
32007X	35,000	62,000	18,000	14,000	18,000	0,22	29	NTN	
32008 C	40,000	68,000	19,000	14,500	19,000	0,27	29	SNR	
32008X	40,000	68,000	19,000	14,500	19,000	0,27	29	NTN	
32009X	45,000	75,000	2,000	15,500	20,000	0,33	29	NTN	
CR1-3201	160,000	270,000	140,000			32,00	30	NTN	
32010 A	50,000	80,000	20,000	15,500	20,000	0,36	29	SNR	
32010X	50,000	80,000	20,000	15,500	20,000	0,37	29	NTN	
32011 A	55,000	90,000	23,000	17,500	23,000	0,59	29	SNR	
32011X	55,000	90,000	23,000	17,500	23,000	0,56	29	NTN	
32012 A	60,000	95,000	23,000	17,500	23,000	0,63	29	SNR	
32012X	60,000	95,000	23,000	17,500	23,000	0,58	29	NTN	
32013 A	65,000	100,000	23,000	17,500	23,000	0,67	29	SNR	
32013X	65,000	100,000	23,000	17,500	23,000	0,63	29	NTN	
32014 A	70,000	110,000	25,000	19,000	25,000	0,90	29	SNR	
32014X	70,000	110,000	25,000	19,000	25,000	0,85	29	NTN	
32015 A	75,000	115,000	25,000	19,000	25,000	0,91	29	SNR	
32015X	75,000	115,000	25,000	19,000	25,000	0,90	29	NTN	
32016 A	80,000	125,000	29,000	22,000	29,000	1,33	29	SNR	
32016X	80,000	125,000	29,000	22,000	29,000	1,28	29	NTN	
32017 A	85,000	130,000	29,000	22,000	29,000	1,38	29	SNR	
32017X	85,000	130,000	29,000	22,000	29,000	1,33	29	NTN	
32018 A	90,000	140,000	32,000	24,000	32,000	1,69	29	SNR	
32018X	90,000	140,000	32,000	24,000	32,000	1,79	29	NTN	
32019 A	95,000	145,000	32,000	24,000	32,000	1,91	29	SNR	
32019X	95,000	145,000	32,000	24,000	32,000	1,84	29	NTN	
32020 A	100,000	150,000	32,000	24,000	32,000	1,95	29	SNR	
32020X	100,000	150,000	32,000	24,000	32,000	1,91	29	NTN	
32021 A	105,000	160,000	35,000	26,000	35,000	2,42	29	SNR	
32021X	105,000	160,000	35,000	26,000	35,000	2,42	29	NTN	
32022 A	110,000	170,000	38,000	29,000	38,000	3,10	29	SNR	
32022X	110,000	170,000	38,000	29,000	38,000	3,07	29	NTN	
32024 A	120,000	180,000	38,000	29,000	38,000	3,31	29	SNR	
32024X	120,000	180,000	38,000	29,000	38,000	3,40	29	NTN	
4T-32024XDF	120,000	180,000	76,000			6,73	30	NTN	
32024XUDF	120,000	180,000	76,000			6,80	30	NTN	
32026 A	130,000	200,000	45,000	34,000	45,000	5,13	29	SNR	
32026X	130,000	200,000	45,000	34,000	45,000	4,96	29	NTN	
32026XUDF	130,000	200,000	90,000			10,26	30	NTN	
32028 A	140,000	210,000	45,000	34,000	45,000	5,39	29	SNR	
32028X	140,000	210,000	45,000	34,000	45,000	5,40	29	NTN	
32028XUDF	140,000	210,000	90,000			9,70	30	NTN	
32030 A	150,000	225,000	48,000	36,000	48,000	6,46	29	SNR	
32030X	150,000	225,000	48,000	36,000	48,000	6,40	29	NTN	
32032 A	160,000	240,000	51,000	38,000	51,000	7,87	29	SNR	
32032X	160,000	240,000	51,000	38,000	51,000	7,80	29	NTN	
32034 A	170,000	260,000	57,000	43,000	57,000	10,60	29	SNR	
32034X	170,000	260,000	57,000	43,000	57,000	10,50	29	NTN	
32036 A	180,000	280,000	64,000	48,000	64,000	14,20	29	SNR	
32036X	180,000	280,000	64,000	48,000	64,000	14,50	29	NTN	
32038 A	190,000	290,000	64,000	48,000	64,000	14,57	29	SNR	
32038X	190,000	290,000	64,000	48,000	64,000	14,80	29	NTN	

Reference	d D		B	C	T	Kg	Brands	
	d	D	B	C	T			
32040 A	200,000	310,000	70,000	53,000	70,000	19,10	29	SNR
32040X	200,000	310,000	70,000	53,000	70,000	17,30	29	NTN
32044X	220,000	340,000	76,000	57,000	76,000	25,00	29	NTN
4T-32044XDF	220,000	340,000	152,000			52,00	30	NTN
32044XUDF	220,000	340,000	152,000			52,00	30	NTN
32048 A	240,000	360,000	76,000	57,000	76,000	26,80	29	SNR
32048X	240,000	360,000	76,000	57,000	76,000	26,80	29	NTN
4T-32048XDF	240,000	360,000	152,000			54,80	30	NTN
32052X	260,000	400,000	87,000	65,000	87,000	39,40	29	NTN
32052XUDF	260,000	400,000	174,000			81,25	30	NTN
32056 A	280,000	420,000	87,000	65,000	87,000	60,00	29	SNR
32056X	280,000	420,000	87,000	65,000	87,000	40,40	29	NTN
32056XUDF	280,000	420,000	174,000			86,80	30	NTN
32060X	300,000	460,000	100,000	74,000	100,000	63,00	29	NTN
32064 A	320,000	480,000	100,000	74,000	100,000	33,50	29	SNR
32064X	320,000	480,000	100,000	74,000	100,000	60,20	29	NTN
32064XUDF	320,000	480,000	200,000			125,00	30	NTN
32068	340,000	520,000	106,000	90,000	112,000	78,70	29	NTN
32072	360,000	540,000	106,000	90,000	112,000	83,70	29	NTN
32076	380,000	560,000	106,000	90,000	112,000	89,10	29	NTN
CRD-3208	160,000	270,000	116,000			27,10	31	NTN
32080	400,000	600,000	118,000	100,000	125,000	115,00	29	NTN
32084	420,000	620,000	118,000	100,000	125,000	121,00	29	NTN
32088	440,000	650,000	122,000	104,000	130,000	136,00	29	NTN
E-CRO-3209	165,100	265,000	173,000			33,60	32	NTN
CRO-3209 (CRO-3210)	160,000	265,000	173,000			37,00	32	NTN
CRI-3210	160,000	270,000	110,000			22,90	30	NTN
EE321145/321240A	368,300	609,600	142,875			162,00	32	NTN
E-EE321146D/321240A+A	368,300	609,600	279,400			313,00	31	NTN
CRI-3219	160,000	270,000	150,000			32,80	30	NTN
322/28R	28,000	58,000	19,000	16,000	20,250	0,24	29	NTN
322/32	32,000	65,000	21,000	18,000	22,250	0,32	29	NTN
32203	17,000	40,000	16,000	14,000	17,250	0,10	29	NTN
32203 A	17,000	40,000	16,000	14,000	17,250	0,11	29	SNR
32204	20,000	47,000	18,000	15,000	19,250	0,16	29	NTN
32205	25,000	52,000	18,000	16,000	19,250	0,19	29	NTN
32205 BA	25,000	52,000	18,000	15,000	19,250	0,19	29	SNR
32205C	25,000	52,000	18,000	15,000	19,250	0,19	29	NTN
32206	30,000	62,000	20,000	17,000	21,250	0,30	29	NTN
32206C	30,000	62,000	20,000	17,000	21,250	0,30	29	NTN
32206 C	30,000	62,000	20,000	17,000	21,250	0,29	29	SNR
32207	35,000	72,000	23,000	19,000	24,250	0,46	29	NTN
32207 B	35,000	72,000	23,000	19,000	24,250	0,46	29	SNR
32207C	35,000	72,000	23,000	19,000	24,250	0,46	29	NTN
32207 C	35,000	72,000	23,000	19,000	24,250	0,45	29	SNR
32208	40,000	80,000	23,000	19,000	24,750	0,56	29	NTN
32208 C	40,000	80,000	23,000	19,000	24,750	0,53	29	SNR
32209	45,000	85,000	23,000	19,000	24,750	0,59	29	NTN
32209 A	45,000	85,000	23,000	19,000	24,750	0,60	29	SNR
32209 BA	45,000	85,000	23,000	19,000	24,750	0,61	29	SNR
32210	50,000	90,000	23,000	19,000	24,750	0,65	29	NTN
32210 A	50,000	90,000	23,000	19,000	24,750	0,65	29	SNR








Reference						Kg	?	Brands
	d	D	B	C	T			
32211	55,000	100,000	25,000	21,000	26,750	0,86	29	NTN
32211 A	55,000	100,000	25,000	21,000	26,750	0,87	29	SNR
32212	60,000	110,000	28,000	24,000	29,750	1,16	29	NTN
32212 A	60,000	110,000	28,000	24,000	29,750	1,26	29	SNR
32212UDF	60,000	110,000	59,500			2,42	30	NTN
32213	65,000	120,000	31,000	27,000	32,750	1,55	29	NTN
32213 A	65,000	120,000	31,000	27,000	32,750	1,55	29	SNR
32214	70,000	125,000	31,000	27,000	33,250	1,68	29	NTN
32214 A	70,000	125,000	31,000	27,000	33,250	1,74	29	SNR
32215	75,000	130,000	31,000	27,000	33,250	1,72	29	NTN
32215 A	75,000	130,000	31,000	27,000	33,250	1,77	29	SNR
32215UDF	75,000	130,000	66,500			3,55	30	NTN
32216	80,000	140,000	33,000	28,000	35,250	2,16	29	NTN
32216 A	80,000	140,000	33,000	28,000	35,250	2,20	29	SNR
32217	85,000	150,000	36,000	30,000	38,500	2,70	29	NTN
32217 A	85,000	150,000	36,000	30,000	38,500	2,68	29	SNR
4T-32217DF	85,000	150,000	77,000			5,64	30	NTN
32217UDF	85,000	150,000	77,000			5,68	30	NTN
32218	90,000	160,000	40,000	34,000	42,500	3,49	29	NTN
32218 A	90,000	160,000	40,000	34,000	42,500	3,51	29	SNR
32218 C	90,000	160,000	40,000	34,000	42,500	3,29	29	SNR
32218UDF	90,000	160,000	85,000			7,20	30	NTN
32219	95,000	170,000	43,000	37,000	45,500	4,22	29	NTN
32219 A	95,000	170,000	43,000	37,000	45,500	4,30	29	SNR
32219UDF	95,000	170,000	91,000			8,85	30	NTN
32220	100,000	180,000	46,000	39,000	49,000	5,20	29	NTN
32220 A	100,000	180,000	46,000	39,000	49,000	5,14	29	SNR
32220UDF	100,000	180,000	98,000			9,76	30	NTN
32221	105,000	190,000	50,000	43,000	53,000	6,20	29	NTN
32221 A	105,000	190,000	50,000	43,000	53,000	6,27	29	SNR
32222	110,000	200,000	53,000	46,000	56,000	7,43	29	NTN
32222 A	110,000	200,000	53,000	46,000	56,000	7,46	29	SNR
4T-32222DF	110,000	200,000	112,000			13,70	30	NTN
32222UDF	110,000	200,000	112,000			15,40	30	NTN
32224	120,000	215,000	58,000	50,000	61,500	8,98	29	NTN
32224 A	120,000	215,000	58,000	50,000	61,500	9,28	29	SNR
32224UDF	120,000	215,000	123,000			18,30	30	NTN
32226	130,000	230,000	64,000	54,000	67,750	10,70	29	NTN
32226 A	130,000	230,000	64,000	54,000	67,750	11,50	29	SNR
32226UDF	130,000	230,000	135,500			23,00	30	NTN
32228	140,000	250,000	68,000	58,000	71,750	14,10	29	NTN
32228 A	140,000	250,000	68,000	58,000	71,750	14,80	29	SNR
32228UDF	140,000	250,000	143,500			29,00	30	NTN
32230	150,000	270,000	73,000	60,000	77,000	17,80	29	NTN
32230 A	150,000	270,000	73,000	60,000	77,000	18,50	29	SNR
32230UDF	150,000	270,000	154,000			36,92	30	NTN
32232	160,000	290,000	80,000	67,000	84,000	23,60	29	NTN
32232 A	160,000	290,000	80,000	67,000	84,000	22,50	29	SNR
32232UDF	160,000	290,000	168,000			48,30	30	NTN
32234	170,000	310,000	86,000	71,000	91,000	28,70	29	NTN
32234 A	170,000	310,000	86,000	71,000	91,000	29,30	29	SNR
32234UDF	170,000	310,000	182,000			60,50	30	NTN





							Brands	
Reference	d	D	B	C	T	Kg		
32236	180,000	320,000	86,000	71,000	91,000	30,10	29	NTN
32236 A	180,000	320,000	86,000	71,000	91,000	30,70	29	SNR
32236UDF	180,000	320,000	182,000			63,50	30	NTN
32238	190,000	340,000	92,000	75,000	97,000	36,08	29	NTN
32240	200,000	360,000	98,000	82,000	104,000	43,60	29	NTN
32244	220,000	400,000	108,000	90,000	114,000	59,20	29	NTN
32244DF	220,000	400,000	228,000			124,30	30	NTN
32248	240,000	440,000	120,000	100,000	127,000	78,80	29	NTN
32248DF	240,000	440,000	254,000			163,00	30	NTN
CR1-3225	160,000	270,000	140,000			31,80	30	NTN
CR1-3225	160,000	270,000	140,000			31,80	30	NTN
32252	260,000	480,000	130,000	106,000	137,000	103,00	29	NTN
32256	280,000	500,000	130,000	106,000	137,000	110,00	29	NTN
32260	300,000	540,000	140,000	115,000	149,000	130,00	29	NTN
32260DF	300,000	540,000	298,000			289,00	30	NTN
32264	320,000	580,000	150,000	125,000	159,000	172,10	29	NTN
323/32	32,000	75,000	28,000	23,000	29,750	0,65	29	NTN
323/32C	32,000	75,000	28,000	23,000	29,750	0,66	29	NTN
323024	120,000	180,000	46,000			4,08	31	NTN
323026	130,000	200,000	52,000			5,92	31	NTN
323028	140,000	210,000	53,000			6,40	31	NTN
323030	150,000	225,000	56,000			7,76	31	NTN
323032	160,000	240,000	60,000			9,46	31	NTN
323034	170,000	260,000	67,000			12,80	31	NTN
323036	180,000	280,000	74,000			16,50	31	NTN
323038	190,000	290,000	75,000			17,90	31	NTN
32304	20,000	52,000	21,000	18,000	22,250	0,24	29	NTN
32304 A	20,000	52,000	21,000	18,000	22,250	0,25	29	SNR
323040	200,000	310,000	82,000			21,70	31	NTN
323040	200,000	310,000	82,000			21,70	31	NTN
323044	220,000	340,000	90,000			29,80	31	NTN
323048	240,000	360,000	92,000			32,60	31	NTN
32305	25,000	62,000	24,000	20,000	25,250	0,38	29	NTN
32305 A	25,000	62,000	24,000	20,000	25,250	0,37	29	SNR
323052	260,000	400,000	104,000			47,30	31	NTN
323056	280,000	420,000	106,000			51,20	31	NTN
32306	30,000	72,000	27,000	23,000	28,750	0,57	29	NTN
32306 A	30,000	72,000	27,000	23,000	28,750	0,58	29	SNR
323060	300,000	460,000	118,000			70,70	31	NTN
323064	320,000	480,000	121,000			76,30	31	NTN
323068	340,000	520,000	133,000			101,00	31	NTN
32306C	30,000	72,000	27,000	23,000	28,750	0,33	29	NTN
32307	35,000	80,000	31,000	25,000	32,750	0,79	29	NTN
32307 A	35,000	80,000	31,000	25,000	32,750	0,80	29	SNR
323072	360,000	540,000	134,000			107,00	31	NTN
323076	380,000	560,000	135,000			113,00	31	NTN
32307 BC12	35,000	80,000	31,000	25,000	32,750	0,80	29	SNR
32307C	35,000	80,000	31,000	25,000	32,750	0,79	29	NTN
32308	40,000	90,000	33,000	27,000	35,250	1,06	29	NTN
32308 A	40,000	90,000	33,000	27,000	35,250	1,04	29	SNR
323080	400,000	600,000	148,000			146,00	31	NTN
323084	420,000	620,000	150,000			154,00	31	NTN







Reference						Kg		Brands
	d	D	B	C	T			
323088	440,000	650,000	157,000			177,00	31	NTN
32308 BC12	40,000	90,000	33,000	27,000	35,250	1,04	29	SNR
32308C	40,000	90,000	33,000	27,000	35,250	1,10	29	NTN
32309	45,000	100,000	36,000	30,000	38,250	1,43	29	NTN
32309 A	45,000	100,000	36,000	30,000	38,250	1,49	29	SNR
323092	460,000	680,000	163,000			201,00	31	NTN
323096	480,000	700,000	165,000			211,00	31	NTN
32309 BA	45,000	100,000	36,000	30,000	38,250	1,51	29	SNR
32309C	45,000	100,000	36,000	30,000	38,250	1,45	29	NTN
32310	50,000	110,000	40,000	33,000	42,250	1,90	29	NTN
32310 A	50,000	110,000	40,000	33,000	42,250	1,90	29	SNR
32310C	50,000	110,000	40,000	33,000	42,250	1,95	29	NTN
32311	55,000	120,000	43,000	35,000	45,500	2,41	29	NTN
32311 A	55,000	120,000	43,000	35,000	45,500	2,38	29	SNR
32311 BA	55,000	120,000	43,000	35,000	45,500	2,51	29	SNR
32311C	55,000	120,000	43,000	35,000	45,500	2,46	29	NTN
32312	60,000	130,000	46,000	37,000	48,500	2,98	29	NTN
32312 A	60,000	130,000	46,000	37,000	48,500	2,96	29	SNR
323122	110,000	180,000	56,000			5,60	31	NTN
323124	120,000	200,000	62,000			7,82	31	NTN
323126	130,000	210,000	64,000			8,58	31	NTN
323128	140,000	225,000	68,000			10,70	31	NTN
32312C	60,000	130,000	46,000	37,000	48,500	2,99	29	NTN
32313	65,000	140,000	48,000	39,000	51,000	3,66	29	NTN
32313 A	65,000	140,000	48,000	39,000	51,000	3,64	29	SNR
323130	150,000	250,000	80,000			15,70	31	NTN
323132	160,000	270,000	86,000			20,00	31	NTN
323134	170,000	280,000	88,000			21,50	31	NTN
323134	170,000	280,000	88,000			21,40	31	NTN
323136	180,000	300,000	96,000			27,20	31	NTN
323138	190,000	320,000	104,000			34,00	31	NTN
32313 BA	65,000	140,000	48,000	39,000	51,000	3,76	29	SNR
32314	70,000	150,000	51,000	42,000	54,000	4,46	29	NTN
32314 A	70,000	150,000	51,000	42,000	54,000	4,31	29	SNR
323140	200,000	340,000	112,000			41,70	31	NTN
323144	220,000	370,000	120,000			51,20	31	NTN
323148	240,000	400,000	128,000			64,60	31	NTN
32314 BA	70,000	150,000	51,000	42,000	54,000	4,42	29	SNR
32314C	70,000	150,000	51,000	42,000	54,000	4,18	29	NTN
32315	75,000	160,000	55,000	45,000	58,000	5,40	29	NTN
32315 A	75,000	160,000	55,000	45,000	58,000	5,37	29	SNR
323152	260,000	440,000	144,000			90,00	31	NTN
323156	280,000	460,000	146,000			95,80	31	NTN
32315 BC	75,000	160,000	55,000	45,000	58,000	5,20	29	SNR
32315C	75,000	160,000	55,000	45,000	58,000	5,65	29	NTN
32316	80,000	170,000	58,000	48,000	61,500	6,09	29	NTN
323160	300,000	500,000	160,000			126,00	31	NTN
323164	320,000	540,000	176,000			164,00	31	NTN
323168	340,000	580,000	190,000			207,00	31	NTN
32316 BC12	80,000	170,000	58,000	48,000	61,500	6,30	29	SNR
32316C	80,000	170,000	58,000	48,000	61,500	6,50	29	NTN
32317	85,000	180,000	60,000	49,000	63,500	7,15	29	NTN







								Brands
Reference	d	D	B	C	T	Kg		
32317 A	85,000	180,000	60,000	49,000	63,500	7,45	29	SNR
323172	360,000	600,000	192,000			218,00	31	NTN
323176	380,000	620,000	194,000			229,00	31	NTN
32317 BC12	85,000	180,000	60,000	46,000	63,500	7,13	29	SNR
32318	90,000	190,000	64,000	53,000	67,500	8,60	29	NTN
32318 A	90,000	190,000	64,000	53,000	67,500	8,88	29	SNR
323180	400,000	650,000	200,000			259,00	31	NTN
323184	420,000	700,000	224,000			346,00	31	NTN
323188	440,000	720,000	226,000			361,00	31	NTN
32319	95,000	200,000	67,000	55,000	71,500	10,10	29	NTN
323192	460,000	760,000	240,000			431,00	31	NTN
323196	480,000	790,000	248,000			478,00	31	NTN
32320	100,000	215,000	73,000	60,000	77,500	12,80	29	NTN
32320 B	100,000	215,000	73,000	55,000	77,500	12,20	29	SNR
32321	105,000	225,000	77,000	63,000	81,500	14,50	29	NTN
32322	110,000	240,000	80,000	65,000	84,500	18,00	29	NTN
32322DF	110,000	240,000	169,000			37,00	30	NTN
32324	120,000	260,000	86,000	69,000	90,500	22,40	29	NTN
32326	130,000	280,000	93,000	78,000	98,750	27,20	29	NTN
32328	140,000	300,000	102,000	85,000	107,750	32,90	29	NTN
32330	150,000	320,000	108,000	90,000	114,000	42,00	29	NTN
32332	160,000	340,000	114,000	95,000	121,000	48,50	29	NTN
32332DF	160,000	340,000	242,000			101,00	30	NTN
32334	170,000	360,000	120,000	100,000	127,000	56,50	29	NTN
32336	180,000	380,000	126,000	106,000	134,000	66,80	29	NTN
32338	190,000	400,000	132,000	109,000	140,000	76,90	29	NTN
32340	200,000	420,000	138,000	115,000	146,000	86,00	29	NTN
32340DF	200,000	420,000	292,000			187,50	30	NTN
32344	220,000	460,000	145,000	122,000	154,000	112,80	29	NTN
32348	240,000	500,000	155,000	132,000	165,000	130,02	29	NTN
32356	280,000	580,000	175,000	145,000	187,000	222,00	29	NTN
CRD-3253	160,000	260,000	130,000			26,50	31	NTN
CRD-3254	160,000	240,000	110,000			17,30	31	NTN
CRI-3256	160,000	240,000	110,000			15,60	30	NTN
CRI-3258	160,000	280,000	150,000			34,80	30	NTN
CR1-3266	160,000	290,000	200,000			56,90	30	NTN
4T-L327249	133,350		26,195			1,15	29	NTN
4T-L327249/L327210	133,350	177,008	26,195	20,638	25,400	1,70	29	NTN
32907X	35,000	55,000	14,000	11,500	14,000	0,12	29	NTN
32908X	40,000	62,000	15,000	12,000	15,000	0,16	29	NTN
32909X	45,000	68,000	15,000	12,000	15,000	0,18	29	NTN
EE329119D/329172/329173D	304,648	438,048	279,400			143,00	32	NTN
E-EE329119D/329172/329173D	304,648	438,048	279,400			143,00	32	NTN
EE329119D/329172+A	304,648	438,048	131,762			64,30	31	NTN
32911X	55,000	80,000	17,000	14,000	17,000	0,27	29	NTN
32912X	60,000	85,000	17,000	14,000	17,000	0,29	29	NTN
32913X	65,000	90,000	17,000	14,000	17,000	0,31	29	NTN
32914X	70,000	100,000	20,000	16,000	20,000	0,48	29	NTN
32915DF	75,000	105,000	40,000			0,99	30	NTN
32915X	75,000	105,000	20,000	16,000	20,000	0,51	29	NTN
32916X	80,000	110,000	20,000	16,000	20,000	0,54	29	NTN
32917X	85,000	120,000	23,000	18,000	23,000	0,77	29	NTN

Reference						Kg	?	Brands
	d	D	B	C	T			
32918X	90,000	125,000	23,000	18,000	23,000	0,80	29	NTN
32919X	95,000	130,000	23,000	18,000	23,000	0,85	29	NTN
32920X	100,000	140,000	25,000	20,000	25,000	1,14	29	NTN
32921X	105,000	145,000	25,000	20,000	25,000	1,19	29	NTN
32922X	110,000	150,000	25,000	20,000	25,000	1,24	29	NTN
32924X	120,000	165,000	29,000	23,000	29,000	1,77	29	NTN
32926DF	130,000	180,000	64,000			4,90	30	NTN
32926X	130,000	180,000	32,000	25,000	32,000	2,36	29	NTN
32928X	140,000	190,000	35,000	25,000	32,000	2,50	29	NTN
32930X	150,000	210,000	38,000	30,000	38,000	3,92	29	NTN
32930XUDF	150,000	210,000	76,000			8,02	30	NTN
32932X	160,000	220,000	38,000	30,000	38,000	4,14	29	NTN
32934X	170,000	230,000	38,000	30,000	38,000	4,40	29	NTN
32936X	180,000	250,000	45,000	34,000	45,000	6,48	29	NTN
32938X	190,000	260,000	45,000	34,000	45,000	6,77	29	NTN
32940	200,000	280,000	51,000	39,000	51,000	9,57	29	SNR
32940X	200,000	280,000	51,000	39,000	51,000	9,14	29	NTN
32944X	220,000	300,000	51,000	39,000	51,000	10,20	29	NTN
32948X	240,000	320,000	51,000	39,000	51,000	10,90	29	NTN
32952X	260,000	360,000	63,500	48,000	63,500	18,60	29	NTN
32956X	280,000	380,000	63,500	48,000	63,500	20,00	29	NTN
32960X	300,000	420,000	76,000	57,000	76,000	31,40	29	NTN
32964X	320,000	440,000	76,000	57,000	76,000	33,10	29	NTN
32968X	340,000	460,000	76,000	57,000	76,000	34,90	29	NTN
32972X	360,000	480,000	76,000	57,000	76,000	36,60	29	NTN
32976	380,000	520,000	82,000	72,000	87,000	50,50	29	NTN
32980	400,000	540,000	82,000	71,000	87,000	54,00	29	NTN
32984	420,000	560,000	82,000	71,000	87,000	56,60	29	NTN
32988	440,000	600,000	95,000	82,000	100,000	76,00	29	NTN
33005	25,000	47,000	17,000	14,000	17,000	0,13	29	NTN
33006	30,000	55,000	20,000	16,000	20,000	0,20	29	NTN
33007	35,000	62,000	21,000	17,000	21,000	0,26	29	NTN
33008	40,000	68,000	22,000	18,000	22,000	0,31	29	NTN
33009	45,000	75,000	24,000	19,000	24,000	0,40	29	NTN
33010	50,000	80,000	24,000	19,000	24,000	0,44	29	NTN
33011	55,000	90,000	27,000	21,000	27,000	0,64	29	NTN
33011 A	55,000	90,000	27,000	21,000	27,000	0,71	29	SNR
33011 VC12	55,000	90,000	27,000	21,000	27,000	0,67	29	SNR
33012	60,000	95,000	27,000	21,000	27,000	0,69	29	NTN
33012 A	60,000	95,000	27,000	21,000	27,000	0,70	29	SNR
33013	65,000	100,000	27,000	21,000	27,000	0,73	29	NTN
33013 A	65,000	100,000	27,000	21,000	27,000	0,78	29	SNR
33014	70,000	110,000	31,000	25,500	31,000	1,07	29	NTN
33014 A	70,000	110,000	31,000	25,500	31,000	1,11	29	SNR
33015	75,000	115,000	31,000	25,500	31,000	1,11	29	NTN
33015 A	75,000	115,000	31,000	25,500	31,000	1,18	29	SNR
33015UDF	75,000	115,000	62,000			2,27	30	NTN
33015 VC12	75,000	115,000	31,000	25,500	31,000	1,15	29	SNR
33016	80,000	125,000	36,000	29,500	36,000	1,60	29	NTN
33016 A	80,000	125,000	36,000	29,500	36,000	1,68	29	SNR
33016 VC12	80,000	125,000	36,000	29,500	36,000	1,61	29	SNR
33017	85,000	130,000	36,000	29,500	36,000	1,70	29	NTN





Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
33017 A	85,000	130,000	36,000	29,500	36,000	1,73	29	SNR	
33017 VC12	85,000	130,000	36,000	29,500	36,000	1,73	29	SNR	
33018	90,000	140,000	39,000	32,500	39,000	2,19	29	NTN	
33018 A	90,000	140,000	39,000	32,500	39,000	2,20	29	SNR	
33019	95,000	145,000	45,000	38,000	39,000	2,27	29	NTN	
33019 A	95,000	145,000	39,000	32,500	39,000	2,34	29	SNR	
33020	100,000	150,000	39,000	32,500	39,000	2,14	29	NTN	
33020 A	100,000	150,000	39,000	32,500	39,000	2,42	29	SNR	
33020 VC12	100,000	150,000	39,000	32,500	39,000	2,39	29	SNR	
33021	105,000	160,000	43,000	34,000	43,000	3,00	29	NTN	
33021 A	105,000	160,000	43,000	34,000	43,000	3,14	29	SNR	
33021 VC12	105,000	160,000	43,000	34,000	43,000	3,16	29	SNR	
33022	110,000	170,000	47,000	37,000	47,000	3,47	29	NTN	
33022 A	110,000	170,000	47,000	37,000	47,000	3,90	29	SNR	
33024	120,000	180,000	48,000	38,000	48,000	4,10	29	NTN	
33024 A	120,000	180,000	48,000	38,000	48,000	4,28	29	SNR	
33024 VC12	120,000	180,000	48,000	38,000	48,000	4,32	29	SNR	
33028	140,000	210,000	56,000	44,000	56,000	6,03	29	NTN	
33030	150,000	225,000	59,000	46,000	59,000	8,07	29	NTN	
CRI-3305	165,000	350,000	146,000			61,20	30	NTN	
CRI-3309	165,000	290,000	150,000			37,50	30	NTN	
33108	40,000	75,000	26,000	20,500	26,000	0,49	29	NTN	
33108 A	40,000	75,000	26,000	20,500	26,000	0,52	29	SNR	
33109	45,000	80,000	26,000	20,500	26,000	0,54	29	NTN	
33109 A	45,000	80,000	26,000	20,500	26,000	0,55	29	SNR	
33110	50,000	85,000	26,000	20,000	26,000	0,58	29	NTN	
33110 A	50,000	85,000	26,000	20,000	26,000	0,61	29	SNR	
33111	55,000	95,000	30,000	23,000	30,000	0,85	29	NTN	
33111 A	55,000	95,000	30,000	23,000	30,000	0,83	29	SNR	
33112	60,000	100,000	30,000	23,000	30,000	0,91	29	NTN	
33112 A	60,000	100,000	30,000	23,000	30,000	0,92	29	SNR	
33113	65,000	110,000	34,000	26,500	34,000	1,28	29	NTN	
33113 A	65,000	110,000	34,000	26,500	34,000	1,33	29	SNR	
33114	70,000	120,000	37,000	29,000	37,000	1,66	29	NTN	
33115	75,000	125,000	37,000	29,000	37,000	1,73	29	NTN	
33115 A	75,000	125,000	37,000	29,000	37,000	1,81	29	SNR	
33116	80,000	130,000	37,000	29,000	37,000	1,84	29	NTN	
33116 A	80,000	130,000	37,000	29,000	37,000	1,91	29	SNR	
33117	85,000	140,000	41,000	32,000	41,000	2,40	29	NTN	
33117 A	85,000	140,000	41,000	32,000	41,000	2,49	29	SNR	
33118	90,000	150,000	45,000	35,000	45,000	3,20	29	NTN	
33118 A	90,000	150,000	45,000	35,000	45,000	3,15	29	SNR	
33122	110,000	180,000	56,000	43,000	56,000	5,52	29	NTN	
4T-332		80,000		17,826		0,14	29	NTN	
332/28	28,000	58,000	24,000	19,000	24,000	0,29	29	NTN	
332/32	32,000	65,000	26,000	20,500	26,000	0,40	29	NTN	
4T-3320		80,167		23,812		0,21	29	NTN	
33205	25,000	52,000	22,000	18,000	22,000	0,22	29	NTN	
33205 A	25,000	52,000	22,000	18,000	22,000	0,23	29	SNR	
33206	30,000	62,000	25,000	19,500	25,000	0,34	29	NTN	
33206 A	30,000	62,000	25,000	19,500	25,000	0,36	29	SNR	
33207	35,000	72,000	28,000	22,000	28,000	0,53	29	NTN	





Reference						Kg	?	Brands
	d	D	B	C	T			
33207 A	35,000	72,000	28,000	22,000	28,000	0,55	29	SNR
33208	40,000	80,000	32,000	25,000	32,000	0,73	29	NTN
33208 A	40,000	80,000	32,000	25,000	32,000	0,76	29	SNR
33209	45,000	85,000	32,000	25,000	32,000	0,79	29	NTN
33209 A	45,000	85,000	32,000	25,000	32,000	0,80	29	SNR
33210	50,000	90,000	32,000	24,500	32,000	0,85	29	NTN
33210 A	50,000	90,000	32,000	24,500	32,000	0,89	29	SNR
33211	55,000	100,000	35,000	27,000	35,000	1,15	29	NTN
33211 A	55,000	100,000	35,000	27,000	35,000	1,21	29	SNR
33212	60,000	110,000	38,000	29,000	38,000	1,51	29	NTN
33212 A	60,000	110,000	38,000	29,000	38,000	1,57	29	SNR
33213	65,000	120,000	41,000	32,000	41,000	1,98	29	NTN
33213 A	65,000	120,000	41,000	32,000	41,000	2,03	29	SNR
33214	70,000	125,000	41,000	32,000	41,000	2,08	29	NTN
33214 A	70,000	125,000	41,000	32,000	41,000	2,17	29	SNR
33215	75,000	130,000	41,000	31,000	41,000	2,20	29	NTN
33215 A	75,000	130,000	41,000	31,000	41,000	2,27	29	SNR
33216	80,000	140,000	46,000	35,000	46,000	2,92	29	NTN
33216 A	80,000	140,000	46,000	35,000	46,000	2,95	29	SNR
33217	85,000	150,000	49,000	37,000	49,000	3,58	29	NTN
33217 A	85,000	150,000	49,000	37,000	49,000	3,68	29	SNR
33218	90,000	160,000	55,000	42,000	55,000	4,62	29	NTN
33220	100,000	180,000	63,000	48,000	63,000	6,82	29	NTN
33221	105,000	190,000	68,000	52,000	68,000	8,35	29	NTN
4T-33225	57,150		30,162			1,14	29	NTN
4T-33225/33462	57,150	117,475	30,162	23,812	30,162	1,58	29	NTN
4T-33262	66,675		30,162			0,91	29	NTN
4T-33262/33462	66,675	117,475	30,162	23,812	30,162	1,33	29	NTN
4T-33275	69,850		30,162			0,83	29	NTN
4T-33275/33462	69,850	117,475	30,162	23,812	30,162	1,26	29	NTN
4T-33275/33472	69,850	120,000	30,162	23,444	30,162	1,35	29	NTN
4T-33281	71,438		30,162			0,78	29	NTN
4T-33281/33462	71,438	117,475	30,162	23,812	30,162	1,21	29	NTN
4T-33281/33472	71,438	120,000	30,162	23,444	30,162	1,30	29	NTN
4T-33287	73,025		30,162			0,74	29	NTN
4T-33287/33462	73,025	117,475	30,162	23,812	30,162	1,18	29	NTN
4T-33287/33472	73,025	120,000	30,162	23,444	30,162	1,26	29	NTN
4T-332A		80,000		21,000		0,18	29	NTN
E-EE333137	349,250		84,138			37,20	29	NTN
EE333137/333197	349,250	501,650	84,138	69,850	90,488	56,40	29	NTN
EE333137/333203D+A	349,250	514,350	193,675			121,00	30	NTN
E-EE333140	355,600		84,138			34,90	29	NTN
EE333140/333197	355,600	501,650	84,138	69,850	90,488	50,80	29	NTN
EE333140/333203D+A	355,600	514,350	193,675			117,00	30	NTN
4T-33462		117,475		23,812		0,43	29	NTN
4T-33472		120,000		23,444		0,52	29	NTN
4T-336	41,275		22,403			0,33	29	NTN
4T-336/332	41,275	80,000	22,403	17,826	22,403	0,47	29	NTN
4T-3379	34,925		30,391			0,52	29	NTN
4T-3379/3320	34,925	80,167	30,391	23,812	30,391	0,73	29	NTN
4T-3381	38,100		30,391			0,47	29	NTN
4T-3381/3320	38,100	80,167	30,391	23,812	30,391	0,68	29	NTN






Reference	d		D		B	C	T	Kg	Brands	
4T-3382	39,688				30,391			0,45	29	NTN
4T-3382/3320	39,688	80,167			30,391	23,812	30,391	0,66	29	NTN
4T-3382/3321	39,688	77,534			30,391	23,812	29,370	0,67	29	NTN
4T-3382/3339	39,688	80,035			30,391	23,812	29,370	0,67	29	NTN
4T-33820B		93,264				22,225		0,24	29	NTN
4T-33821		95,250				22,225		0,26	29	NTN
4T-33822		95,250				22,225		0,27	29	NTN
4T-3383	41,288				30,467			0,42	29	NTN
4T-3384	41,275				30,391			0,43	29	NTN
4T-3384/3320	41,275	80,167			30,391	23,812	30,391	0,64	29	NTN
4T-3386	39,688				30,391			0,45	29	NTN
4T-3386/3320	39,688	80,167			30,391	23,812	30,391	0,66	29	NTN
4T-3386/3325	39,688	79,975			30,391	23,812	29,370	0,67	29	NTN
4T-33880	38,100				28,575			0,80	29	NTN
4T-33885	44,463				28,575			0,72	29	NTN
4T-33885/33821	44,450	95,250			28,575	22,225	27,783	0,99	29	NTN
4T-33885/33822	44,450	95,250			28,575	22,225	28,575	0,98	29	NTN
4T-33889	50,800				28,575			0,60	29	NTN
4T-33889/33821	50,800	95,250			28,575	22,225	28,575	0,86	29	NTN
4T-33889/33822	50,800	95,250			28,575	22,225	28,575	0,87	29	NTN
4T-33890	52,388				28,575			0,58	29	NTN
4T-33890/33821	52,388	95,250			28,575	22,225	27,783	0,85	29	NTN
4T-33891	52,388				28,575			0,58	29	NTN
4T-33891/33821	52,388	95,250			28,575	22,225	28,575	0,58	29	NTN
4T-33895	53,975				28,575			0,55	29	NTN
4T-33895/33821	53,975	95,250			28,575	22,225	28,575	0,81	29	NTN
4T-33895/33822	53,975	95,250			28,575	22,225	28,575	0,82	29	NTN
4T-339	35,000				22,403			0,39	29	NTN
4T-339/332	35,000	80,000			22,403	17,826	22,403	0,53	29	NTN
CRTD3401	170,000	240,000			84,000			12,00	38	NTN
CRO-3409	170,000	280,000			181,000			44,00	32	NTN
E-CRO-3409	170,000	280,000			181,000			44,00	32	NTN
CRI-3410	170,000	280,000			150,000			32,70	30	NTN
CRI-3410	170,000	280,000			150,000			34,30	30	NTN
CRD-3413	170,000	280,000			76,000			18,50	31	NTN
CRD-3414	170,000	360,000			144,000			79,70	31	NTN
CRD-3416	170,000	360,000			160,000			71,90	31	NTN
CR-3418	170,000	260,000			67,000	43,000	67,000	11,48	29	NTN
4T-342	41,275				22,403			0,31	29	NTN
4T-3420		79,375				23,812		0,25	29	NTN
CRI-3420	170,000	250,000			85,000			12,60	30	NTN
CRI-3420	170,000	250,000			85,000			12,60	30	NTN
CRD-3423	170,000	300,000			100,000			30,20	31	NTN
4T-34274	69,952				23,012			0,78	29	NTN
4T-34274/34478	69,952	121,442			23,012	17,462	24,608	1,11	29	NTN
4T-342A	41,275				29,977			0,40	29	NTN
4T-342S	42,875				22,403			0,31	29	NTN
4T-342S/332	42,875	80,000			22,403	17,826	22,403	0,45	29	NTN
4T-34300	76,200				23,012			0,66	29	NTN
4T-34300/34478	76,200	121,442			23,012	17,462	24,608	0,98	29	NTN
4T-34301	76,200				23,012			0,65	29	NTN
4T-34301/34478	76,200	121,442			23,012	17,462	24,608	0,98	29	NTN

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-34301/34500	76,200	127,000	23,012	19,842	26,998	1,19	29	NTN
4T-34306	77,788		23,012			0,62	29	NTN
4T-34306/34478	77,788	121,442	23,012	17,462	24,608	0,94	29	NTN
4T-34306/34500	77,788	127,000	23,012	19,842	26,988	1,15	29	NTN
4T-344/332	40,000	80,000	22,403	17,826	22,403	0,48	29	NTN
4T-34478		121,442		17,462		0,31	29	NTN
4T-34492A	77,788		16,400			0,38	29	NTN
4T-344A	40,000		22,403			0,34	29	NTN
4T-344A/332	40,000	80,000	22,403	17,826	22,403	0,48	29	NTN
4T-34500		127,000		19,842		0,53	29	NTN
CRI-3452	170,000	280,000	134,000			32,80	30	NTN
CR-3463	170,000	360,000	75,000	46,000	83,000	34,20	29	NTN
4T-3476	31,750		29,771			0,47	29	NTN
4T-3476/3420	31,750	79,375	29,771	23,812	29,370	0,77	29	NTN
4T-3478	34,925		29,771			0,47	29	NTN
4T-3478/3420	34,925	79,375	29,771	23,812	29,771	0,72	29	NTN
4T-3479	36,512		29,771			0,45	29	NTN
4T-3479/3420	36,512	79,375	29,771	23,812	29,370	0,71	29	NTN
4T-3482	34,925		29,771			0,47	29	NTN
4T-M348449/M348410	247,650	346,075	63,700	50,800	63,500	17,70	29	NTN
T-M348449/M348410	247,650	346,075	63,500	50,800	63,500	16,20	29	NTN
4T-3490	38,100		29,771			0,42	29	NTN
4T-3490/3420	38,100	79,375	29,771	23,812	29,370	0,68	29	NTN
M349549/M349510	257,175	342,900	57,150	44,450	57,150	12,90	29	NTN
M349549A/M349510	257,175	342,900	57,150	44,450	57,150	12,90	29	NTN
CRD-3502	177,000	248,000	90,488			13,45	31	NTN
CRT3503	174,625	358,775	82,550			43,40	37	NTN
E-CRT3503	174,625	358,775	82,550			43,40	37	NTN
EE350701/351687	177,800	428,625	95,250	61,912	106,362	77,70	29	NTN
EE350750/351687	190,500	428,625	95,250	61,912	106,362	75,30	29	NTN
4T-350A/354A	40,000	85,000	21,692	17,462	20,638	0,56	29	NTN
4T-352		90,119		21,808		0,32	29	NTN
4T-3520		84,138		23,812		0,22	29	NTN
4T-3525		87,312		23,812		0,30	29	NTN
4T-3526X		87,338		23,813		0,31	29	NTN
4T-354A		85,027		17,462		0,16	29	NTN
4T-354X		85,000		17,462		0,16	29	NTN
4T-355	44,450		21,692			0,35	29	NTN
4T-355/354A	44,450	85,000	21,692	17,462	20,638	0,51	29	NTN
4T-355A	44,463		21,692			0,34	29	NTN
4T-355X	44,450		21,692			0,34	29	NTN
4T-355X/352	44,450	90,119	21,692	21,808	23,000	0,66	29	NTN
4T-355X/354X	44,450	85,000	21,692	17,462	20,638	0,50	29	NTN
4T-357	40,000		21,692			0,40	29	NTN
4T-357/354A	40,000	85,000	21,692	17,462	21,692	0,56	29	NTN
L357049/L357010	304,800	393,700	50,800	38,100	50,800	13,80	29	NTN
L357049/L357010D+A	304,800	393,700	107,950			29,30	30	NTN
4T-3576/3525	41,275	87,312	30,886	23,812	30,162	0,83	29	NTN
4T-3577	41,275		30,886			0,52	29	NTN
4T-3577/3525	41,275	87,312	30,886	23,812	30,886	0,82	29	NTN
4T-3578	44,450		30,886			0,47	29	NTN
4T-3578/3520	44,450	84,138	30,886	23,812	30,162	0,70	29	NTN






Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-3578/3525	44,450	87,312	30,886	23,812	30,886	0,76	29	NTN	
4T-3578A	44,450		30,886			0,47	29	NTN	
4T-3579	42,862		30,886			0,50	29	NTN	
4T-3579/3525	42,862	87,312	30,886	23,812	30,162	0,81	29	NTN	
4T-358/354A	45,000	85,000	21,692	17,462	20,638	0,51	29	NTN	
4T-3580/3525	38,100	87,312	30,886	23,812	30,162	0,88	29	NTN	
4T-3583	38,100		30,886			0,57	29	NTN	
4T-3585	41,275		30,886			0,53	29	NTN	
4T-3585/3525	41,275	87,312	30,886	23,812	30,886	0,83	29	NTN	
4T-3586	45,237		30,886			0,46	29	NTN	
4T-3586/3525	45,237	87,312	30,886	23,812	30,162	0,77	29	NTN	
4T-358X	45,000		21,692			0,34	29	NTN	
4T-358X/354A	45,000	85,000	21,692	17,462	21,692	0,50	29	NTN	
4T-359A	46,038		21,692			0,31	29	NTN	
4T-359A/354A	46,038	85,000	21,692	17,462	20,638	0,49	29	NTN	
4T-359S	46,038		21,692			0,33	29	NTN	
4T-359S/352	46,038	90,119	21,692	21,808	23,000	0,65	29	NTN	
4T-359S/354A	46,038	85,000	21,692	17,462	21,692	0,49	29	NTN	
4T-359S/354X	46,038	85,000	21,692	17,462	21,692	0,49	29	NTN	
E-CRT3614	177,800	368,300	82,550			48,30	37	NTN	
CRD-3615	180,000	330,000	190,000			71,60	31	NTN	
LM361649/LM361610	342,900	450,850	66,675	52,388	66,675	25,00	29	NTN	
CRO-3617	180,000	300,000	280,000			69,40	32	NTN	
E-CRO-3617	180,000	300,000	280,000			69,40	32	NTN	
E-CRT3617	177,800	368,300	82,550			45,30	37	NTN	
CR1-3618	180,000	340,000	180,000			67,70	30	NTN	
CRI-3618	180,000	340,000	180,000			68,50	30	NTN	
4T-CR1-3618C3	180,000	340,000	180,000			68,30	30	NTN	
4T-362		90,000		15,875		0,17	29	NTN	
CRD-3622	180,000	400,000	232,000			146,50	31	NTN	
CRD-3623	180,000	380,000	158,000			78,70	31	NTN	
CRI-3623	180,000	280,000	134,500			27,00	30	NTN	
CRI-3625	180,000	300,000	164,000			43,70	30	NTN	
4T-362A		88,925		16,513		0,16	29	NTN	
4T-363		90,000		20,000		0,24	29	NTN	
4T-365	50,000		22,225			0,36	29	NTN	
4T-365/362	50,000	90,000	22,225	15,875	22,225	0,54	29	NTN	
4T-365/362A	50,000	88,900	22,225	16,513	20,638	0,53	29	NTN	
LL365340/LL365310D+A	384,175	441,325	68,262			14,10	30	NTN	
E-LL365348/LL365310	384,175	441,325	28,575	20,638	28,575	6,03	29	NTN	
LL365348/LL365310	384,175	441,325	28,575	20,638	28,575	5,89	29	NTN	
CRO-3658	180,000	250,000	185,000			27,50	32	NTN	
4T-3659	23,812		30,416			0,30	29	NTN	
4T-366	50,000		22,225			0,36	29	NTN	
4T-366/362A	50,000	88,900	22,225	16,513	20,638	0,53	29	NTN	
CRO-3663	177,800	304,800	238,227			67,30	32	NTN	
CRO-3666	180,000	260,000	185,000			32,30	32	NTN	
4T-36686/36620D	142,875	193,675	65,085			5,12	30	NTN	
4T-36690	146,050		28,575			3,10	29	NTN	
4T-36690/36620	146,050	193,675	28,575	23,020	28,575	2,25	29	NTN	
4T-367	45,000		22,225			0,36	29	NTN	
4T-367/362A	45,000	88,900	22,225	16,513	20,638	0,60	29	NTN	

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-368	50,800		22,225			0,35	29	NTN
4T-368/362	50,800	90,000	22,225	15,875	22,225	0,52	29	NTN
4T-368/362A	50,800	88,900	22,225	16,513	20,638	0,52	29	NTN
4T-368A	50,800		22,225			0,35	29	NTN
4T-368A/362	50,800	90,000	22,225	15,875	20,000	0,52	29	NTN
4T-368A/362A	50,800	88,900	22,225	16,513	22,225	0,51	29	NTN
4T-368A/363	50,800	90,000	22,225	20,000	22,225	0,55	29	NTN
4T-368S	51,592		22,225			0,34	29	NTN
4T-368S/362	51,592	90,000	22,225	15,875	22,225	0,52	29	NTN
4T-368S/362A	51,592	88,900	22,225	16,513	20,638	0,51	29	NTN
4T-36920		227,012		23,020		0,90	29	NTN
4T-36990	177,800		30,162			2,00	29	NTN
4T-36990/36920	177,800	227,012	30,162	23,020	30,162	2,92	29	NTN
4T-36990/36920CD+A	177,800	227,012	66,672			6,30	30	NTN
4T-369A	47,625		22,225			0,39	29	NTN
4T-369A/362A	47,625	88,900	22,225	16,513	20,638	0,56	29	NTN
4T-369S	47,625		22,225			0,40	29	NTN
4T-369S/362A	47,625	88,900	22,225	16,513	22,225	0,56	29	NTN
4T-370A	50,800		22,225			0,34	29	NTN
4T-370A/362A	50,800	88,900	22,225	16,513	20,638	0,51	29	NTN
4T-3720		93,264		23,812		0,29	29	NTN
4T-3726		95,250		23,812		0,35	29	NTN
4T-3730		93,264		23,812		0,30	29	NTN
4T-3732		98,425		23,812		0,43	29	NTN
4T-37425	107,950		21,438			0,88	29	NTN
4T-37425/37625	107,950	158,750	21,438	15,875	23,020	1,37	29	NTN
4T-37431	109,538		21,438			0,84	29	NTN
4T-37431/37625	109,538	158,750	21,438	15,875	23,020	1,31	29	NTN
4T-37431A	109,538		21,438			1,25	29	NTN
4T-37431A/37625	109,538	158,750	21,438	15,875	23,020	1,30	29	NTN
4T-37625		158,775		15,875		0,49	29	NTN
4T-3767	52,388		30,302			0,52	29	NTN
4T-3767/3720	52,388	93,264	30,302	23,812	30,162	0,82	29	NTN
4T-3774	39,688		30,302			0,56	29	NTN
LM377449/LM377410	558,800	736,600	104,775	80,962	104,775	106,00	29	NTN
LM377449/LM377410D+A	558,800	736,600	225,425			227,00	30	NTN
E-LM377449D/LM377410/LM377410DG2	558,800	736,600	409,575			502,00	32	NTN
LM377449D/LM377410/LM377410DG2 (CRO-11216)	558,800	736,600	409,575			502,00	32	NTN
E-LM377449D/LM377410+A	558,800	736,600	196,850			224,00	31	NTN
LM377449D/LM377410G2+A	558,800	736,600	196,850			223,00	31	NTN
4T-3775	50,800		30,302			0,55	29	NTN
4T-3775/3720	50,800	93,264	30,302	23,812	30,162	0,85	29	NTN
4T-3776	44,983		30,302			0,65	29	NTN
4T-3776/3720	44,983	93,264	30,302	23,812	30,302	0,94	29	NTN
4T-3777/3720	46,038	93,264	30,302	23,812	30,162	0,93	29	NTN
4T-3778	47,625		30,302			0,60	29	NTN
4T-3778/3720	47,625	93,264	30,302	23,812	30,162	0,90	29	NTN
4T-3779	47,625		30,302			0,61	29	NTN
4T-3779/3720	47,625	93,264	30,302	23,812	30,302	0,89	29	NTN
4T-3780	50,800		30,302			0,55	29	NTN
4T-3780/3720	50,800	93,264	30,302	23,812	30,162	0,85	29	NTN
4T-3780/3726	50,800	95,250	30,302	23,812	30,162	0,90	29	NTN





Reference						Kg	?	Brands
	d	D	B	C	T			
4T-3780/3732	50,800	98,425	30,302	23,812	30,162	0,99	29	NTN
4T-3781	49,212		30,302			0,58	29	NTN
4T-3781/3720	49,212	93,264	30,302	23,812	30,162	0,88	29	NTN
4T-3782	44,450		30,302			0,66	29	NTN
4T-3782/3720	44,450	93,264	30,302	23,812	30,302	0,95	29	NTN
4T-3784	50,800		30,302			0,54	29	NTN
4T-3784/3720	50,800	93,264	30,302	23,812	30,302	0,83	29	NTN
4T-3795	50,800		30,302			0,55	29	NTN
T-EE380080/380190G2	203,200	482,600	95,250	73,025	117,475	108,00	29	NTN
T-EE380081/380190G2	206,375	482,600	95,250	73,025	117,475	107,00	29	NTN
CRD-3801	190,000	320,000	104,000			34,10	31	NTN
CRD-3811	190,000	350,000	135,000			57,70	31	NTN
CRO-3812	190,000	270,000	190,000			34,70	32	NTN
E-CRO-3812	190,000	270,000	190,000			34,70	32	NTN
CRD-3813	190,000	320,000	104,000			34,10	31	NTN
CRO-3813	190,000	270,000	190,000			34,50	32	NTN
4T-382		98,425		17,826		0,22	29	NTN
4T-3820		85,750		23,812		0,28	29	NTN
4T-3821		85,725		23,812		0,29	29	NTN
4T-382A		96,863		15,875		0,18	29	NTN
4T-382S		96,838		20,274		0,24	29	NTN
4T-383A		100,000		17,826		0,26	29	NTN
4T-385	55,000		21,946			0,43	29	NTN
4T-385/382A	55,000	96,838	21,946	15,875	21,000	0,62	29	NTN
CR1-3852	190,000	340,000	204,000			75,40	30	NTN
4T-385A	50,800		21,946			0,49	29	NTN
4T-385A/382A	50,800	96,838	21,946	15,875	21,000	0,68	29	NTN
4T-385X	55,000		21,946			0,43	29	NTN
4T-386A	47,625		21,946			0,54	29	NTN
4T-386A/382A	47,625	96,838	21,946	15,875	21,946	0,71	29	NTN
4T-387	57,150		21,946			0,40	29	NTN
4T-387/382	57,150	98,425	21,946	17,826	21,946	0,62	29	NTN
4T-387/382A	57,150	96,838	21,946	15,875	21,000	0,58	29	NTN
4T-3872	34,925		30,162			0,61	29	NTN
4T-3872/3820	34,925	85,725	30,162	23,812	30,162	0,89	29	NTN
4T-3875	38,100		30,162			0,57	29	NTN
4T-3875/3820	38,100	85,725	30,162	23,812	30,162	0,86	29	NTN
4T-3876	38,100		30,162			0,57	29	NTN
4T-3876/3820	38,100	85,725	30,162	23,812	30,162	0,85	29	NTN
4T-3877	41,288		30,162			0,52	29	NTN
4T-3877/3820	41,275	85,725	30,162	23,812	30,162	0,79	29	NTN
4T-387A	57,150		21,946			0,40	29	NTN
4T-387A/382	57,150	98,425	21,946	17,826	21,946	0,62	29	NTN
4T-387A/382A	57,150	96,838	21,946	15,875	21,946	0,57	29	NTN
4T-387A/382S	57,150	96,838	21,946	20,274	25,400	0,66	29	NTN
4T-387A/383A	57,150	100,000	21,946	17,826	21,946	0,65	29	NTN
4T-387AS	57,163		21,946			0,39	29	NTN
4T-387AS/382A	57,150	96,838	21,946	15,875	21,946	0,57	29	NTN
4T-387S	57,150		21,946			0,40	29	NTN
4T-387S/382A	57,150	96,838	21,946	15,875	21,000	0,59	29	NTN
4T-3880	41,288		30,162			0,52	29	NTN
4T-3880/3820	41,275	85,725	30,162	23,812	30,162	0,81	29	NTN

Reference						Kg	 Brands	
	d	D	B	C	T			
T-38880/38820	263,525	325,438	28,575	25,400	28,575	4,56	29	NTN
T-38885/38820	266,700	325,438	28,575	25,400	28,575	4,35	29	NTN
4T-388A	57,531		21,946			0,39	29	NTN
4T-388A/382	57,531	98,425	21,946	17,826	21,946	0,61	29	NTN
4T-388A/382A	57,531	96,838	21,946	15,875	21,000	0,58	29	NTN
4T-389	55,575		21,946			0,42	29	NTN
4T-389/382A	55,575	96,838	21,946	15,875	21,000	0,61	29	NTN
4T-389A	53,975		21,946			0,45	29	NTN
4T-389A/382	53,975	98,425	21,946	17,826	21,946	0,67	29	NTN
4T-389A/382A	53,975	96,838	21,946	15,857	21,000	0,63	29	NTN
4T-390	57,150		21,996			0,69	29	NTN
4T-390/394A	57,150	110,000	21,996	18,824	22,000	0,95	29	NTN
CRD-3906	195,000	305,000	120,000			32,50	31	NTN
4T-390A	63,500		21,996			0,59	29	NTN
4T-390A/394A	63,500	110,000	21,996	18,824	22,000	0,85	29	NTN
4T-390A/394AB	63,500	114,673	21,996	18,824	21,996	0,88	29	NTN
CR-3913	196,850	241,300	23,017	17,462	23,812	2,11	29	NTN
CR-3914	196,850	241,300	23,017	17,462	23,812	2,14	29	NTN
4T-392	61,912		21,996			0,62	29	NTN
4T-392/3920	61,912	112,712	21,996	23,812	26,967	1,06	29	NTN
4T-392/394A	61,912	110,000	21,996	18,824	22,000	0,88	29	NTN
4T-3920		112,712		23,812		0,45	29	NTN
4T-3925		112,712		23,812		0,45	29	NTN
4T-39250	63,500		22,000			0,49	29	NTN
4T-39250/39412	63,500	104,775	22,000	15,875	22,000	0,67	29	NTN
4T-394		110,000		22,000		0,28	29	NTN
4T-39412		104,775		15,875		0,18	29	NTN
4T-394A		110,000		18,824		0,26	29	NTN
4T-394AB		110,000		18,824		0,29	29	NTN
4T-394AS		110,025		18,824		0,26	29	NTN
4T-394CS		113,487		18,824		0,35	29	NTN
4T-395	63,500		21,996			0,59	29	NTN
4T-395/394	63,500	110,000	21,996	22,000	22,000	0,79	29	NTN
4T-395/394A	63,500	110,000	21,996	18,824	22,000	0,84	29	NTN
4T-39520		112,712		23,812		0,35	29	NTN
4T-39521		112,712		23,812		0,36	29	NTN
4T-39573	50,800		30,162			0,89	29	NTN
4T-39573/39520	50,800	112,712	30,162	23,812	30,162	1,25	29	NTN
4T-39575/39520	50,800	112,712	30,162	23,812	30,162	1,54	29	NTN
4T-39580	57,150		30,162			1,04	29	NTN
4T-39580/39520	57,150	112,712	30,162	23,812	30,162	1,41	29	NTN
4T-39581	57,150		30,162			1,03	29	NTN
4T-39581/39520	57,150	112,712	30,162	23,812	30,162	1,40	29	NTN
4T-39585	63,500		30,162			0,90	29	NTN
4T-39585/39520	63,500	112,712	30,162	23,812	30,162	1,27	29	NTN
4T-39590	66,675		30,162			0,83	29	NTN
4T-39590/39520	66,675	112,712	30,162	23,812	30,162	1,19	29	NTN
4T-395A	66,675		21,996			0,53	29	NTN
4T-395A/394	66,675	110,000	21,996	22,000	22,000	0,79	29	NTN
4T-395A/394A	66,675	110,000	21,996	18,824	22,000	0,79	29	NTN
4T-395CS/394CS	66,675	113,487	23,447	18,824	22,000	0,91	29	NTN
4T-395S	66,675		21,996			0,53	29	NTN






Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-395S/394A	66,675	110,000	21,996	18,824	22,000	0,79	29	NTN	
4T-396	50,000		21,996			0,80	29	NTN	
4T-396/394A	50,000	110,000	21,996	18,824	22,000	1,06	29	NTN	
4T-397	60,000		21,996			0,65	29	NTN	
4T-397/394A	60,000	110,000	21,996	18,824	22,000	0,91	29	NTN	
4T-3975/3920	50,800	112,712	30,048	23,812	30,162	1,53	29	NTN	
4T-3979	57,150		30,048			0,94	29	NTN	
4T-3979/3920	57,150	112,712	30,048	23,812	30,162	1,38	29	NTN	
4T-3980	60,325		30,048			0,87	29	NTN	
4T-3980/3920	60,325	112,712	30,048	23,812	30,162	1,30	29	NTN	
4T-3981	58,738		30,048			0,91	29	NTN	
4T-3982	63,500		30,048			0,80	29	NTN	
4T-3982/3920	63,500	112,712	30,048	23,812	30,162	1,25	29	NTN	
4T-3982X/3927XS	63,500	110,000	30,048	23,812	30,162	1,13	29	NTN	
4T-3984	66,675		30,048			0,73	29	NTN	
4T-3984/3920	66,675	112,712	30,048	23,812	30,162	1,17	29	NTN	
4T-3984/3925	66,675	112,712	30,048	23,812	30,162	1,19	29	NTN	
4T-3994	66,675		30,048			0,72	29	NTN	
4T-3994/3920	66,675	112,712	30,048	23,812	30,162	1,18	29	NTN	
4T-399A	68,262		21,996			0,50	29	NTN	
4T-399A/394A	68,262	110,000	21,996	18,824	22,000	0,76	29	NTN	
4T-399AS	68,262		21,996			0,49	29	NTN	
4T-399AS/394A	68,262	110,000	21,996	18,824	22,000	0,75	29	NTN	
CRO-4013	200,000	290,000	160,000			35,10	32	NTN	
E-CRO-4013	200,000	290,000	160,000			35,10	32	NTN	
CRO-4014	200,000	310,000	200,000			54,00	32	NTN	
E-CRO-4014	200,000	310,000	200,000			48,40	32	NTN	
CRD-4015	200,000	340,000	150,000			55,30	31	NTN	
CRD-4019	200,000	340,000	140,000			52,10	31	NTN	
CRI-4019	200,000	340,000	184,000			67,00	30	NTN	
CRD-4020	200,000	420,000	235,000			158,00	31	NTN	
CRI-4020	200,000	310,000	151,000			38,20	30	NTN	
CRO-4022LL	200,000	282,000	206,000			39,00	32	NTN	
CRI-4027	200,000	310,000	170,000			42,40	30	NTN	
CR1-4030	200,000	330,000	180,000			55,50	30	NTN	
CRI-4030	200,000	330,000	180,000			55,50	30	NTN	
CRI-4036	200,000	320,000	146,000			40,10	30	NTN	
4T-A4050	12,700		10,988			0,03	29	NTN	
4T-A4050/A4138	12,700	34,988	10,988	8,730	10,998	0,05	29	NTN	
4T-A4059	15,000		10,988			0,03	29	NTN	
4T-A4059/A4138	14,989	34,988	10,988	8,730	10,988	0,05	29	NTN	
CRI-4107	206,000	283,000	102,000			16,90	30	NTN	
CRT4107	203,200	419,100	92,075			66,10	37	NTN	
E-CRT4112	203,200	419,100	92,075			54,40	37	NTN	
4T-41125	28,575		24,257			0,29	29	NTN	
4T-41125/41286	28,575	72,626	24,257	17,462	24,608	0,47	29	NTN	
4T-41286		72,626		17,462		0,18	29	NTN	
4130/500	500,000	720,000	167,000			202,00	30	NTN	
4130/530	530,000	780,000	185,000			265,00	30	NTN	
4130/600	600,000	870,000	200,000			348,00	30	NTN	
4130/710G2	710,000	1 030,000	236,000			640,00	30	NTN	
413024	120,000	180,000	46,000			3,85	30	NTN	

Reference						Kg	 Brands	
	d	D	B	C	T			
413026	130,000	200,000	52,000			5,55	30	NTN
413028	140,000	210,000	53,000			5,88	30	NTN
413030	150,000	225,000	56,000			6,66	30	NTN
413032	160,000	240,000	60,000			8,29	30	NTN
413034	170,000	260,000	67,000			11,60	30	NTN
413036	180,000	280,000	74,000			13,40	30	NTN
413036	180,000	280,000	74,000			15,90	30	NTN
413038	190,000	290,000	75,000			16,20	30	NTN
413040	200,000	310,000	82,000			20,70	30	NTN
413044	220,000	340,000	90,000			26,70	30	NTN
413044	220,000	340,000	90,000			26,70	30	NTN
413048	240,000	360,000	92,000			28,70	30	NTN
413052	260,000	400,000	104,000			41,50	30	NTN
413056	280,000	420,000	106,000			47,20	30	NTN
413060	300,000	460,000	118,000			64,40	30	NTN
413064	320,000	480,000	121,000			70,90	30	NTN
413068	340,000	520,000	133,000			89,20	30	NTN
413072	360,000	540,000	134,000			98,20	30	NTN
413076	380,000	560,000	135,000			95,90	30	NTN
413080	400,000	600,000	148,000			105,00	30	NTN
413084	420,000	620,000	150,000			135,00	30	NTN
413088	440,000	650,000	157,000			160,00	30	NTN
413092	460,000	680,000	163,000			179,00	30	NTN
4131/500	500,000	830,000	264,000			528,00	30	NTN
4131/530G2	530,000	870,000	272,000			620,00	30	NTN
4131/560	560,000	920,000	280,000			1 310,00	30	NTN
4131/600G2	600,000	980,000	300,000			858,00	30	NTN
4131/670G2	670,000	1 090,000	336,000			1 180,00	30	NTN
413122	110,000	180,000	56,000			5,20	30	NTN
413124	120,000	200,000	62,000			7,20	30	NTN
413126	130,000	210,000	64,000			7,83	30	NTN
413128	140,000	225,000	68,000			9,24	30	NTN
413130	150,000	250,000	80,000			14,30	30	NTN
413132	160,000	270,000	86,000			18,10	30	NTN
413132	160,000	270,000	86,000			18,20	30	NTN
413134	170,000	280,000	88,000			18,90	30	NTN
413134	170,000	280,000	88,000			19,50	30	NTN
413136	180,000	300,000	96,000			24,60	30	NTN
413138	190,000	320,000	104,000			30,80	30	NTN
413140	200,000	340,000	112,000			38,60	30	NTN
413144	220,000	370,000	120,000			47,10	30	NTN
413148	240,000	400,000	128,000			58,90	30	NTN
413152	260,000	440,000	144,000			80,00	30	NTN
413156	280,000	460,000	146,000			87,40	30	NTN
413160	300,000	500,000	160,000			112,30	30	NTN
413164	320,000	540,000	176,000			150,00	30	NTN
413168	340,000	580,000	190,000			188,00	30	NTN
413172	360,000	600,000	192,000			199,00	30	NTN
413176	380,000	620,000	194,000			206,00	30	NTN
413180	400,000	650,000	200,000			236,00	30	NTN
413184	420,000	700,000	224,000			317,00	30	NTN
413188	440,000	720,000	226,000			330,00	30	NTN





Reference	d		D		B	C	T	Kg	30	Brands
	d	D	B	C	T					
413192	460,000	760,000	240,000					395,00	30	NTN
413196	480,000	790,000	248,000					442,00	30	NTN
4T-A4138		34,988			8,730			0,02	29	NTN
4T-414		88,501			22,225			0,33	29	NTN
4T-H414210		136,525			31,750			0,79	29	NTN
4T-H414242	66,675		41,275					1,89	29	NTN
4T-H414242/H414210	66,675	136,525	41,275	31,750	41,275			2,75	29	NTN
4T-H414245	68,262		41,275					1,89	29	NTN
4T-H414245/H414210	68,262	136,525	41,275	31,750	41,275			2,70	29	NTN
4T-H414249	71,438		41,275					1,78	29	NTN
4T-H414249/H414210	71,438	136,525	41,275	31,750	41,275			2,58	29	NTN
4T-414A		88,501			22,225			0,32	29	NTN
4T-JH415610		145,000			42,000			1,19	29	NTN
4T-JH415647	75,000		51,000					2,63	29	NTN
4T-JH415647/JH415610	75,000	145,000	51,000	42,000	51,000			3,77	29	NTN
4T-418	38,100		29,083					0,51	29	NTN
4T-418/414	38,100	88,500	29,083	22,225	26,988			0,84	29	NTN
4T-420	40,000		29,083					0,48	29	NTN
4T-420/414	40,000	88,500	29,083	22,225	26,988			0,81	29	NTN
CRI-4202	210,000	355,000	116,000					44,00	30	NTN
4T-L420449/L420410	101,600	136,525	21,433	16,670	21,433			0,82	29	NTN
4T-LL420549/LL420510	101,600	134,938	15,083	11,908	15,875			0,55	29	NTN
T-EE420750D/421437+A	190,500	365,049	152,400					72,80	31	NTN
T-EE420751/421437	190,500	365,049	88,897	63,500	92,075			42,90	29	NTN
T-EE420751/421451D+A	190,500	368,300	193,675					84,10	30	NTN
E-EE420751/421451D+A	190,500	368,300	193,675					84,10	30	NTN
T-EE420800D/421437+A	203,200	365,049	152,400					69,00	31	NTN
E-EE420801	203,200		88,897					24,90	29	NTN
T-EE420801/421437	203,200	365,049	88,897	63,500	92,075			40,70	29	NTN
E-EE420801/421451CD+A	203,200	368,300	193,675					79,20	30	NTN
T-EE420801/421451D+A	203,200	368,300	193,675					79,90	30	NTN
CRD-4209	210,000	480,000	230,000					212,00	31	NTN
4T-HH421210		184,150			52,388			2,55	29	NTN
4T-HH421246	98,425		63,500					4,98	29	NTN
4T-HH421246/HH421210	98,425	184,150	63,500	52,388	63,500			7,53	29	NTN
4230/500	500,000	720,000	209,000					247,00	30	NTN
4230/530	530,000	780,000	231,000					331,00	30	NTN
423024	120,000	180,000	58,000					4,41	30	NTN
423026	130,000	200,000	65,000					6,62	30	NTN
423028	140,000	210,000	66,000					7,11	30	NTN
423030	150,000	225,000	70,000					8,42	30	NTN
423032	160,000	240,000	75,000					10,70	30	NTN
423034	170,000	260,000	84,000					13,90	30	NTN
423036	180,000	280,000	93,000					18,50	30	NTN
423036	180,000	280,000	93,000					19,00	30	NTN
423038	190,000	290,000	94,000					19,10	30	NTN
423038	190,000	290,000	94,000					19,60	30	NTN
423040	200,000	310,000	103,000					24,60	30	NTN
423040	200,000	310,000	103,000					25,70	30	NTN
423044	220,000	340,000	113,000					32,70	30	NTN
423044	220,000	340,000	113,000					33,30	30	NTN
423048	240,000	360,000	115,000					35,60	30	NTN

Reference						Kg	?	Brands
	d	D	B	C	T			
423048	240,000	360,000	115,000			36,30	30	NTN
423052	260,000	400,000	130,000			52,30	30	NTN
423056	280,000	420,000	133,000			57,30	30	NTN
423060	300,000	460,000	148,000			76,70	30	NTN
423064	320,000	480,000	151,000			85,40	30	NTN
423068	340,000	520,000	165,000			113,00	30	NTN
423072	360,000	540,000	169,000			120,00	30	NTN
423076	380,000	560,000	171,000			126,00	30	NTN
423080	400,000	600,000	185,000			163,00	30	NTN
423084	420,000	620,000	188,000			172,00	30	NTN
423088	440,000	650,000	196,000			198,00	30	NTN
423092	460,000	680,000	204,000			223,30	30	NTN
423096	480,000	700,000	206,000			236,00	30	NTN
4231/500G2	500,000	830,000	330,000			678,00	30	NTN
4231/530AG2	530,000	870,000	340,000			774,00	30	NTN
4231/560G2	560,000	920,000	350,000			894,00	30	NTN
4231/600G2	600,000	980,000	388,000			1 050,00	30	NTN
4231/670G2	670,000	1 090,000	392,000			1 410,00	30	NTN
423122	110,000	180,000	70,000			6,28	30	NTN
423124	120,000	200,000	78,000			8,96	30	NTN
423126	130,000	210,000	80,000			9,77	30	NTN
423128	140,000	225,000	84,000			11,80	30	NTN
423130	150,000	250,000	100,000			18,00	30	NTN
423132	160,000	270,000	108,000			22,10	30	NTN
423132	160,000	270,000	108,000			22,80	30	NTN
423134	170,000	280,000	110,000			23,00	30	NTN
423134	170,000	280,000	110,000			24,70	30	NTN
423136	180,000	300,000	120,000			31,40	30	NTN
423136	180,000	300,000	120,000			31,40	30	NTN
423138	190,000	320,000	130,000			37,30	30	NTN
423140	200,000	340,000	140,000			47,50	30	NTN
423144	220,000	370,000	150,000			59,60	30	NTN
423148	240,000	400,000	160,000			71,70	30	NTN
423152	260,000	440,000	180,000			99,80	30	NTN
423156	280,000	460,000	183,000			109,00	30	NTN
423160	300,000	500,000	200,000			144,00	30	NTN
423164	320,000	540,000	220,000			186,00	30	NTN
423168	340,000	580,000	238,000			228,70	30	NTN
423172	360,000	600,000	240,000			248,00	30	NTN
423176	380,000	620,000	243,000			262,00	30	NTN
423180	400,000	650,000	250,000			294,00	30	NTN
423184	420,000	700,000	280,000			394,00	30	NTN
423188	440,000	720,000	283,000			412,00	30	NTN
423192	460,000	760,000	300,000			493,00	30	NTN
423196	480,000	790,000	310,000			548,00	30	NTN
4T-42346	87,960		28,971			1,44	29	NTN
4T-42346/42584	87,960	148,430	28,971	21,433	28,575	1,99	29	NTN
4T-42350	88,900		28,971			1,41	29	NTN
4T-42350/42584	88,900	148,430	28,971	21,433	28,971	1,96	29	NTN
4T-42350/42587D+A	88,900	149,225	66,672			4,50	30	NTN
4T-42362	92,075		28,971			1,30	29	NTN
4T-42362/42587D+A	92,075	149,225	66,672			4,23	30	NTN





Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-42368	93,662		28,971				1,25	29	NTN
4T-42368/42584	93,662	148,430	28,971	21,433	28,575		1,80	29	NTN
4T-42375	95,250		28,971				1,20	29	NTN
4T-42375/42584	95,250	148,430	28,971	21,433	28,575		1,75	29	NTN
4T-42376	95,250		28,971				1,19	29	NTN
4T-42381	96,838		28,971				1,12	29	NTN
4T-42381/42584	96,838	148,430	28,971	21,433	28,971		1,69	29	NTN
4T-42381/42587	96,838	149,225	28,971	24,608	31,750		1,85	29	NTN
4T-42584		148,430		21,433			0,54	29	NTN
4T-42587		149,225		24,608			0,71	29	NTN
4T-42587B		149,225		24,608			0,71	29	NTN
4T-42620		127,000		22,225			0,42	29	NTN
EE426200/426330	508,000	838,200	139,700	104,775	146,050		296,00	29	NTN
EE426200/426331D+A	508,000	838,200	304,800				592,00	30	NTN
4T-42687	76,200		31,000				1,01	29	NTN
4T-42687/42620	76,200	127,000	31,000	22,225	31,000		1,44	29	NTN
4T-42688	76,200		31,000				0,99	29	NTN
4T-42688/42620	76,200	127,000	31,000	22,225	31,000		1,42	29	NTN
4T-42690	77,788		31,000				0,96	29	NTN
4T-42690/42620	77,788	127,000	31,000	22,225	31,000		1,39	29	NTN
4T-430208X	40,000	80,000	45,000				0,93	30	NTN
430208XU	40,000	80,000	45,000				18,00	30	NTN
4T-430209	45,000	85,000	47,000				1,04	30	NTN
430209U	45,000	85,000	47,000				1,06	30	NTN
4T-430210	50,000	90,000	49,000				1,18	30	NTN
430210U	50,000	90,000	49,000				1,18	30	NTN
4T-430211X	55,000	100,000	51,000				1,55	30	NTN
430211XU	55,000	100,000	51,000				1,56	30	NTN
4T-430212X	60,000	110,000	53,000				1,99	30	NTN
430212XU	60,000	110,000	53,000				1,98	30	NTN
4T-430213X	65,000	120,000	56,000				2,49	30	NTN
430213XU	65,000	120,000	56,000				2,54	30	NTN
4T-430214	70,000	125,000	59,000				2,67	30	NTN
430214U	70,000	125,000	59,000				2,80	30	NTN
4T-430215	75,000	130,000	62,000				2,99	30	NTN
430215U	75,000	130,000	62,000				3,08	30	NTN
430216XU	80,000	140,000	64,000				3,70	30	NTN
430217XU	85,000	150,000	70,000				4,59	30	NTN
430218U	90,000	160,000	74,000				5,76	30	NTN
430219XU	95,000	170,000	78,000				8,01	30	NTN
430220XU	100,000	180,000	83,000				8,11	30	NTN
430221XU	105,000	190,000	88,000				9,73	30	NTN
430222XU	110,000	200,000	92,000				11,40	30	NTN
430224XU	120,000	215,000	97,000				13,60	30	NTN
430226XU	130,000	230,000	98,000				15,01	30	NTN
430228XU	140,000	250,000	102,000				19,90	30	NTN
430230U	150,000	270,000	109,000				24,40	30	NTN
430232U	160,000	290,000	115,000				31,90	30	NTN
430234U	170,000	310,000	125,000				38,00	30	NTN
430236	180,000	320,000	127,000				37,50	30	NTN
430236U	180,000	320,000	127,000				39,40	30	NTN
430238U	190,000	340,000	133,000				45,50	30	NTN

Reference						Kg	 Brands	
	d	D	B	C	T			
430240	200,000	360,000	142,000			55,60	30	NTN
430240U	200,000	360,000	142,000			62,80	30	NTN
430244	220,000	400,000	158,000			76,30	30	NTN
430248	240,000	440,000	165,000			100,40	30	NTN
430305DX	25,000	62,000	40,000			0,25	30	NTN
4T-430306DX	30,000	72,000	45,000			0,84	30	NTN
4T-430308	40,000	90,000	56,000			1,61	30	NTN
4T-430308DX	40,000	90,000	56,000			1,56	30	NTN
430308U	40,000	90,000	56,000			1,61	30	NTN
4T-430309	45,000	100,000	60,000			2,11	30	NTN
4T-430310	50,000	110,000	64,000			2,72	30	NTN
4T-430310DX	50,000	110,000	64,000			2,65	30	NTN
430310U	50,000	110,000	64,000			2,76	30	NTN
4T-430311DX	55,000	120,000	70,000			3,42	30	NTN
430311XU	55,000	120,000	70,000			3,54	30	NTN
4T-430312DX	60,000	130,000	74,000			4,22	30	NTN
430312U	60,000	130,000	74,000			4,31	30	NTN
4T-430313DX	65,000	140,000	79,000			5,16	30	NTN
430313XU	65,000	140,000	79,000			5,41	30	NTN
4T-430314DX	70,000	150,000	83,000			6,23	30	NTN
430314DXU	70,000	150,000	83,000			6,42	30	NTN
430314XU	70,000	150,000	83,000			6,37	30	NTN
430315DU	75,000	160,000	87,000			7,31	30	NTN
430315XU	75,000	160,000	87,000			7,71	30	NTN
430316DU	80,000	170,000	92,000			8,99	30	NTN
430316XU	80,000	170,000	92,000			9,10	30	NTN
430317DU	85,000	180,000	98,000			10,60	30	NTN
430317XU	85,000	180,000	98,000			12,44	30	NTN
430318DU	90,000	190,000	102,000			12,50	30	NTN
430318U	90,000	190,000	102,000			12,34	30	NTN
430319XU	95,000	200,000	108,000			15,00	30	NTN
430320XU	100,000	215,000	112,000			18,40	30	NTN
430321XU	105,000	225,000	116,000			21,00	30	NTN
430322	110,000	240,000	118,000			22,10	30	NTN
430322U	110,000	240,000	118,000			24,50	30	NTN
430324XU	120,000	260,000	128,000			30,50	30	NTN
430326XU	130,000	280,000	137,000			37,90	30	NTN
430328XU	140,000	300,000	145,000			46,60	30	NTN
430330	150,000	320,000	154,000			52,80	30	NTN
430330U	150,000	320,000	154,000			55,40	30	NTN
430332XU	160,000	340,000	160,000			65,50	30	NTN
CRO-4303LL	216,103	330,200	263,525			78,20	32	NTN
EE430900/431575	228,600	400,050	87,312	63,500	88,900	46,00	29	NTN
EE430900/431576D+A	228,600	400,050	187,325			88,30	30	NTN
4T-43125	31,750		24,074			0,37	29	NTN
4T-43125/43312	31,750	79,375	24,074	17,462	25,400	0,58	29	NTN
4T-43131	33,338		24,074			0,35	29	NTN
4T-43131/43312	33,338	79,375	24,074	17,462	25,400	0,57	29	NTN
4T-43131/43312B	33,338	79,375	24,074	17,462	25,400	0,60	29	NTN
4T-43138X	35,000		23,282			0,32	29	NTN
4T-432		95,250		22,225		0,38	29	NTN
4T-432208X	40,000	80,000	55,000			1,18	30	NTN





Reference	d		D		B	C	T	Kg	30	Brands
	d	D	B	C	T					
432208XU	40,000	80,000	55,000				1,16	30	NTN	
4T-432209	45,000	85,000	55,000				1,27	30	NTN	
432209U	45,000	85,000	55,000				1,27	30	NTN	
432210U	50,000	90,000	55,000				1,36	30	NTN	
432211U	55,000	100,000	60,000				1,85	30	NTN	
432212U	60,000	110,000	66,000				2,51	30	NTN	
432213U	65,000	120,000	73,000				3,33	30	NTN	
432214U	70,000	125,000	74,000				3,56	30	NTN	
432215U	75,000	130,000	74,000				3,68	30	NTN	
432216XU	80,000	140,000	78,000				4,53	30	NTN	
432217XU	85,000	150,000	86,000				5,85	30	NTN	
432218U	90,000	160,000	94,000				7,35	30	NTN	
432219XU	95,000	170,000	100,000				9,04	30	NTN	
432220XU	100,000	180,000	107,000				10,50	30	NTN	
432221XU	105,000	190,000	115,000				13,10	30	NTN	
432222XU	110,000	200,000	121,000				14,80	30	NTN	
432224XU	120,000	215,000	132,000				18,90	30	NTN	
432226XU	130,000	230,000	145,000				23,00	30	NTN	
432228XU	140,000	250,000	153,000				30,10	30	NTN	
432230XU	150,000	270,000	164,000				8,40	30	NTN	
432232U	160,000	290,000	178,000				46,90	30	NTN	
432234XU	170,000	310,000	192,000				60,40	30	NTN	
432236U	180,000	320,000	192,000				60,60	30	NTN	
432238	190,000	340,000	204,000				75,00	30	NTN	
432238U	190,000	340,000	204,000				73,30	30	NTN	
432240	200,000	360,000	218,000				90,70	30	NTN	
432240U	200,000	360,000	218,000				95,20	30	NTN	
432248	240,000	440,000	266,000				164,80	30	NTN	
4T-L432310		205,583		18,258			0,60	29	NTN	
432310U	50,000	110,000	90,000				3,98	30	NTN	
432311U	55,000	120,000	97,000				5,05	30	NTN	
432312U	60,000	130,000	104,000				6,29	30	NTN	
432313U	65,000	140,000	108,000				7,55	30	NTN	
432314U	70,000	150,000	116,000				9,28	30	NTN	
432315U	75,000	160,000	125,000				11,50	30	NTN	
432316U	80,000	170,000	131,000				13,60	30	NTN	
432317U	85,000	180,000	137,000				15,40	30	NTN	
432318U	90,000	190,000	144,000				18,20	30	NTN	
432319U	95,000	200,000	151,000				21,50	30	NTN	
432320U	100,000	215,000	162,000				26,50	30	NTN	
432321	105,000	225,000	170,000				30,20	30	NTN	
432322	110,000	240,000	181,000				35,60	30	NTN	
432322U	110,000	240,000	181,000				38,20	30	NTN	
432324U	120,000	260,000	188,000				47,00	30	NTN	
432326	130,000	280,000	205,000				56,60	30	NTN	
4T-L432349	158,750		23,812				1,40	29	NTN	
4T-L432349/L432310	158,750	205,583	23,812	18,258	23,812		1,89	29	NTN	
4T-43312		79,375		17,462			0,22	29	NTN	
4T-4335		90,513		33,338			0,46	29	NTN	
4T-L433749/L433710	165,100	215,900	26,195	20,638	26,195		2,33	29	NTN	
EE435102/435165	260,350	419,100	84,138	61,912	85,725		44,40	29	NTN	
EE435102/435165D+A	260,350	419,100	184,150				86,80	30	NTN	

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-436	46,038		29,900			0,54	29	NTN
4T-436/432	46,038	95,250	29,900	22,225	27,783	0,93	29	NTN
4T-4370/4320	44,450	88,500	40,386	33,338	40,386	1,12	29	NTN
4T-4375	38,100		40,386			0,86	29	NTN
T-HH437549/HH437510	165,100	336,550	95,250	69,850	92,075	36,60	29	NTN
4T-438	44,450		29,900			0,57	29	NTN
4T-438/432	44,450	95,250	29,900	22,225	27,783	0,95	29	NTN
4T-4388	41,275		40,386			0,79	29	NTN
4T-4388/4335	41,275	90,488	40,386	33,338	40,386	1,25	29	NTN
4T-4395/4335	42,070	90,488	40,386	33,338	39,688	1,24	29	NTN
CRD-4405	220,000	320,000	76,200			20,30	31	NTN
CRT4405	220,000	370,000	90,000			31,00	37	NTN
CRTD4406	220,000	300,000	96,000			19,00	38	NTN
CRI-4407	220,000	420,000	130,000			73,10	30	NTN
CRI-4409	220,000	340,000	158,000			46,70	30	NTN
CRO-4409	220,000	340,000	194,000			64,50	32	NTN
CRI-4410	220,000	300,000	110,000			21,10	30	NTN
CR-4411	219,969	290,010	31,750	25,000	31,750	5,46	29	NTN
CRI-4411	220,000	340,000	164,000			48,50	30	NTN
CRO-4411	220,000	320,000	200,000			53,00	32	NTN
CRO-4412	220,000	300,000	230,000			42,10	32	NTN
4T-44143	36,512		23,698			0,48	29	NTN
4T-44143/44348	36,512	88,500	23,698	17,462	25,400	0,73	29	NTN
E-CRI-4414LL	220,000	550,000	220,000			305,00	30	NTN
4T-44150	38,100		23,698			0,47	29	NTN
4T-44150/44348	38,100	88,501	23,698	17,462	25,400	0,71	29	NTN
4T-44158/44348	39,688	88,500	23,698	17,462	25,400	0,69	29	NTN
CRI-4416	220,000	370,000	150,000			59,00	30	NTN
4T-44162	41,275		23,698			0,43	29	NTN
4T-44162/44348	41,275	88,500	23,698	17,462	25,400	0,67	29	NTN
E-CRI-4417	220,000	400,000	210,000			107,00	30	NTN
CRD-4418	220,000	400,000	254,000			138,00	31	NTN
CRO-4424LL	220,000	295,000	315,000			57,50	32	NTN
CRO-4427LL	220,000	310,000	280,000			63,50	32	NTN
4T-443	31,750		29,900			0,75	29	NTN
4T-443/432	31,750	95,250	29,900	22,225	27,783	1,13	29	NTN
4T-44348		88,500		17,462		0,24	29	NTN
CRO-4436LL	220,000	320,000	290,000			77,00	32	NTN
4T-L44610		50,292		10,668		0,04	29	NTN
LM446349/LM446310	234,950	311,150	46,038	33,338	46,038	8,38	29	NTN
LM446349/LM446310D+A	234,950	311,150	98,425			17,90	30	NTN
4T-L44640	23,812		14,732			0,10	29	NTN
4T-L44640/L44610	23,812	50,292	14,732	10,668	14,224	0,14	29	NTN
4T-L44643	25,400		14,732			0,09	29	NTN
4T-L44643L	25,400		14,732			0,09	29	NTN
4T-L44643/L44610	25,400	50,292	14,732	10,668	14,732	0,13	29	NTN
4T-L44643L/L44610	25,400	50,292	14,732	10,668	14,732	0,13	29	NTN
4T-L44649	26,988		14,732			0,08	29	NTN
4T-L44649/L44610	26,988	50,292	14,732	10,668	14,732	0,12	29	NTN
T-EE450601/451212	152,400	307,975	93,662	61,912	88,900	29,40	29	NTN
T-EE450601/451215D+A	152,400	307,975	200,025			62,60	30	NTN
T-450900D/451212+A	152,400	307,975	171,450			60,50	31	NTN





Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
LM451345/LM451310A	263,525	355,600	57,150	44,450	57,150	15,77	29	NTN	
T-LM451345/LM451310	263,525	355,600	57,150	44,450	57,150	14,20	29	NTN	
T-LM451345/LM451310D+A	263,525	355,600	127,000			31,70	30	NTN	
4T-LM451349/LM451310	266,700	355,600	57,150	44,450	57,150	14,90	29	NTN	
LM451349/LM451310A	266,700	355,600	57,150	44,450	57,150	14,96	29	NTN	
T-LM451349/LM451310	266,700	355,600	57,150	44,450	57,150	15,00	29	NTN	
T-LM451349/LM451310D+A	266,700	355,600	127,000			30,70	30	NTN	
T-LM451349A/LM451310	266,700	355,600	57,150	44,450	57,150	13,80	29	NTN	
E-LM451349D/LM451310/LM451310D	266,700	355,600	230,188			61,53	32	NTN	
T-E-LM451349D/LM451310/LM451310D	266,700	355,600	230,188			62,00	32	NTN	
T-LM451349D/LM451310/LM451310D (CRO-5307)	266,700	355,600	230,188			62,00	32	NTN	
T-LM451349D/LM451310+A	266,700	355,600	109,538			29,90	31	NTN	
4T-45220		104,775		23,812		0,34	29	NTN	
4T-45221		104,775		23,812		0,35	29	NTN	
4T-45280	44,450		30,958			0,99	29	NTN	
4T-45280/45220	44,450	104,775	30,958	23,812	30,162	1,35	29	NTN	
4T-45282	47,625		30,958			0,93	29	NTN	
4T-45282/45220	47,625	104,775	30,958	23,812	30,162	1,29	29	NTN	
4T-45284	50,800		30,958			0,86	29	NTN	
4T-45284/45220	50,800	104,775	30,958	23,812	30,162	1,20	29	NTN	
4T-45285	50,800		30,958			0,88	29	NTN	
4T-45285/45220	50,800	104,775	30,958	23,812	30,162	1,22	29	NTN	
4T-45285A/45220B	50,800	110,231	30,958	23,812	30,162	1,26	29	NTN	
4T-45287	53,975		30,958			0,82	29	NTN	
4T-45287/45220	53,975	104,775	30,958	23,812	30,162	1,17	29	NTN	
4T-45289	57,150		30,958			0,75	29	NTN	
4T-45289/45220	57,150	104,775	30,958	23,812	30,162	1,09	29	NTN	
4T-45290	57,150		30,958			0,74	29	NTN	
4T-45290/45220	57,150	104,775	30,958	23,812	30,958	1,08	29	NTN	
4T-45291	57,150		30,958			0,73	29	NTN	
4T-45291/45220	57,150	104,775	30,958	23,812	30,958	1,07	29	NTN	
4T-452A		107,950		27,000		0,49	29	NTN	
4T-453		107,950		27,000		0,48	29	NTN	
4T-453A		107,975		22,225		0,42	29	NTN	
4T-453X		104,775		24,605		0,37	29	NTN	
4T-454		110,000		27,000		0,55	29	NTN	
4T-L45410		50,292		10,668		0,04	29	NTN	
4T-L45449	29,000		14,732			0,08	29	NTN	
4T-L45449/L45410	29,000	50,292	14,732	10,668	14,224	0,11	29	NTN	
4T-455	50,800		29,317			0,81	29	NTN	
4T-455/453X	50,800	104,775	29,317	24,605	30,162	1,19	29	NTN	
4T-456	53,975		29,317			0,74	29	NTN	
4T-456/453A	53,975	107,950	29,317	22,225	27,783	1,16	29	NTN	
4T-4580	50,800		40,157			1,04	29	NTN	
4T-4580/4535	50,800	104,775	40,157	33,338	39,688	1,62	29	NTN	
4T-460	44,450		29,371			0,92	29	NTN	
4T-460/453X	44,450	104,775	29,371	24,605	30,162	1,29	29	NTN	
CR1-4604	230,000	355,000	146,000			47,00	30	NTN	
CRD-4604	228,600	431,800	177,800			131,00	31	NTN	
CRT4604	228,600	482,600	104,775			93,20	37	NTN	
E-CRT4604	228,600	482,600	104,775			101,70	37	NTN	
CRI-4605	230,000	400,000	188,000			88,50	30	NTN	

Reference						Kg	?	Brands
	d	D	B	C	T			
CR1-4606	230,000	380,000	200,000			80,40	30	NTN
CRI-4606	230,000	380,000	200,000			84,40	30	NTN
CR0-4606	228,600	364,000	296,875			117,90	32	NTN
CR1-4612	230,000	380,000	175,000			66,97	30	NTN
CRI-4612	230,000	380,000	175,000			67,00	30	NTN
CR1-4613	230,000	380,000	175,000			73,90	30	NTN
4T-46143	36,512		31,750			0,76	29	NTN
4T-46143/46368	36,512	93,662	31,750	26,195	31,750	1,15	29	NTN
4T-46162	41,275		31,750			0,68	29	NTN
4T-46162/46368	41,275	93,662	31,750	26,195	31,750	1,09	29	NTN
4T-46175/46368	44,450	93,662	31,750	26,195	31,750	1,04	29	NTN
4T-46176	44,450		31,750			0,63	29	NTN
CR1-4619	230,000	380,000	175,000			68,60	30	NTN
4T-462	57,150		29,317			0,68	29	NTN
4T-462/453A	57,150	107,950	29,317	22,225	29,317	1,11	29	NTN
4T-462/453X	57,150	104,775	29,317	24,605	30,162	1,06	29	NTN
4T-462A	57,150		29,317			0,68	29	NTN
4T-462A/453X	57,150	104,775	29,317	24,605	30,162	1,05	29	NTN
4T-463/453X	47,625	104,775	29,317	24,605	30,162	1,24	29	NTN
4T-46368		93,662		26,195		0,40	29	NTN
4T-467	47,625		29,317			0,86	29	NTN
4T-46720		225,425		33,338		1,80	29	NTN
4T-46780	158,750		39,688			3,54	29	NTN
4T-46780/46720	158,750	225,425	39,688	33,338	41,275	5,20	29	NTN
4T-46780/46720D+A	158,750	225,425	85,725			10,80	30	NTN
4T-46790	165,100		39,688			3,04	29	NTN
4T-46790/46720	165,100	225,425	39,688	33,338	41,275	4,69	29	NTN
4T-46790/46720D+A	165,100	225,425	85,725			9,72	30	NTN
4T-NA46790SW/46720CD	165,100	225,425	95,250			9,87	30	NTN
T-46791D/46720/46721D	165,100	225,425	165,100			20,70	32	NTN
T-E-46791D/46720/46721D	165,100	225,425	165,100			20,70	32	NTN
4T-469	57,150		29,317			0,68	29	NTN
4T-469/453A	57,150	107,950	29,317	22,225	27,783	1,11	29	NTN
4T-469/453X	57,150	104,775	29,317	24,605	30,162	1,06	29	NTN
4T-469/454	57,150	110,000	29,317	27,000	27,795	1,24	29	NTN
E-LL469949/LL469910	447,675	552,450	41,618	32,545	44,450	20,80	29	NTN
E-CR1-4701	235,000	330,000	230,000			55,80	30	NTN
CRI-4701	235,000	330,000	115,000			27,30	30	NTN
4T-472		120,000		24,237		0,49	29	NTN
4T-472A		120,000		23,444		0,46	29	NTN
4T-47420		120,000		26,195		0,47	29	NTN
4T-47487	69,850		32,545			0,98	29	NTN
4T-47487/47420	69,850	120,000	32,545	26,195	32,545	1,47	29	NTN
4T-47490	71,438		32,545			0,98	29	NTN
4T-47490/47420	71,438	120,000	32,545	26,195	32,545	1,42	29	NTN
4T-47620		133,350		26,195		0,56	29	NTN
4T-47620A		133,350		26,195		0,58	29	NTN
L476549/L476510	549,275	692,150	80,962	61,912	80,962	68,20	29	NTN
L476549/L476510D+A	549,275	692,150	174,625			135,00	30	NTN
4T-47678	76,200		33,338			1,32	29	NTN
4T-47678/47620	76,200	133,350	33,338	26,195	33,338	1,92	29	NTN
4T-47679	76,200		33,338			1,34	29	NTN





Reference	d		D		B	C	T	Kg	Brands	
4T-47679/47620	76,200	133,350	33,338	26,195	33,338	1,90	29	NTN		
4T-47680	76,200		33,338			1,37	29	NTN		
4T-47681	80,962		33,338			1,20	29	NTN		
4T-47681/47620	80,962	133,350	33,338	26,195	33,338	1,78	29	NTN		
4T-47686	82,550		33,338			1,14	29	NTN		
4T-47686/47620	82,550	133,350	33,338	26,195	33,338	1,72	29	NTN		
4T-47687	82,550		33,338			1,12	29	NTN		
4T-47687/47620	82,550	133,350	33,338	26,195	33,338	1,68	29	NTN		
4T-477/472	63,500	120,000	29,007	24,237	29,794	1,49	29	NTN		
4T-47820		146,050		26,195		0,66	29	NTN		
4T-47890	92,075		34,925			1,40	29	NTN		
4T-47890/47820	92,075	146,050	34,925	26,195	34,925	2,06	29	NTN		
4T-47896	95,250		34,925			1,28	29	NTN		
4T-47896/47820	95,250	146,050	34,925	26,195	34,925	1,94	29	NTN		
4T-480	68,262		29,007			0,88	29	NTN		
4T-480/472	68,262	120,000	29,007	24,237	29,794	1,37	29	NTN		
CRD-4803	241,300	355,524	109,538			36,80	31	NTN		
CRD-4804	240,000	395,000	124,000			60,20	31	NTN		
CR-4805	240,000	360,000	40,000	41,000	46,000	14,02	29	NTN		
CRD-4805	240,000	400,000	160,000			80,70	31	NTN		
CRI-4805	240,000	360,000	170,000			53,80	30	NTN		
CRI-4806	240,000	360,000	164,000			53,00	30	NTN		
CRI-4807	240,000	400,000	209,000			96,00	30	NTN		
CRD-4808	240,000	460,000	140,000			107,00	31	NTN		
E-CRD-4808	240,000	460,000	140,000			107,00	31	NTN		
CRD-4811	240,000	400,000	160,000			80,70	31	NTN		
CRO-4811LL	240,000	338,000	248,000			67,80	32	NTN		
4T-48120		161,925		26,988		0,83	29	NTN		
CRI-4813	240,000	320,000	110,000			21,60	30	NTN		
LL481448/LL481411	673,100	793,750	61,912	49,212	66,675	51,30	29	NTN		
CRO-4817LL	240,000	338,000	340,000			94,40	32	NTN		
4T-48190	107,950		34,925			1,59	29	NTN		
4T-48190/48120	107,950	161,925	34,925	26,988	34,925	2,37	29	NTN		
4T-482	69,850		29,007			0,80	29	NTN		
4T-482/472	69,850	120,000	29,007	24,237	29,794	1,33	29	NTN		
4T-482/472A	69,850	120,000	29,007	23,444	29,007	1,50	29	NTN		
NA482/472D	69,850	120,000	65,090			2,73	30	NTN		
4T-482/472D+A	69,850	120,000	65,090			2,85	30	NTN		
4T-482/472X	69,850	123,825	29,007	24,605	30,162	1,50	29	NTN		
4T-48220		182,562		33,338		1,20	29	NTN		
4T-48286	123,825		38,100			2,38	29	NTN		
4T-48286/48220	123,825	182,562	38,100	33,338	39,688	3,52	29	NTN		
4T-48290	127,000		38,100			2,10	29	NTN		
4T-48290/48220	127,000	182,562	38,100	33,338	39,688	3,33	29	NTN		
T-48290D/48220/48220D	127,000	182,562	158,750			14,30	32	NTN		
T-E-48290D/48220/48220D	130,000	182,562	158,750			14,30	32	NTN		
4T-NA48290SW/48220D	127,000	182,562	93,660			8,49	30	NTN		
4T-NA48291/48220D	127,000	182,562	85,725			7,77	30	NTN		
4T-483	63,500		29,007			0,98	29	NTN		
4T-483/472	63,500	120,000	29,007	24,237	29,794	1,48	29	NTN		
4T-48320		190,500		33,338		1,16	29	NTN		
CRO-4834	240,000	360,000	194,000			67,10	32	NTN		





Reference						Kg	?	Brands
	d	D	B	C	T			
E-LL483448/LL483418	759,925	889,000	69,850	50,800	69,850	70,50	29	NTN
4T-48385	133,350		39,688			2,47	29	NTN
4T-48385/48320	133,350	190,500	39,688	33,338	39,688	3,64	29	NTN
4T-NA48390/48320D	136,525	190,500	85,725			7,23	30	NTN
4T-48393	136,525		39,688			2,26	29	NTN
4T-48393/48320	136,525	190,500	39,688	33,338	39,688	3,43	29	NTN
4T-48393/48320D+A	136,525	190,500	85,725			7,40	30	NTN
T-48393D/48320/48320D	136,525	190,500	161,925			14,80	32	NTN
T-E-48393D/48320/48320D	139,700	190,500	161,925			14,80	32	NTN
4T-484	70,000		29,007			0,84	29	NTN
4T-484/472	70,000	120,000	29,007	24,237	29,794	1,31	29	NTN
4T-LM48510		65,088		13,970		0,08	29	NTN
4T-LM48510XL		65,088		18,034		0,10	29	NTN
4T-LM48548	34,925		18,288			0,16	29	NTN
4T-LM48548/LM48510	34,925	65,088	18,288	13,970	18,034	0,25	29	NTN
4T-LM48548A	34,925		18,288			0,16	29	NTN
4T-LM48548A/LM48510	34,925	65,088	18,288	13,970	18,288	0,25	29	NTN
4T-LM48548L	34,925		18,288			0,16	29	NTN
4T-LM48548L/LM48510	34,925	65,088	18,288	13,970	18,821	0,26	29	NTN
4T-LM48549	34,925		18,288			0,17	29	NTN
4T-LM48549X	34,925		18,288			0,16	29	NTN
4T-48620		200,025		34,130		1,39	29	NTN
T-48680D/48620/48620D	139,700	200,025	157,165			17,30	32	NTN
T-E-48680D/48620/48620D	140,000	200,025	157,165			17,30	32	NTN
4T-48684	142,875		39,688			2,46	29	NTN
4T-48684/48620	142,875	200,025	39,688	34,130	41,275	3,85	29	NTN
4T-48685	142,875		39,688			2,50	29	NTN
4T-48685/48620	142,875	200,025	39,688	34,130	41,275	3,89	29	NTN
4T-48685/48620DC+A	142,875	200,025	87,315			8,18	30	NTN
4T-NA48685SW/48620D	142,875	200,025	93,665			1,20	30	NTN
CRO-4901	245,000	380,000	255,500			106,70	32	NTN
CRO-4906LL	245,000	345,000	310,000			90,50	32	NTN
4T-49162	41,275		31,750			0,69	29	NTN
4T-49162/49368	41,275	93,662	31,750	25,400	31,750	1,05	29	NTN
4T-49175	44,450		31,750			0,64	29	NTN
4T-492A		133,350		22,225		0,42	29	NTN
4T-493		136,525		22,225		0,54	29	NTN
4T-49368		93,662		25,400		0,36	29	NTN
4T-495	82,550		29,769			1,07	29	NTN
4T-495/492A	82,550	133,350	29,769	22,225	30,162	1,49	29	NTN
4T-495/493	82,550	136,525	29,769	22,225	30,162	1,60	29	NTN
4T-495/493D+A	82,550	136,525	69,850			3,74	30	NTN
4T-49520		101,600		25,400		0,38	29	NTN
4T-49585	50,800		31,750			0,74	29	NTN
4T-49585/49520	50,800	101,600	31,750	25,400	31,750	1,13	29	NTN
4T-495A	76,200		29,769			1,24	29	NTN
4T-495A/493	76,200	136,525	29,769	22,225	30,162	1,80	29	NTN
4T-495A/493D+A	76,200	136,525	69,850			4,15	30	NTN
4T-495AS/493	77,788	136,525	29,769	22,225	30,162	1,78	29	NTN
4T-495AX	76,200		29,769			1,24	29	NTN
4T-495AX/493	76,200	136,525	29,769	22,225	30,162	1,78	29	NTN
4T-496	80,962		29,769			1,12	29	NTN








Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-496/493	80,962	136,525	29,769	22,225	30,162	1,66	29	NTN	
4T-496/493DC+A	80,962	136,525	69,850			3,89	30	NTN	
4T-497	85,725		29,769			0,97	29	NTN	
4T-497/492A	85,725	133,350	29,769	22,225	30,162	1,43	29	NTN	
4T-497/493	85,725	136,525	29,769	22,225	30,162	1,50	29	NTN	
4T-497A	85,725		29,769			0,95	29	NTN	
NA497SW/K326071	85,725	184,150	73,025			8,53	30	NTN	
4T-498	84,138		29,769			1,02	29	NTN	
4T-498/492A	84,138	133,350	29,769	22,225	30,162	1,45	29	NTN	
4T-498/493	84,138	136,525	29,769	22,225	30,162	1,60	29	NTN	
4T-499A	84,975		29,769			0,99	29	NTN	
4T-4A/6	19,050	44,450	11,908	9,525	12,700	0,09	29	NTN	
CRO-5001	250,000	370,000	220,000			87,00	32	NTN	
E-CRO-5001	250,000	370,000	220,000			87,00	32	NTN	
CRI-5004	250,000	380,000	98,000			35,30	30	NTN	
CRO-5004	250,000	365,000	270,000			82,10	32	NTN	
E-CRO-5004	250,000	365,000	270,000			82,10	32	NTN	
CR-5009	250,000	310,000	32,000	24,500	32,000	5,11	29	NTN	
E-CRTD5010	250,000	380,000	100,000			40,00	37	NTN	
CRO-5012	250,000	365,000	270,000			96,70	32	NTN	
4T-LM501310		73,431		14,732		0,11	29	NTN	
4T-LM501311		73,431		18,186		0,14	29	NTN	
4T-LM501314		73,431		16,604		0,13	29	NTN	
4T-LM501349	41,275		19,812			0,22	29	NTN	
4T-LM501349/LM501310	41,275	73,431	19,812	14,732	19,558	0,34	29	NTN	
4T-LM501349/LM501311	41,275	73,431	19,812	18,186	23,012	0,37	29	NTN	
4T-LM501349/LM501314	41,275	73,431	19,812	16,604	21,430	0,35	29	NTN	
4T-LM501349A/LM501310	41,275	73,431	19,812	14,732	19,558	0,34	29	NTN	
CRO-5015LL	250,000	365,000	270,000			90,00	32	NTN	
4T-LM503310		75,000		14,000		0,09	29	NTN	
4T-LM503349	46,000		18,000			0,20	29	NTN	
4T-LM503349/LM503310	46,000	75,000	18,000	14,000	18,000	0,29	29	NTN	
4T-LM503349A	46,000		18,000			0,20	29	NTN	
4T-LM503349A/LM503310	46,000	75,000	18,000	14,000	18,000	0,29	29	NTN	
4T-HH506310		114,300		36,068		0,83	29	NTN	
4T-HH506348	49,212		44,450			1,47	29	NTN	
4T-HH506348/HH506310	49,212	114,300	44,450	36,068	44,450	2,33	29	NTN	
4T-JLM506810		90,000		18,500		0,18	29	NTN	
4T-JLM506811		90,000		20,500		0,21	29	NTN	
4T-JLM506848	55,000		26,000			0,38	29	NTN	
4T-JLM506849	55,000		23,000			0,36	29	NTN	
4T-JLM506849/JLM506810	55,000	90,000	23,000	18,500	23,000	0,55	29	NTN	
4T-JLM506849A	55,000		23,000			0,36	29	NTN	
4T-JLM506849A/JLM506810	55,000	90,000	23,000	18,500	23,000	0,55	29	NTN	
4T-JLM506849A/JLM506811	55,000	90,000	23,000	20,500	25,000	0,58	29	NTN	
4T-JLM508710		95,000		19,000		0,19	29	NTN	
4T-JLM508748	60,000		24,000			0,40	29	NTN	
4T-JLM508748/JLM508710	60,000	95,000	24,000	19,000	24,000	0,60	29	NTN	
CRD-5102	254,000	585,000	260,000			392,00	31	NTN	
E-CRT5103	254,000	539,750	117,475			140,00	37	NTN	
CRD-5116LL	254,000	358,775	269,875			81,70	32	NTN	
CRD-5117LL	254,000	358,775	269,875			83,00	32	NTN	

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-JM511910		110,000		22,500		0,34	29	NTN
4T-JM511945	65,000		30,000			0,76	29	NTN
4T-JM511946	65,000		28,000			0,75	29	NTN
4T-JM511946/JM511910	65,000	110,000	28,000	22,500	28,000	1,09	29	NTN
4T-M514546	73,025		39,370			0,97	29	NTN
4T-JM515610		130,000		28,500		0,57	29	NTN
4T-JM515649	80,000		34,000			1,14	29	NTN
4T-JM515649/JM515610	80,000	130,000	34,000	28,500	35,000	1,72	29	NTN
4T-HM515716		142,138		33,338		1,07	29	NTN
4T-HM515745	76,200		46,100			1,84	29	NTN
4T-HM515745/HM515716	76,200	142,138	46,100	33,338	44,450	2,91	29	NTN
4T-HM516410		133,350		32,545		0,76	29	NTN
4T-HM516442/HM516410	76,200	133,350	39,688	32,545	39,688	2,43	29	NTN
4T-HM516448	82,550		39,688			1,39	29	NTN
4T-HM516448/HM516410	82,550	133,350	39,688	32,545	39,688	2,16	29	NTN
4T-HM516449	82,550		39,688			1,39	29	NTN
4T-HM516449/HM516410	82,550	133,350	39,688	32,545	39,688	2,15	29	NTN
4T-JHM516810		140,000		31,500		0,76	29	NTN
4T-JHM516849	85,000		38,000			1,52	29	NTN
4T-JHM516849/JHM516810	85,000	140,000	38,000	31,500	39,000	2,28	29	NTN
4T-HM518410		152,400		30,162		0,76	29	NTN
4T-HM518445	88,900		39,688			2,10	29	NTN
4T-HM518445/HM518410	88,900	152,400	39,688	30,162	39,688	2,86	29	NTN
CR-5201	260,000	360,000	40,000	34,000	45,000	11,40	29	NTN
CRD-5212	260,000	400,000	150,000			74,60	31	NTN
CRD-5214	260,000	458,000	155,000			109,00	31	NTN
CRD-5215	259,500	481,000	250,000			202,00	31	NTN
CRI-5215	260,000	530,000	275,000			248,00	30	NTN
CRO-5215	260,000	400,000	255,000			106,00	32	NTN
E-CRO-5215	260,000	400,000	255,000			106,00	32	NTN
CRD-5216	260,000	459,000	155,000			110,00	31	NTN
CRD-5217	260,350	419,100	180,000			95,70	31	NTN
CRI-5218	260,000	400,000	185,000			79,00	30	NTN
CRO-5218	260,000	360,000	272,000			74,20	32	NTN
4T-522		101,600		26,988		0,41	29	NTN
EE522126D/523087/523088D	539,750	784,225	339,725			552,00	32	NTN
CRD-5222	259,500	481,000	250,000			180,00	31	NTN
CR1-5224	260,000	440,000	172,000			98,90	30	NTN
CRD-5224	260,000	459,000	155,000			110,00	31	NTN
CRI-5224	260,000	440,000	172,000			99,00	30	NTN
CRO-5224LL	260,000	365,000	339,000			103,00	32	NTN
4T-LM522510		159,987		26,988		0,78	29	NTN
4T-LM522546/LM522510	107,950	159,987	34,925	26,988	34,925	2,37	29	NTN
4T-LM522548	109,987		34,925			1,46	29	NTN
4T-LM522548/LM522510	109,987	159,987	34,925	26,988	34,925	2,24	29	NTN
4T-LM522549	109,987		34,925			1,49	29	NTN
4T-LM522549/LM522510	109,987	159,987	34,925	26,988	34,925	2,27	29	NTN
CRD-5226	260,000	389,500	105,000			41,90	31	NTN
4T-JHM522610		180,000		38,000		1,51	29	NTN
4T-JHM522649	110,000		46,000			3,10	29	NTN
4T-JHM522649/JHM522610	110,000	180,000	46,000	38,000	47,000	4,61	29	NTN
CRO-5227LL	260,350	422,275	314,325			177,00	32	NTN






Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
CRD-5228	260,000	445,000	180,000				111,00	31	NTN
E-CRD-5232	258,500	365,000	361,000				116,00	31	NTN
E-CRD-5232LD2	258,500	365,000	361,000				116,00	31	NTN
4T-52375	95,250		36,116				2,70	29	NTN
4T-52375/52618	95,250	157,162	36,116	26,195	36,512		2,76	29	NTN
4T-NA52375/52637D	95,250	161,925	82,547				6,60	30	NTN
4T-52387	98,425		36,116				1,92	29	NTN
4T-52387/52618	98,425	157,162	36,116	26,195	36,512		2,62	29	NTN
4T-52393	100,012		36,116				1,85	29	NTN
4T-52393/52618	100,012	157,162	36,116	26,195	36,512		2,55	29	NTN
4T-52393/52637D+A	100,012	161,925	82,547				6,25	30	NTN
4T-52400	101,600		36,116				1,78	29	NTN
4T-52400/52618	101,600	157,162	36,116	26,195	36,512		2,48	29	NTN
4T-52400D/52618+A	101,600	157,162	80,167				5,56	31	NTN
4T-52401	101,600		36,116				1,75	29	NTN
4T-52401/52618	101,600	157,162	36,116	26,195	36,512		2,45	29	NTN
4T-525	38,100		36,068				1,01	29	NTN
4T-526	41,275		36,068				1,01	29	NTN
4T-526/522	41,275	101,600	36,068	26,988	36,068		1,42	29	NTN
EE526130/526190	330,200	482,600	80,167	60,325	85,725		47,30	29	NTN
EE526130/526191D+A	330,200	482,600	177,800				96,30	30	NTN
EE526131D/526190/526191D	330,200	482,600	306,388				197,00	32	NTN
E-EE526131D/526190/526191D	330,200	482,600	306,388				197,00	32	NTN
4T-52618		157,162		26,195			0,70	29	NTN
4T-527	44,450		36,068				0,95	29	NTN
4T-527/522	44,450	101,600	36,068	26,988	36,068		1,36	29	NTN
4T-528	47,625		36,068				0,89	29	NTN
4T-528/522	47,625	101,600	36,068	26,988	36,068		1,29	29	NTN
4T-529	50,800		36,068				0,82	29	NTN
4T-529/522	50,800	101,600	36,068	26,988	36,068		1,23	29	NTN
EE529091D/529157+A	228,600	400,050	139,700				74,20	31	NTN
4T-529X	50,800		36,068				0,81	29	NTN
4T-529X/522	50,800	101,600	36,068	26,988	36,068		1,22	29	NTN
CRO-5305	266,700	355,600	230,188				62,30	32	NTN
EE531201D/531300/531301XD62	508,000	762,000	463,550				740,00	32	NTN
4T-53162	41,275		28,300				0,61	29	NTN
4T-53162/53375	41,275	95,250	28,300	20,638	30,958		0,98	29	NTN
4T-53176	44,450		28,300				0,56	29	NTN
4T-53176/53375	44,450	95,250	28,300	20,638	30,958		0,93	29	NTN
4T-53177	44,450		28,300				0,56	29	NTN
4T-53177/53375	44,450	95,250	28,300	20,638	30,958		0,92	29	NTN
4T-53178	44,450		28,300				0,56	29	NTN
4T-53178/53375	44,450	95,250	28,300	20,638	30,958		0,93	29	NTN
4T-532A		111,125		30,162			0,74	29	NTN
4T-532X		107,950		28,575			0,57	29	NTN
4T-5335		103,188		36,512			0,63	29	NTN
4T-53375		95,250		20,638			0,37	29	NTN
4T-53377		95,250		20,638			0,36	29	NTN
4T-JHM534110		230,000		31,000			1,30	29	NTN
4T-JHM534149	170,000		38,000				3,07	29	NTN
4T-JHM534149/JHM534110	170,000	230,000	38,000	31,000	39,000		4,37	29	NTN
4T-535	44,450		36,957				1,10	29	NTN

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-535/532A	44,450	111,125	36,957	30,162	38,100	1,84	29	NTN
4T-536	47,625		36,957			1,04	29	NTN
4T-536/532X	47,625	107,950	36,957	28,575	36,957	1,61	29	NTN
4T-537/532X	50,800	107,950	36,957	28,575	36,957	1,53	29	NTN
4T-539	53,975		36,957			0,89	29	NTN
4T-539/532X	53,975	107,950	36,957	28,575	36,512	1,47	29	NTN
4T-5395	49,212		44,475			1,11	29	NTN
4T-5395/5335	49,212	103,188	44,475	36,512	43,658	1,75	29	NTN
4T-L540049/L540010	196,850	254,000	27,783	21,433	28,575	5,95	29	NTN
CRD-5403	270,000	395,000	94,000			38,50	31	NTN
CRO-5403	270,000	410,000	222,000			91,00	32	NTN
E-CRO-5403	270,000	410,000	222,000			91,00	32	NTN
EE542220/542290	558,800	736,600	76,200	50,800	76,200	76,70	29	NTN
EE542220/542291D+A	558,800	736,600	165,100			166,00	30	NTN
T-HM542948/HM542911	203,200	346,075	80,962	60,325	79,375	28,80	29	NTN
4T-543/532X	40,000	107,950	36,957	28,575	36,957	1,76	29	NTN
543085/543114	215,900	290,010	31,750	22,225	31,750	5,20	29	NTN
543085/543115D+A	215,900	287,338	69,850			11,00	30	NTN
4T-543114		290,010		22,225		1,73	29	NTN
544090/544118	228,600	300,038	31,750	23,812	33,338	5,61	29	NTN
T-544090/544118	228,600	300,038	31,750	23,812	33,338	6,05	29	NTN
544090/544118DF	228,600	300,038	66,676			11,10	30	NTN
T-544091/544118	231,775	300,038	31,750	23,812	33,338	5,81	29	NTN
545112/545141A	285,750	358,775	31,750	22,225	33,338	7,54	29	NTN
545112/545142D+A	285,750	358,775	76,200			15,17	30	NTN
LM545849/LM545810	234,950	314,325	49,212	36,512	49,212	9,38	29	NTN
T-LM545849/LM545810	234,950	314,325	49,212	36,512	49,212	9,38	29	NTN
E-EE547341D/547480/547481DG2	863,600	1 219,200	876,300			3 640,00	32	NTN
EE547341D/547480/547481DG2 (CRO-17301)	863,600	1 219,200	876,300			3 640,00	32	NTN
EE547341D/547480G2+A	863,600	1 219,200	425,450			1 552,00	31	NTN
CR-5501	276,225	352,425	40,000	29,000	40,000	8,76	29	NTN
CRO-5501	275,000	385,000	200,000			62,50	32	NTN
E-CRO-5501	275,000	385,000	200,000			62,50	32	NTN
4T-55175C	44,450		26,909			0,93	29	NTN
4T-55175C/55437	44,450	111,125	26,909	20,638	30,162	1,45	29	NTN
4T-55176	44,450		26,909			0,85	29	NTN
4T-55176/55437	44,450	111,125	26,909	20,638	30,162	1,35	29	NTN
4T-55176/55443	44,450	112,712	26,909	20,638	30,162	1,40	29	NTN
4T-55176C/55437	44,450	111,125	26,909	20,638	30,162	1,09	29	NTN
4T-55187	47,625		26,909			0,80	29	NTN
4T-55187/55437	47,625	111,125	26,909	20,638	30,162	1,31	29	NTN
4T-55187/55443	47,625	112,712	26,909	20,638	30,162	1,35	29	NTN
4T-55187C	47,625		26,909			0,88	29	NTN
4T-55187C/55437	47,625	111,125	26,909	20,638	30,162	1,40	29	NTN
4T-55187C/55443	47,625	112,712	26,909	20,638	30,162	1,43	29	NTN
4T-552		123,825		33,338		0,80	29	NTN
4T-55200C	50,800		26,909			0,84	29	NTN
4T-55200C/55437	50,800	111,125	26,909	20,638	30,162	1,33	29	NTN
4T-55200C/55443	50,800	112,712	26,909	20,638	30,162	1,34	29	NTN
4T-55206/55444D+A	52,388	112,712	65,088			2,78	30	NTN
4T-552A		123,825		30,162		0,75	29	NTN
4T-5535		122,238		36,512		0,80	29	NTN






Reference						Kg	?	Brands
	d	D	B	C	T			
4T-553X		122,238		30,162		0,68	29	NTN
4T-55437		111,125		20,638		0,51	29	NTN
4T-55443		112,712		20,638		0,55	29	NTN
4T-555/552A	50,800	123,825	36,678	30,162	38,100	2,34	29	NTN
L555233/L555210	279,400	374,650	47,625	34,925	47,625	13,00	29	NTN
L555233/L555210D+A	279,400	374,650	104,775			28,50	30	NTN
E-L555249/L555210	292,100	374,650	47,625	34,925	47,625	11,90	29	NTN
L555249/L555210	292,100	374,650	47,625	34,925	47,625	11,50	29	NTN
L555249/L555210D+A	292,100	374,650	104,775			25,20	30	NTN
4T-555S	57,150		36,678			1,41	29	NTN
4T-555S/552A	57,150	123,825	36,678	30,162	38,100	2,18	29	NTN
4T-5565	50,800		43,764			1,82	29	NTN
4T-5578	53,975		43,764			1,81	29	NTN
4T-5578/5535	53,975	122,238	43,764	36,512	43,658	2,64	29	NTN
4T-557S	53,975		36,678			1,50	29	NTN
4T-557S/552A	53,975	123,825	36,678	30,162	38,100	2,26	29	NTN
4T-558/552A	60,325	123,825	36,678	30,162	38,100	2,10	29	NTN
4T-NA558/552D	60,325	123,825	79,375			3,31	30	NTN
4T-5583	60,325		43,764			1,61	29	NTN
4T-5583/5535	60,325	122,238	43,764	36,512	43,658	2,44	29	NTN
4T-5584/5535	63,500	122,238	43,764	36,512	43,764	2,31	29	NTN
4T-559	63,500		36,678			1,23	29	NTN
4T-559/552	63,500	123,825	36,678	33,338	38,100	2,03	29	NTN
4T-559/552A	63,500	123,825	36,678	30,162	38,100	2,01	29	NTN
4T-560	66,675		36,678			1,15	29	NTN
4T-560/552	66,675	123,825	36,678	33,338	38,100	1,95	29	NTN
4T-560/552A	66,675	123,825	36,678	30,162	38,100	1,92	29	NTN
4T-560S	68,262		36,678			1,10	29	NTN
4T-560S/552A	68,262	123,825	36,678	30,162	38,100	1,86	29	NTN
CRD-5613	279,400	533,400	241,300			272,00	31	NTN
CRT5613	279,400	603,250	136,525			172,00	37	NTN
CRO-5614	279,400	419,100	292,100			141,00	32	NTN
CRI-5615	280,000	400,000	150,000			53,80	30	NTN
CRD-5616	280,000	410,000	110,000			49,00	31	NTN
E-CRD-5616	280,000	410,000	110,000			45,20	31	NTN
E-CRT5617	279,400	603,250	136,525			205,00	37	NTN
E-CRD-5621	280,000	380,000	92,000			28,90	31	NTN
LL562749/LL562710	361,950	406,400	23,812	17,462	23,812	3,56	29	NTN
CRO-5628	279,400	381,000	269,875			79,60	32	NTN
4T-563		127,000		28,575		0,64	29	NTN
CRO-5639LL	280,000	410,000	268,000			116,00	32	NTN
4T-56418	106,362		36,512			1,89	29	NTN
4T-56418/56650	106,362	165,100	36,512	26,988	36,512	2,76	29	NTN
4T-56425	107,950		36,512			1,82	29	NTN
4T-56425/56650	107,950	165,100	36,512	26,988	36,512	2,69	29	NTN
4T-56425/56650D+A	107,950	165,100	82,550			5,90	30	NTN
4T-56425/56662	107,950	168,275	36,152	26,988	36,512	2,80	29	NTN
4T-NA56425SW/56650D	107,975	165,125	89,154			6,61	30	NTN
4T-56426	107,950		36,512			1,84	29	NTN
4T-56426/56650	107,950	165,100	36,512	26,988	36,512	2,60	29	NTN
4T-565	63,500		36,170			1,44	29	NTN
4T-565/563	63,500	127,000	36,170	28,575	36,512	2,11	29	NTN

								Brands
Reference	d	D	B	C	T	Kg		
CRO-5650 (CRO-5676)	280,000	380,000	290,000			105,00	32	NTN
CRO-5652LL	279,400	393,700	269,875			96,40	32	NTN
LM565943/LM565910	374,650	522,288	84,138	61,912	85,725	54,50	29	NTN
LM565949/LM565910	381,000	522,288	84,138	61,912	85,725	52,50	29	NTN
LM565949/LM565912	381,000	523,875	84,138	61,912	85,725	53,20	29	NTN
4T-566	69,850		36,170			1,24	29	NTN
4T-566/563	69,850	127,000	36,170	28,575	36,512	1,92	29	NTN
CRO-5660LL	280,000	380,000	290,000			90,00	32	NTN
CRO-5664LL	280,000	395,000	340,000			126,00	32	NTN
4T-56650		165,100		26,988		0,84	29	NTN
CRO-5665LL	280,000	395,000	290,000			108,00	32	NTN
4T-56662		168,275		26,988		1,04	29	NTN
LL566848/LL566810	403,225	460,375	28,575	20,638	28,575	6,60	29	NTN
4T-567	73,025		36,170			1,16	29	NTN
4T-567/563	73,025	127,000	36,170	28,575	36,512	1,82	29	NTN
4T-NA567/563D	73,025	127,000	80,962			3,85	30	NTN
LM567943/LM567910B	396,875	549,275	84,138	61,912	84,138	61,45	29	NTN
LM567949/LM567910	406,400	549,275	84,138	61,912	85,725	56,20	29	NTN
4T-567A/563	71,438	127,000	36,170	28,575	36,512	1,87	29	NTN
4T-568	73,817		36,170			1,13	29	NTN
4T-568/563	73,817	127,000	36,170	28,575	36,512	1,80	29	NTN
CRD-5704	285,000	380,000	92,000			29,00	31	NTN
L570649/L570610	457,200	573,088	74,612	57,150	74,612	42,50	29	NTN
CRO-5709LL	285,000	400,000	340,000			134,00	32	NTN
EE571602/572651D+A	406,400	673,100	192,639			245,00	30	NTN
EE571703/572650	431,800	673,100	87,833	60,325	88,900	114,00	29	NTN
EE571703/572651D+A	431,800	673,100	192,639			225,00	30	NTN
4T-572		139,992		28,575		0,78	29	NTN
4T-572X		139,700		28,575		0,76	29	NTN
4T-575	76,200		36,098			1,64	29	NTN
4T-575/572	76,200	139,992	36,098	28,575	36,512	2,43	29	NTN
4T-575/572X	76,200	139,700	36,098	28,575	36,098	2,40	29	NTN
LL575343/LL575310	533,400	635,000	50,800	38,100	50,800	26,40	29	NTN
LL575349/LL575310	539,750	635,000	50,800	38,100	50,800	24,90	29	NTN
4T-575S/572	76,200	139,992	36,098	28,575	36,512	2,41	29	NTN
4T-576/572	73,025	139,992	36,098	28,575	36,512	2,53	29	NTN
4T-5760/5735	76,200	135,733	46,100	34,925	44,450	2,75	29	NTN
4T-577/572	74,612	139,992	36,098	28,575	36,512	2,48	29	NTN
4T-578/572D+A	79,985	139,992	82,550			4,79	30	NTN
4T-578/572DC+A	79,985	139,992	82,550			5,13	30	NTN
4T-580	82,550		36,098			1,41	29	NTN
4T-580/572	82,550	139,992	36,098	28,575	36,512	2,20	29	NTN
4T-580/572D	82,550	139,992	82,550			4,56	30	NTN
4T-580/572X	82,550	139,700	36,098	28,575	36,512	2,18	29	NTN
E-CRTD5807	291,150	520,000	266,000			239,00	37	NTN
CRI-5808	290,000	400,000	120,000			40,00	30	NTN
4T-581	80,962		36,098			1,40	29	NTN
4T-581/572	80,962	139,992	36,098	28,575	36,512	2,26	29	NTN
CR1-5810	290,000	430,000	150,000			72,10	30	NTN
CRI-5810	290,000	430,000	150,000			72,70	30	NTN
4T-CR-5812	288,925	406,400	77,788	60,325	77,788	30,20	29	NTN
CRO-5814LL	290,000	400,000	346,000			129,00	32	NTN





Reference	d		B	C	T	Kg	Brands	
	d	D	B	C	T			
4T-582	82,550		36,098			1,39	29	NTN
4T-582/572	82,550	139,992	36,098	28,575	36,512	2,19	29	NTN
4T-582/572D+A	82,550	139,992	82,550			4,64	30	NTN
4T-59162	41,275		36,512			1,15	29	NTN
4T-59162/59412	41,275	104,775	36,512	28,575	36,512	1,62	29	NTN
4T-59175	44,450		36,512			1,09	29	NTN
4T-59175/59412	44,450	104,775	36,512	28,575	36,512	1,56	29	NTN
4T-592		152,400		33,338		1,04	29	NTN
4T-59200	50,800		36,512			0,95	29	NTN
4T-59200/59412	57,150	97,630	36,512	28,575	24,608	1,42	29	NTN
4T-592A		152,400		30,162		1,04	29	NTN
4T-593	88,900		36,322			0,76	29	NTN
4T-593/592A	88,900	152,400	36,322	30,162	39,688	2,77	29	NTN
NA593/592D	88,900	152,400	82,550			5,56	30	NTN
4T-593/592D+A	88,900	152,400	82,550			5,76	30	NTN
4T-593A	88,900		36,322			1,70	29	NTN
4T-593X		150,000		27,000		0,76	29	NTN
4T-594	95,250		36,322			1,44	29	NTN
4T-594/592	95,250	152,400	36,322	33,338	39,688	2,56	29	NTN
4T-594/592A	95,250	152,400	36,322	30,162	39,688	2,51	29	NTN
4T-594/592D+A	95,250	152,400	82,550			5,68	30	NTN
4T-594/593X	95,250	150,000	36,322	27,000	36,322	2,20	29	NTN
4T-59412		104,775		28,575		0,47	29	NTN
4T-594A	95,250		36,322			1,44	29	NTN
4T-594A/592A	95,250	152,400	36,322	30,162	39,688	2,50	29	NTN
4T-594A/592XE	95,250	147,638	36,322	26,192	35,717	2,09	29	NTN
4T-595	82,550		36,322			1,96	29	NTN
4T-595/592A	82,550	152,400	36,322	30,162	39,688	3,02	29	NTN
4T-596	85,725		36,322			1,84	29	NTN
4T-596/592A	85,725	152,400	36,322	30,162	39,688	2,90	29	NTN
4T-596S/592DC+A	87,312	152,400	82,550			5,41	30	NTN
4T-598	92,075		36,322			1,59	29	NTN
4T-598/592A	92,075	152,400	36,322	30,162	39,688	2,65	29	NTN
4T-598A	92,075		36,322			1,54	29	NTN
4T-598A/592A	92,075	152,400	36,322	30,162	39,688	2,63	29	NTN
4T-598A/593X	92,075	150,000	36,322	27,000	35,992	2,32	29	NTN
CRD-6006	300,000	500,000	180,000			143,00	31	NTN
CRI-6010	300,000	540,000	208,000			184,00	30	NTN
CRO-6012	300,000	470,000	270,000			152,00	32	NTN
E-CRO-6012	300,000	470,000	270,000			152,00	32	NTN
4T-CR-6013	300,000	460,000	100,000	76,000	100,000	58,20	29	NTN
E-CRO-6013	300,000	470,000	292,000			164,00	32	NTN
CRO-6013 (CRO-6033)	300,000	470,000	292,000			164,00	32	NTN
CRO-6015	300,000	460,000	360,000			180,00	32	NTN
E-CRO-6015	300,000	460,000	360,000			180,00	32	NTN
CR-6016	300,000	380,000	38,000	28,000	38,000	9,44	29	NTN
CRO-6019	300,000	430,000	280,000			132,00	32	NTN
CRO-6022	300,000	430,000	300,000			141,00	32	NTN
CRD-6025	300,000	440,000	105,000			54,00	31	NTN
CRD-6026	300,000	520,000	180,000			187,00	31	NTN
CRD-6027	300,000	440,000	105,000			54,00	31	NTN
CR-6027DB	300,000	420,000	420,000			163,00	30	NTN

Reference						Kg		Brands
	d	D	B	C	T			
CRD-6028	300,000	500,000	200,000			158,00	31	NTN
E-CRD-6028	300,000	500,000	200,000			158,00	31	NTN
CRD-6030	300,000	500,000	200,000			158,00	31	NTN
4T-LM603011		77,788		15,080		0,12	29	NTN
4T-LM603012		77,788		16,667		0,14	29	NTN
4T-JLM603013Z		78,000		15,000		0,12	29	NTN
4T-LM603014		80,000		15,080		0,15	29	NTN
4T-JLM603048	45,000		23,950			0,25	29	NTN
4T-LM603049	45,242		19,842			0,25	29	NTN
4T-LM603049/LM603011	45,242	77,788	19,842	15,080	19,842	0,37	29	NTN
4T-LM603049/LM603012	45,242	77,788	19,842	16,667	21,430	0,39	29	NTN
4T-LM603049/LM603014	45,242	80,000	19,842	15,080	19,842	0,39	29	NTN
4T-LM603049JX	45,242		19,842			0,24	29	NTN
CRO-6031LL	300,000	430,000	295,000			136,00	32	NTN
CRO-6038LL	300,000	400,000	254,000			84,60	32	NTN
CRO-6042LL	300,000	420,000	310,000			128,00	32	NTN
4T-A6067	16,993		11,153			0,04	29	NTN
4T-A6075	19,050		11,153			0,03	29	NTN
4T-A6075/A6157	19,050	39,992	11,153	9,525	12,014	0,07	29	NTN
CRD-6101	305,079	500,000	200,000			155,00	31	NTN
CRD-6104	305,105	559,867	169,977			217,00	31	NTN
4T-L610510		94,458		15,083		0,16	29	NTN
4T-L610549	63,500		19,050			0,29	29	NTN
4T-L610549/L610510	63,500	94,458	19,050	15,083	19,050	0,45	29	NTN
CRI-6108	305,000	560,000	223,000			227,00	30	NTN
CRD-6109	304,800	499,948	158,750			158,00	31	NTN
CRD-6110	305,105	559,968	200,000			217,00	31	NTN
E-CRD-6111K	304,271	447,675	158,750			84,26	31	NTN
CRD-6112	305,069	559,999	200,000			218,00	31	NTN
CRD-6113	305,003	559,867	169,977			192,00	31	NTN
CRD-6115	305,105	599,968	170,434			169,00	31	NTN
CRD-6116	305,079	500,000	200,000			155,00	31	NTN
CRD-6117	305,105	559,867	169,977			217,00	31	NTN
4T-612		120,650		31,750		0,85	29	NTN
CRD-6120	305,000	500,000	200,000			135,00	31	NTN
CRD-6123	304,800	499,948	200,000			155,00	31	NTN
CRD-6125	305,079	500,000	200,000			155,00	31	NTN
4T-JM612910		115,000		23,000		0,36	29	NTN
4T-JM612949	70,000		29,000			0,75	29	NTN
4T-JM612949/JM612910	70,000	115,000	29,000	23,000	29,000	1,11	29	NTN
CRD-6132	304,648	438,048	128,575			62,80	31	NTN
CRD-6135	305,000	560,000	200,000			218,00	31	NTN
CRD-6136	305,069	560,000	200,000			218,00	31	NTN
CRD-6137	305,000	500,000	200,000			155,00	31	NTN
CRD-6140	305,000	559,968	169,977			193,00	31	NTN
E-E61400/161901DC+A	355,600	482,600	133,350			62,10	30	NTN
CRO-6143LL	304,648	438,048	280,990			136,00	32	NTN
CRD-6146	305,000	560,000	200,000			218,00	31	NTN
CRD-6148	305,000	500,000	200,000			155,00	31	NTN
E-CRD-6148	305,000	500,000	200,000			155,00	31	NTN
CRD-6151	305,000	500,000	200,000			155,00	31	NTN
E-CRD-6151	305,000	500,000	200,000			141,00	31	NTN






Reference	d		D		B	C	T	Kg	Brands	
CRD-6152	305,069	559,999	200,000					218,00	31	NTN
CRD-6154	305,000	560,000	200,000					218,00	31	NTN
4T-A6157		39,992				9,525		0,03	29	NTN
4T-A6162		41,275				8,730		0,03	29	NTN
4T-HM617010		142,138				34,133		0,90	29	NTN
4T-HM617049	85,725		42,862					1,77	29	NTN
4T-HM617049/HM617010	85,725	142,138	42,862	34,133	42,862			2,69	29	NTN
4T-619	50,800		41,275					1,42	29	NTN
4T-619/612	50,800	120,650	41,275	31,750	41,275			2,30	29	NTN
CRO-6204	310,000	430,000	310,000					136,00	32	NTN
4T-621	53,975		41,275					1,33	29	NTN
4T-621/612	53,975	120,650	41,275	31,750	41,275			2,21	29	NTN
CRO-6213	310,000	430,000	310,000					133,00	32	NTN
E-CR1-6216	311,150	558,800	190,500					181,00	30	NTN
4T-6220		127,000		41,275				1,21	29	NTN
CRO-6220LL	310,000	430,000	310,000					133,00	32	NTN
CRO-6222LL	310,000	430,000	350,000					150,00	32	NTN
4T-623	57,150		41,275					1,24	29	NTN
4T-623/612	57,150	120,650	41,275	31,750	41,275			2,12	29	NTN
623024	120,000	180,000	100,000					8,87	32	NTN
623028	140,000	210,000	114,000					13,80	32	NTN
623034	170,000	260,000	144,000					27,50	32	NTN
623044	220,000	340,000	190,000					63,20	32	NTN
623052	260,000	400,000	220,000					98,90	32	NTN
623068	340,000	520,000	278,000					213,00	32	NTN
623076	380,000	560,000	282,000					240,00	32	NTN
623124	120,000	200,000	132,000					16,70	32	NTN
623134	170,000	280,000	185,000					45,20	32	NTN
623160	300,000	500,000	332,000					257,00	32	NTN
623160A	300,000	500,000	332,000					257,00	32	NTN
623172 (CRO-7228)	360,000	600,000	396,000					447,00	32	NTN
4T-L624510		160,338		16,670				0,40	29	NTN
4T-L624549/L624510	120,650	160,338	21,433	16,670	21,433			1,15	29	NTN
6259/500	500,000	705,000	515,000					632,00	32	NTN
E-6259/500	500,000	705,000	515,000					632,00	32	NTN
625924	120,000	170,000	124,000					8,97	32	NTN
E-625924	120,000	170,000	124,000					8,97	32	NTN
625926	130,000	184,000	134,000					11,30	32	NTN
E-625926	135,000	184,000	134,000					11,30	32	NTN
625928	140,000	198,000	144,000					14,00	32	NTN
E-625928	146,050	198,000	144,000					14,00	32	NTN
625930	150,000	212,000	155,000					16,90	32	NTN
E-625930	152,400	212,000	155,000					16,90	32	NTN
625932	160,000	226,000	165,000					20,20	32	NTN
E-625932	160,000	226,000	165,000					20,20	32	NTN
625934	170,000	240,000	175,000					24,40	32	NTN
E-625934	170,000	240,000	175,000					24,40	32	NTN
625936	180,000	254,000	185,000					28,90	32	NTN
E-625936	180,000	254,000	185,000					28,90	32	NTN
625938	190,000	268,000	196,000					34,70	32	NTN
E-625938	190,000	268,000	196,000					34,70	32	NTN
625940	200,000	282,000	206,000					40,50	32	NTN

Reference						Kg	 Brands	
	d	D	B	C	T			
E-625940	200,000	282,000	206,000			40,50	32	NTN
625944	220,000	310,000	226,000			53,50	32	NTN
E-625944	220,000	310,000	226,000			53,50	32	NTN
E-625948A	240,000	338,000	248,000			70,00	32	NTN
625948A (CRO-4825)	240,000	338,000	248,000			70,00	32	NTN
625952	260,000	368,000	268,000			90,30	32	NTN
625952	260,000	368,000	268,000			90,30	32	NTN
E-625952	260,000	368,000	268,000			90,30	32	NTN
625956	280,000	395,000	288,000			109,62	32	NTN
E-625956	280,000	395,000	288,000			111,00	32	NTN
625956 (CRO-5684)	280,000	395,000	288,000			111,00	32	NTN
625960	300,000	424,000	310,000			138,00	32	NTN
E-625960	300,000	424,000	310,000			138,00	32	NTN
625964	320,000	460,000	338,000			183,00	32	NTN
E-625964	320,000	460,000	338,000			183,00	32	NTN
625968	340,000	480,000	350,000			200,00	32	NTN
E-625968	340,000	480,000	350,000			200,00	32	NTN
E-625972	360,000	508,000	370,000			236,00	32	NTN
625972 (CRO-7227)	360,000	508,000	370,000			236,00	32	NTN
625976	380,000	536,000	390,000			277,00	32	NTN
E-625976	380,000	536,000	390,000			277,00	32	NTN
625980	400,000	564,000	412,000			324,00	32	NTN
E-625980	400,000	564,000	412,000			324,00	32	NTN
E-625984	420,000	592,000	432,000			374,00	32	NTN
625984 (CRO-8414)	420,000	592,000	432,000			374,00	32	NTN
E-625988	440,000	620,000	454,000			430,00	32	NTN
625988 (CRO-8839)	440,000	620,000	454,000			430,00	32	NTN
625992A	460,000	650,000	474,000			493,00	32	NTN
E-625992A	460,000	650,000	474,000			493,00	32	NTN
625996	480,000	678,000	494,000			563,00	32	NTN
E-625996	480,000	678,000	494,000			563,00	32	NTN
EE626210/626321D+A	533,400	812,800	269,875			444,00	30	NTN
4T-6277	44,450		52,388			2,34	29	NTN
4T-6277/6220	44,450	127,000	52,388	41,275	52,388	3,60	29	NTN
4T-6280	53,975		52,388			2,03	29	NTN
4T-6280/6220	53,975	127,000	52,388	41,275	52,388	3,24	29	NTN
4T-L630349/L630310	152,400	192,088	24,000	19,000	25,000	1,53	29	NTN
4T-632		136,525		31,750		1,03	29	NTN
4T-6320		135,755		44,450		1,38	29	NTN
4T-633		130,175		31,750		0,71	29	NTN
4T-635	57,150		41,275			1,98	29	NTN
4T-6379	65,088		56,007			2,33	29	NTN
4T-6379/6320	65,088	135,755	56,007	44,450	53,975	3,71	29	NTN
4T-6386	66,675		56,007			2,26	29	NTN
4T-6386/6320	66,675	135,755	56,007	44,450	56,007	3,64	29	NTN
4T-639	63,500		41,275			1,79	29	NTN
4T-639/632	63,500	136,525	41,275	31,750	41,275	2,85	29	NTN
4T-LL639249/LL639210	196,850	241,300	23,017	17,462	23,812	2,04	29	NTN
T-EE640192/640260G2	488,950	660,400	94,458	69,850	93,662	85,20	29	NTN
T-EE640192/640261DG2+A	488,950	660,400	206,375			178,00	30	NTN
T-EE640193D/640260/640261DG2	488,950	660,400	365,125			364,00	32	NTN
T-E-EE640193D/640260/640261DG2	488,950	660,400	365,125			364,00	32	NTN





Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-CR-6408	320,000	480,000	100,000	76,000	100,000	58,60	29	NTN	
CRD-6409	320,000	510,800	220,000			173,00	31	NTN	
4T-641	66,675		41,275			1,68	29	NTN	
4T-641/632	66,675	136,525	41,275	31,750	41,275	2,74	29	NTN	
4T-641/633	66,675	130,175	41,275	31,750	41,275	2,41	29	NTN	
CRI-6410	320,000	550,000	240,000			223,00	30	NTN	
4T-LL641110		261,142		21,433		1,07	29	NTN	
4T-LL641149	203,200		27,783			2,41	29	NTN	
CRI-6412	317,500	558,800	254,000			248,00	30	NTN	
CRD-6415	320,000	580,000	240,000			260,00	31	NTN	
4T-6420		149,225		44,450		1,63	29	NTN	
CRD-6420	320,000	620,000	280,000			390,00	31	NTN	
CRO-6426LL	320,000	480,000	360,000			228,00	32	NTN	
4T-643	69,850		41,275			1,57	29	NTN	
4T-643/632	69,850	136,525	41,275	31,750	41,275	2,63	29	NTN	
4T-NA643/632D	69,850	136,525	95,250			5,76	30	NTN	
4T-643/632D+A	69,850	136,525	95,250			5,26	30	NTN	
4T-644	71,438		41,275			1,52	29	NTN	
4T-644/632	71,438	136,525	41,275	31,750	41,275	2,57	29	NTN	
4T-64432/64708	110,000	180,000	41,275	30,162	41,275	3,91	29	NTN	
4T-64433	109,992		41,275			2,65	29	NTN	
4T-64433/64700	109,992	177,800	41,275	30,162	41,275	3,77	29	NTN	
4T-64450	114,300		41,275			2,37	29	NTN	
4T-64450/64700	114,300	177,800	41,275	30,162	41,275	3,52	29	NTN	
4T-64450/64700CD+A	114,300	177,800	92,075			7,74	30	NTN	
4T-64450/64700D+A	114,300	177,800	92,075			7,64	30	NTN	
4T-645	71,438		41,275			1,50	29	NTN	
4T-645/632	71,438	136,525	41,275	31,750	41,275	2,52	29	NTN	
4T-6460	73,025		54,229			2,79	29	NTN	
4T-6460/6420	73,025	149,225	54,229	44,450	54,229	4,42	29	NTN	
4T-6461	76,200		54,229			2,63	29	NTN	
4T-6461/6420	76,200	149,225	54,229	44,450	54,229	4,26	29	NTN	
4T-6461A	76,200		54,229			2,60	29	NTN	
4T-6461A/6420	76,200	149,225	54,229	44,450	54,229	4,24	29	NTN	
EE649237/649311D+A	602,945	787,400	206,375			246,00	30	NTN	
E-EE649237/649311D+A	602,945	787,400	206,375			246,00	30	NTN	
E-EE649240/649310	609,600	787,400	93,662	69,850	93,662	112,00	29	NTN	
EE649240/649310G2	609,600	787,400	93,662	69,850	93,662	112,00	29	NTN	
EE649240/649311DG2+A	609,600	787,400	206,375			235,00	30	NTN	
EE649241D/649310/649311DG2	609,600	787,400	361,950			458,00	32	NTN	
E-EE649241D/649310/649311DG2	609,600	787,400	361,950			458,00	32	NTN	
T-EE649241D/649310G2+A	609,600	787,400	171,450			210,00	31	NTN	
CRO-6501	327,000	445,000	230,000			99,80	32	NTN	
4T-652		152,400		31,750		1,30	29	NTN	
4T-65200	50,800		44,450			1,83	29	NTN	
4T-65200/65500	50,800	127,000	44,450	34,925	44,450	2,85	29	NTN	
4T-65212/65500	53,975	127,000	44,450	34,925	44,450	2,79	29	NTN	
4T-65237	60,325		44,450			1,54	29	NTN	
4T-65237/65500	60,325	127,000	44,450	34,925	44,450	2,65	29	NTN	
4T-6525X		160,000		44,450		1,67	29	NTN	
4T-653		146,050		31,750		0,90	29	NTN	
4T-65320		114,300		34,925		0,87	29	NTN	

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-6535		161,925		42,862		1,60	29	NTN
4T-65385	44,450		44,450			1,46	29	NTN
4T-65385/65320	44,450	114,300	44,450	34,925	44,450	2,32	29	NTN
4T-65390	49,212		44,450			1,33	29	NTN
4T-65390/65320	49,212	114,300	44,450	34,925	44,450	2,23	29	NTN
T-LM654642/LM654610	279,982	380,898	65,088	49,212	65,088	19,00	29	NTN
T-LM654642/LM654610D+A	279,982	380,898	139,700			40,70	30	NTN
T-E-LM654644D/LM654610/LM654610D	279,578	380,898	244,475			83,20	32	NTN
T-LM654644D/LM654610/LM654610D (CRO-5679)	279,578	380,898	244,475			83,20	32	NTN
T-E-LM654648D/LM654610/LM654610D	285,750	380,898	244,475			82,50	32	NTN
T-LM654648D/LM654610/LM654610D (CRO-5710)	285,750	380,898	244,475			82,50	32	NTN
T-LM654648D/LM654610+A	285,750	380,898	117,475			36,70	31	NTN
E-LM654649/LM654610CD+A	285,750	380,898	139,700			38,80	30	NTN
E-LM654649/LM654610DB	285,750	380,898	162,176			41,90	30	NTN
LM654649/LM654610DB	285,750	380,898	162,176			41,90	30	NTN
T-LM654649/LM654610	285,750	380,898	65,088	49,212	65,088	18,00	29	NTN
T-LM654649/LM654610D+A	285,750	380,898	139,700			38,70	30	NTN
4T-655	69,850		41,275			2,50	29	NTN
4T-655/653	69,850	146,050	41,275	31,750	41,275	2,50	29	NTN
4T-65500		127,000		34,925		1,02	29	NTN
EE655270/655345G2	685,800	876,300	92,075	69,850	93,662	134,00	29	NTN
E-EE655271D/655345/655346D	685,800	876,300	355,600			539,00	32	NTN
E-EE655271D/655345/655346DG2	685,800	876,300	352,425			539,00	32	NTN
EE655271D/655345/655346DG2 (CRO-13708)	685,800	876,300	352,425			539,00	32	NTN
EE655271D/655345G2+A	685,800	876,300	168,275			247,00	31	NTN
4T-6559/6535	82,550	161,925	55,100	42,862	55,100	5,06	29	NTN
4T-6559C/6535	82,550	161,925	55,100	42,862	53,975	5,09	29	NTN
4T-6575	76,200		55,100			3,74	29	NTN
4T-6575/6535	76,200	161,925	55,100	42,862	55,100	5,43	29	NTN
4T-6576	76,200		55,100			3,77	29	NTN
4T-6576/6535	76,200	161,925	55,100	42,862	55,100	5,44	29	NTN
4T-6580	88,900		55,100			3,06	29	NTN
4T-6580/6535	88,900	161,925	55,100	42,862	53,975	4,73	29	NTN
4T-6581X	90,000		55,100			1,58	29	NTN
4T-6581X/6525X	90,000	160,000	55,100	44,450	55,100	4,52	29	NTN
4T-6581X/6535	90,000	161,925	55,100	42,862	55,100	4,66	29	NTN
4T-659	76,200		41,275			2,15	29	NTN
4T-659/653	76,200	146,050	41,275	31,750	41,275	3,04	29	NTN
CRO-6602	330,000	510,000	340,000			221,00	32	NTN
E-CRO-6602	330,000	510,000	340,000			221,00	32	NTN
CRI-6603	330,000	500,000	190,000			117,00	30	NTN
CR-6604	330,000	460,000	52,000	35,000	52,000	24,80	29	NTN
CRD-6604	330,000	458,000	120,000			59,70	31	NTN
CRO-6604	330,000	470,000	340,000			141,00	32	NTN
E-CRO-6604	320,000	470,000	340,000			141,00	32	NTN
CRO-6606	330,200	533,400	254,000			221,00	32	NTN
CRD-6608	330,000	650,000	248,000			383,00	31	NTN
4T-661	79,375		41,275			2,02	29	NTN
4T-661/652	79,375	152,400	41,275	31,750	41,275	3,28	29	NTN
4T-661/653	79,375	146,050	41,275	653,000	41,275	2,91	29	NTN
4T-66200	50,800		31,750			1,11	29	NTN
4T-66200/66462	50,800	117,475	31,750	23,812	33,338	1,67	29	NTN





Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-66225	57,150		31,750				0,98	29	NTN
4T-66225/66462	57,150	117,475	31,750	23,812	33,338		1,54	29	NTN
4T-663	82,550		41,275				2,00	29	NTN
4T-663/652	82,550	152,400	41,275	31,750	41,275		3,15	29	NTN
4T-663/653	82,550	146,050	41,275	31,750	41,275		2,78	29	NTN
4T-664	84,138		41,275				1,82	29	NTN
4T-66462		117,475		23,812			0,54	29	NTN
4T-665	85,725		41,275				1,74	29	NTN
4T-665/652	85,725	152,400	41,275	31,750	41,275		3,02	29	NTN
4T-665/653	85,725	146,050	41,275	31,750	41,275		2,65	29	NTN
4T-66520		122,238		23,812			0,55	29	NTN
4T-66584	53,975		31,750				1,24	29	NTN
4T-66584/66520	53,975	122,238	31,750	23,812	33,338		1,79	29	NTN
4T-66589/66520	59,972	122,238	31,750	23,812	33,338		1,66	29	NTN
E-LM665949/LM665910	385,762	514,350	82,550	63,500	82,550		45,44	29	NTN
LM665949/LM665910	385,762	514,350	82,550	63,500	82,550		41,80	29	NTN
E-LM665949/LM665910CD+A	385,762	514,350	177,800				90,00	30	NTN
LM665949/LM665910D+A	385,762	514,350	177,800				90,00	30	NTN
E-LM665949D/LM665910/LM665910D	385,762	514,350	317,500				240,00	32	NTN
LM665949D/LM665910/LM665910D	385,762	514,350	317,500				240,00	32	NTN
4T-665A	85,725		41,275				1,72	29	NTN
M667935/M667911G2	387,248	546,100	87,312	68,262	87,312		56,60	29	NTN
M667947D/M667910G2+A	409,575	546,100	161,925				104,00	31	NTN
E-M667947D/M667911/M667911DG2	409,575	546,100	334,962				226,00	32	NTN
M667947D/M667911/M667911DG2	409,575	546,100	334,962				226,00	32	NTN
M667948/M667911	409,575	546,100	87,312	68,262	87,312		49,80	29	NTN
4T-LM67010		59,131		11,811			0,06	29	NTN
4T-LM67010XL		59,131		11,811			0,06	29	NTN
4T-LM67045	31,750		18,500				0,13	29	NTN
4T-LM67045/LM67010	31,750	59,131	18,500	11,811	18,500		0,19	29	NTN
4T-LM67048	31,750		16,764				0,12	29	NTN
4T-LM67048/LM67010	31,750	59,131	16,764	11,811	16,764		0,18	29	NTN
4T-LM67048L	31,750		16,764				0,12	29	NTN
4T-LM67048L/LM67010	31,750	59,131	16,764	11,811	16,764		0,18	29	NTN
4T-LM67049A	31,750		16,764				0,12	29	NTN
4T-LM67049A/LM67010	31,750	59,131	16,764	11,811	16,764		0,18	29	NTN
EE671801/672873	457,200	730,148	114,300	82,550	120,650		188,00	29	NTN
EE671801/672875D+A	457,200	730,148	254,000				360,00	30	NTN
4T-672		168,275		30,162			1,30	29	NTN
4T-67320		203,200		38,100			2,06	29	NTN
4T-67322		196,850		38,100			1,46	29	NTN
4T-67388	127,000		46,038				3,64	29	NTN
4T-67388/67322	127,000	196,850	46,038	38,100	46,038		5,10	29	NTN
4T-67388/67322D+A	127,000	196,850	101,600				10,10	30	NTN
4T-67389/67322	130,175	196,850	46,038	38,100	46,038		4,87	29	NTN
4T-67390	133,350		46,038				2,20	29	NTN
4T-67390/67322	133,350	196,850	46,038	38,100	46,038		4,63	29	NTN
4T-67390/67322D+A	133,350	196,850	101,600				9,91	30	NTN
4T-67391	133,350		46,038				3,13	29	NTN
4T-67391/67322	133,350	196,850	46,038	38,100	46,038		4,59	29	NTN
4T-67391/67322D+A	133,350	196,850	101,600				9,37	30	NTN
4T-677	85,725		41,275				2,93	29	NTN

Reference						Kg	 Brands	
	d	D	B	C	T			
4T-67720		247,650		38,100		2,50	29	NTN
4T-67720D		247,650		84,138		5,00	29	NTN
4T-67780/67720D+A	165,100	247,650	103,880			17,06	30	NTN
4T-67786	174,625		47,625			4,49	29	NTN
4T-67786/67720	174,625	247,650	47,625	38,100	47,625	7,00	29	NTN
4T-67787	174,625		47,625			4,54	29	NTN
4T-67787/67720	174,625	247,650	47,625	38,100	47,625	7,00	29	NTN
4T-67787/67720DC+A	174,625	247,650	103,188			15,10	30	NTN
4T-67790	177,800		47,625			4,21	29	NTN
4T-67790/67720	177,800	247,650	47,625	38,100	47,625	6,57	29	NTN
4T-67790/67720CD+A	177,800	247,650	103,188			14,30	30	NTN
4T-67790D		214,000		90,488		8,41	29	NTN
E-67791D/67720/67721D	177,800	247,650	192,088			29,40	32	NTN
67791D/67720/67721D (CRO-3664)	177,800	247,650	192,088			29,40	32	NTN
T-67885D/67820/67820D	190,500	266,700	187,325			33,60	32	NTN
T-E-67885D/67820/67820D	190,500	266,700	187,325			33,60	32	NTN
4T-67920		282,575		36,512		2,81	29	NTN
4T-67983	203,200		46,038			3,50	29	NTN
67983/67920	203,200	282,575	46,038			8,55	29	NTN
T-67983/67920	203,200	282,575	46,038	36,512	46,038	7,76	29	NTN
T-67983/67920D+A	203,200	282,575	101,600			17,10	30	NTN
4T-67985/67920	206,375	282,575	46,038	36,512	46,038	10,37	29	NTN
T-67985/67920	206,375	282,575	46,038	36,512	46,038	8,40	29	NTN
4T-67985/67920D+A	206,375	282,575	101,600			16,50	30	NTN
T-67985/67920D+A	206,375	282,575	101,600			16,50	30	NTN
T-67986D/67920/67920D	206,375	282,575	190,500			35,40	32	NTN
T-67989/67920	209,550	282,575	46,038	36,512	46,038	7,23	29	NTN
T-67989/67920D+A	209,550	282,575	101,600			16,00	30	NTN
680235/680270	596,900	685,800	31,750			15,80	29	NTN
CRD-6804	340,000	470,000	110,000			57,80	31	NTN
CRI-6808	340,000	460,000	160,000			70,00	30	NTN
4T-681	92,075		41,275			2,62	29	NTN
4T-681/672	92,075	168,275	41,275	30,162	41,275	3,87	29	NTN
4T-L68110		59,131		11,938		0,06	29	NTN
4T-L68111		59,974		11,938		0,06	29	NTN
4T-JL68111Z		60,000		11,938		0,06	29	NTN
CRI-6812	340,000	500,000	249,000			154,00	30	NTN
4T-JL68145	34,988		18,460			0,12	29	NTN
4T-JL68145/JL68111Z	35,000	60,000	18,460	11,938	18,410	0,18	29	NTN
4T-L68149	34,988		16,764			0,11	29	NTN
4T-L68149/L68110	34,988	59,131	16,764	11,938	16,764	0,17	29	NTN
4T-L68149/L68111	34,988	59,974	16,764	11,938	16,764	0,18	29	NTN
CR-6816	340,000	440,000	40,000	29,000	40,000	14,60	29	NTN
CR1-6817	340,000	500,000	249,220			168,00	30	NTN
4T-681A	92,075		41,275			2,62	29	NTN
4T-681A/672	92,075	168,275	41,275	30,162	41,275	3,87	29	NTN
4T-683	95,250		41,275			1,40	29	NTN
4T-683/672	95,250	168,275	41,275	30,162	41,275	3,70	29	NTN
4T-68450	114,300		31,750			1,88	29	NTN
4T-68462	117,475		31,750			1,72	29	NTN
4T-68462/68712	117,475	180,975	31,750	25,400	34,925	2,76	29	NTN
4T-685	98,425		41,275			2,80	29	NTN






Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-685/672	98,425	168,275	41,275	30,162	41,275	3,56	29	NTN	
4T-687	101,600		41,275			2,70	29	NTN	
4T-687/672	101,600	168,275	41,275	30,162	41,275	3,40	29	NTN	
4T-687/672D+A	101,600	168,275	41,275	69,850	92,075	7,29	29	NTN	
4T-68712		180,975		25,400		1,88	29	NTN	
LL687949/LL687910	977,900	1 130,300	63,500	47,625	66,675	103,00	29	NTN	
LL687949/LL687910D+A	977,900	1 130,300	139,700			196,00	30	NTN	
688TD/672+A	95,250	168,275	95,250			8,06	31	NTN	
CR-6902DF	342,900	508,000	469,900			167,00	30	NTN	
CR-6903	342,900	508,000	82,550	55,562	82,550	49,70	29	NTN	
E-CRD-6908	345,000	550,000	270,000			218,00	31	NTN	
NA691/672D	101,600	168,275	92,075			7,29	30	NTN	
CRO-6910 (CRO-6944)	343,052	457,098	254,000			105,00	32	NTN	
CRO-6920LL	343,052	457,098	254,000			107,00	32	NTN	
CRO-6930LL	343,052	457,098	254,000			105,00	32	NTN	
4T-JL69310		63,000		13,500		0,07	29	NTN	
4T-JL69345/JL69310	38,000	63,000	17,000	13,500	19,000	0,21	29	NTN	
4T-JL69349	38,000		17,000			0,13	29	NTN	
4T-JL69349/JL69310	38,000	63,000	17,000	13,500	17,000	0,20	29	NTN	
CRO-6936LL	343,052	457,098	299,000			130,00	32	NTN	
EE700090D/700167/700168D	228,600	425,450	349,250			232,00	32	NTN	
E-EE700090D/700167/700168D	228,600	425,450	349,250			232,00	32	NTN	
E-EE700090D/700167+A	228,600	425,450	177,800			115,00	31	NTN	
CRD-7004	350,000	618,000	200,000			252,00	31	NTN	
CRD-7011	350,000	590,000	192,000			218,00	31	NTN	
CRD-7015	350,000	480,000	110,000			58,70	31	NTN	
CRD-7017	350,000	590,000	192,000			209,00	31	NTN	
E-CRD-7018LL	350,000	480,000	420,000			207,50	31	NTN	
4T-JLM704610		84,000		17,500		0,16	29	NTN	
4T-JLM704649	50,000		22,000			0,30	29	NTN	
4T-JLM704649/JLM704610	50,000	84,000	22,000	17,500	22,000	0,46	29	NTN	
CRO-7105	355,000	490,000	316,000			170,00	32	NTN	
E-CRO-7105	355,000	490,000	316,000			170,00	32	NTN	
4T-JLM710910		105,000		18,500		0,23	29	NTN	
4T-JLM710949	65,000		23,000			0,50	29	NTN	
4T-JLM710949/JLM710910	65,000	105,000	23,000	18,500	24,000	0,74	29	NTN	
4T-JLM710949C	65,000		23,000			0,50	29	NTN	
4T-JLM710949C/JLM710910	65,000	105,000	23,000	18,500	24,000	0,74	29	NTN	
CRO-7109LL	355,000	490,000	316,000			159,00	32	NTN	
4T-L713010		101,600		15,083		0,18	29	NTN	
4T-L713049	69,850		19,050			0,33	29	NTN	
4T-L713049/L713010	69,850	101,600	19,050	15,083	19,050	0,51	29	NTN	
4T-JLM714110		115,000		19,000		0,27	29	NTN	
4T-JLM714149	75,000		25,000			0,60	29	NTN	
4T-JLM714149/JLM714110	75,000	115,000	25,000	19,000	25,000	0,88	29	NTN	
4T-JM714210		120,000		25,000		0,42	29	NTN	
4T-JM714249	75,000		29,500			0,84	29	NTN	
4T-JM714249/JM714210	75,000	120,000	29,500	25,000	31,000	1,28	29	NTN	
4T-71437/71751D+A	111,125	190,500	106,362			11,70	30	NTN	
4T-71450	114,300		49,212			3,39	29	NTN	
4T-71450/71750	114,300	190,500	49,212	34,925	49,212	5,17	29	NTN	
4T-NA71450/71751D	114,300	190,500	106,362			11,10	30	NTN	

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-71453/71750	115,087	190,500	49,212	34,925	47,625	5,11	29	NTN
4T-71453/71751D+A	115,087	190,500	106,362			11,10	30	NTN
4T-71453/71751DC+A	115,087	190,500	106,362			11,10	30	NTN
4T-H715311		136,525		36,512		0,94	29	NTN
4T-H715334	61,912		46,038			2,49	29	NTN
4T-H715334/H715311	61,912	136,525	46,038	36,512	46,038	3,47	29	NTN
4T-H715341A	66,675		46,038			2,32	29	NTN
4T-H715341A/H715311	66,675	136,525	46,038	36,512	46,038	3,26	29	NTN
4T-H715343	68,262		46,038			2,28	29	NTN
4T-H715343/H715311	68,262	136,525	46,038	36,512	46,038	3,24	29	NTN
4T-H715345	71,438		46,038			2,14	29	NTN
4T-H715345/H715311	71,438	136,525	46,038	36,512	46,038	3,11	29	NTN
4T-H715347/H715311	70,000	136,525	46,038	36,512	46,038	2,82	29	NTN
4T-H715348	77,788		46,038			1,86	29	NTN
4T-H715348/H715311	77,788	136,525	46,038	36,512	46,038	2,84	29	NTN
4T-JM716610		130,000		24,000		0,45	29	NTN
4T-JM716648	85,000		29,000			0,89	29	NTN
4T-JM716648/JM716610	85,000	130,000	29,000	24,000	30,000	1,35	29	NTN
4T-JM716649	85,000		29,000			0,92	29	NTN
4T-JM716649/JM716610	85,000	130,000	29,000	24,000	30,000	1,37	29	NTN
4T-71750		190,500		34,925		1,78	29	NTN
4T-JM718110		145,000		27,000		0,65	29	NTN
4T-JM718149	90,000		34,000			1,46	29	NTN
4T-JM718149/JM718110	90,000	145,000	34,000	27,000	35,000	2,11	29	NTN
4T-JM719113		150,000		27,000		0,77	29	NTN
4T-JM719149	95,000		34,000			1,41	29	NTN
4T-JM719149/JM719113	95,000	150,000	34,000	27,000	35,000	2,17	29	NTN
CRD-7201	360,000	540,000	200,000			161,00	31	NTN
4T-JHM720210		160,000		32,000		0,97	29	NTN
4T-JM720210		155,000		28,000		0,77	29	NTN
4T-JHM720249	100,000		40,000			2,07	29	NTN
4T-JM720249	100,000		35,000			1,63	29	NTN
4T-JHM720249/JHM720210	100,000	160,000	40,000	32,000	41,000	3,04	29	NTN
4T-JM720249/JM720210	100,000	155,000	35,000	28,000	36,000	2,40	29	NTN
CRD-7207	360,000	680,000	320,000			570,00	31	NTN
CRO-7210	360,000	600,000	540,000			520,00	32	NTN
E-CRO-7210	360,000	600,000	540,000			520,00	32	NTN
CRO-7211	360,000	540,000	340,000			270,00	32	NTN
CRO-7217	360,000	520,000	410,000			297,00	32	NTN
4T-72188C	47,625		32,791			1,36	29	NTN
4T-72188C/72487	47,625	123,825	32,791	25,400	36,512	2,14	29	NTN
CRO-7220	360,000	520,000	370,000			260,00	32	NTN
4T-72200C	50,800		32,791			1,30	29	NTN
4T-72200C/72487	50,800	123,825	32,791	25,400	36,512	2,08	29	NTN
EE722110/722185	279,400	469,900	93,662	69,850	95,250	65,30	29	NTN
EE722110/722186D+A	279,400	469,900	200,025			125,00	30	NTN
EE722111D/722185/722186D	279,400	469,900	346,075			258,00	32	NTN
E-EE722111D/722185/722186D	279,400	469,900	346,075			258,00	32	NTN
EE722115/722185	292,100	469,900	93,662	69,850	95,250	62,00	29	NTN
EE722115/722186D+A	292,100	469,900	200,025			118,00	30	NTN
4T-72212C	53,975		32,791			1,24	29	NTN
4T-72212C/72487	53,975	123,825	32,791	25,400	36,512	2,00	29	NTN





Reference	D		B	C	T	Kg	?	Brands
	d	D	B	C	T			
4T-72218C	55,562		32,791			1,20	29	NTN
4T-72218C/72487	55,562	123,825	32,791	25,400	36,512	1,99	29	NTN
4T-72225C	57,150		32,791			1,16	29	NTN
4T-72225C/72487	57,150	123,825	32,791	25,400	36,512	1,96	29	NTN
CR-7222DB	360,000	480,000	480,000			211,00	30	NTN
CR0-7226LL	360,000	480,000	375,000			180,00	32	NTN
EE724120/724195	304,800	495,300	92,075	69,850	95,250	69,70	29	NTN
E-EE724120/724195	304,800	495,300	92,075	69,850	95,250	69,80	29	NTN
EE724120/724196D+A	304,800	495,300	196,850			131,00	30	NTN
EE724121D/724195/724196D	304,800	495,300	342,900			273,00	32	NTN
E-EE724121D/724195/724196D	304,800	495,300	342,900			273,00	32	NTN
4T-72487		123,825		25,400		0,78	29	NTN
4T-LM72810		47,000		12,000		0,05	29	NTN
4T-LM72849/LM72810	22,606	47,000	15,500	12,000	15,500	0,13	29	NTN
4T-JM734410		240,000		37,000		2,00	29	NTN
4T-JM734449	170,000		44,501			4,24	29	NTN
4T-JM734449/JM734410	170,000	240,000	44,501	37,000	46,000	6,23	29	NTN
LL735449/LL735410	177,800	215,900	20,638	15,083	20,638	1,40	29	NTN
4T-LL735449/LL735410	177,800	215,900	20,638	15,083	20,638	1,40	29	NTN
4T-JM736149/JM736110	180,000	250,000	45,000	37,000	47,000	6,72	29	NTN
EE736173D/736238/736239D	432,003	609,524	317,500			297,00	32	NTN
E-EE736173D/736238/736239D	432,003	609,524	317,500			297,00	32	NTN
EE737179D/737260/737260D	457,200	660,400	323,850			379,00	32	NTN
E-EE737179D/737260/737260D	457,200	660,400	323,850			379,00	32	NTN
4T-JM738210		260,000		36,500		2,20	29	NTN
4T-JM738249	190,000		44,000			4,61	29	NTN
4T-JM738249/JM738210	190,000	260,000	44,000	36,500	46,000	6,78	29	NTN
4T-LM739710		257,175		30,162		1,74	29	NTN
4T-LM739749	196,850		39,688			3,59	29	NTN
LM739749/LM739710	196,850	257,175	39,688	30,162	39,688	5,33	29	NTN
4T-LM739749/LM739710	196,850	257,175	39,688	30,162	39,688	5,33	29	NTN
4T-740	80,962		46,672			2,50	29	NTN
4T-740/742	80,962	150,089	46,672	36,512	46,672	3,50	29	NTN
CRD-7401	370,000	630,000	240,000			316,00	31	NTN
CRI-7402	370,000	680,000	280,000			420,00	30	NTN
4T-742		150,089		36,512		1,10	29	NTN
4T-LM742710		285,750		34,925		2,40	29	NTN
T-LM742745/LM742710	212,725	285,750	46,038	34,925	46,038	7,33	29	NTN
T-LM742745/LM742710D+A	212,725	285,750	98,425			15,70	30	NTN
T-LM742747/LM742710	216,408	285,750	49,212	34,925	46,038	7,40	29	NTN
LM742749/LM742710A	215,900	285,750	46,038	34,925	46,038	7,45	29	NTN
T-LM742749/LM742710	215,900	285,750	46,038	34,925	46,038	7,05	29	NTN
T-LM742749/LM742710D+A	215,900	285,750	98,425			15,10	30	NTN
E-LM742749D/LM742714/LM742714D	215,900	288,925	177,800			34,30	32	NTN
T-LM742749D/LM742710+A	215,900	285,750	85,725			14,80	31	NTN
T-LM742749D/LM742714/LM742714D	215,900	288,925	177,800			34,30	32	NTN
4T-LM742749E1	215,900		46,038			5,23	29	NTN
4T-743		150,000		35,000		1,03	29	NTN
EE743240/743320	609,600	812,800	82,550	60,325	82,550	104,00	29	NTN
EE743240/743321D+A	609,600	812,800	190,500			241,00	30	NTN
4T-744	73,025		46,672			2,73	29	NTN
4T-744/742	73,025	150,089	46,672	36,512	44,450	3,79	29	NTN

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-74500/74850	127,000	215,900	47,625	34,925	47,625	7,05	29	NTN
4T-74500/74851D+A	127,000	215,900	106,362			15,50	30	NTN
4T-74525	133,350		47,625			4,60	29	NTN
4T-74525/74850	133,350	215,900	47,625	34,925	47,625	6,56	29	NTN
NA74525/74851D	133,350	215,900	106,362			13,50	30	NTN
4T-74525/74851D+A	133,350	215,900	106,362			13,90	30	NTN
4T-74550	139,700		47,625			4,10	29	NTN
4T-74550/74845	139,700	214,975	47,625	34,925	47,625	5,97	29	NTN
4T-74550/74850	139,700	215,900	47,625	34,925	47,625	6,05	29	NTN
4T-74550A	139,700		47,625			4,08	29	NTN
4T-74550A/74850	139,700	215,900	47,625	34,925	47,625	6,03	29	NTN
4T-745A	69,850		46,672			2,86	29	NTN
4T-745A/742	69,850	150,089	46,672	36,512	46,672	3,92	29	NTN
HM746646/HM746610	228,600	355,600	69,850	50,800	69,850	22,70	29	NTN
HM746646/HM746610D+A	228,600	355,600	152,400			49,40	30	NTN
4T-748	80,000		46,672			2,42	29	NTN
4T-74850		215,900		34,925		1,95	29	NTN
4T-748S	76,200		46,672			2,58	29	NTN
4T-748S/742	76,200	150,089	46,672	36,512	46,672	3,64	29	NTN
4T-749	85,026		46,672			2,16	29	NTN
4T-749/742	85,026	150,089	46,672	36,512	46,672	3,23	29	NTN
4T-749A	82,550		46,672			2,30	29	NTN
4T-749A/742	82,550	150,089	46,672	36,512	46,672	3,37	29	NTN
4T-749A/742D	82,550	155,575	101,600			7,30	30	NTN
4T-749A/742D+A	82,550	155,575	101,600			7,50	30	NTN
4T-752		161,925		38,100		1,70	29	NTN
EE752295/752380DB	749,300	965,200	362,320			660,00	30	NTN
EE752305/752380	774,700	965,200	80,962	66,675	93,662	126,00	29	NTN
4T-753		168,275		38,100		2,10	29	NTN
4T-755	76,200		48,260			3,11	29	NTN
4T-755/752	76,200	161,925	48,260	38,100	48,260	4,72	29	NTN
EE755280/755360G2	711,200	914,400	82,550	60,325	85,725	136,00	29	NTN
EE755280/755361DG2+A	711,200	914,400	190,500			275,00	30	NTN
EE755280D/755360/755361DG2	711,200	914,400	317,500			527,00	32	NTN
EE755281D/755360/755361DG2	711,200	914,400	317,500			527,00	32	NTN
E-EE755281D/755360/755361DG2	711,200	914,400	317,500			527,00	32	NTN
EE755281D/755360G2+A	711,200	914,400	149,225			243,00	31	NTN
EE755285/755360G2	723,900	914,400	80,962	60,325	84,138	126,00	29	NTN
EE755285/755361DG2+A	723,900	914,400	187,325			256,00	30	NTN
4T-756A	79,375		48,260			2,94	29	NTN
4T-756A/752	79,375	161,925	48,260	38,100	47,625	4,55	29	NTN
4T-757	82,550		48,260			2,81	29	NTN
4T-757/752	82,550	161,925	48,260	38,100	47,625	4,42	29	NTN
4T-757/753	82,550	168,275	48,260	38,100	48,260	4,91	29	NTN
T-LM757049/LM757010	304,800	406,400	63,500	47,625	63,500	20,10	29	NTN
E-M757448D/M757410/M757410D	304,648	438,048	280,990			140,00	32	NTN
M757448D/M757410/M757410D	304,648	438,048	280,990			140,00	32	NTN
E-M757449D/M757410/M757410D	305,003	438,048	280,990			139,00	32	NTN
M757449D/M757410/M757410D	305,003	438,048	280,990			139,00	32	NTN
M757449D/M757410+A	305,000	438,048	134,145			65,30	31	NTN
4T-758	85,725		48,260			2,65	29	NTN
4T-758/752	85,725	161,925	48,260	38,100	48,260	4,26	29	NTN






Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-759	88,900		48,260				2,48	29	NTN
4T-759/752	88,900	161,925	48,260	38,100	48,260		4,09	29	NTN
4T-NA759/752D	88,900	161,925	104,775				7,48	30	NTN
4T-NA759SW/752D	88,900	161,925	104,775				7,48	30	NTN
4T-NA759SW/K312486	88,900	206,375	104,775				12,14	30	NTN
4T-760	90,488		48,260				2,40	29	NTN
4T-760/752	90,488	161,925	48,260	38,100	47,625		4,01	29	NTN
CRD-7612	380,000	650,000	240,000				338,20	31	NTN
CRO-7612	380,000	560,000	285,000				208,00	32	NTN
E-CRO-7612	380,000	560,000	285,000				208,00	32	NTN
CRD-7614	380,000	559,500	160,000				133,00	31	NTN
CRI-7614	380,000	620,000	241,000				252,00	30	NTN
CRD-7615	379,000	681,500	307,000				525,00	31	NTN
E-LM761648D/LM761610/LM761610D	341,312	457,098	254,000				125,00	32	NTN
LM761648D/LM761610/LM761610D	341,312	457,098	254,000				125,00	32	NTN
E-LM761649D/LM761610/LM761610D	343,052	457,098	254,000				111,86	32	NTN
LM761649D/LM761610/LM761610D (CRO-6945)	343,052	457,098	254,000				117,00	32	NTN
LM761649D/LM761610+A	343,052	457,098	122,238				55,00	31	NTN
CRI-7619	380,000	508,000	139,700				69,50	30	NTN
CRD-7621	379,000	681,500	307,000				525,00	31	NTN
CRO-7621	380,000	560,000	360,000				312,00	32	NTN
CRO-7622	380,000	560,000	360,000				302,22	32	NTN
CRD-7623	380,000	650,000	240,000				329,00	31	NTN
E-CRD-7631	380,000	550,000	255,000				185,00	31	NTN
EE763330/763410G2	838,200	1 041,400	88,900	66,675	93,662		172,00	29	NTN
E-LM763449D/LM763410/LM763410D	355,600	482,600	265,112				145,00	32	NTN
LM763449D/LM763410/LM763410D (CRO-7123)	355,600	482,600	265,112				145,00	32	NTN
LM763449D/LM763410+A	355,600	482,600	128,588				67,40	31	NTN
E-LM765149D/LM765110/LM765110D	374,650	501,650	250,825				145,00	32	NTN
LM765149D/LM765110/LM765110D	368,300	501,650	250,825				145,00	32	NTN
E-LM767745D/LM767710/LM767710D	393,700	546,100	288,925				219,00	32	NTN
LM767745D/LM767710/LM767710D	393,700	546,100	288,925				219,00	32	NTN
LM767745D/LM767710+A	393,700	546,100	138,112				97,40	31	NTN
E-LM767749D/LM767710/LM767710D	406,400	546,100	288,925				190,00	32	NTN
LM767749D/LM767710/LM767710D	406,400	546,100	288,925				201,00	32	NTN
LM767749D/LM767710+A	406,400	546,100	138,112				90,50	31	NTN
E-LM769349D/LM769310/LM769310D	431,800	571,500	336,550				232,00	32	NTN
LM769349D/LM769310/LM769310D	431,800	571,500	336,550				232,00	32	NTN
LM769349D/LM769310+A	431,800	571,500	161,925				112,00	31	NTN
CRD-7701	385,000	530,000	180,000				116,00	31	NTN
E-L770847D/L770810/L770810D	457,200	596,900	279,400				200,90	32	NTN
L770847D/L770810AG2+A	457,200	596,900	133,350				96,70	31	NTN
L770849D/L770810/L770810D	457,200	596,900	276,225				201,00	32	NTN
E-L770849D/L770810/L770810DG2	457,200	596,900	276,225				209,00	32	NTN
L770849D/L770810+A	457,200	596,900	133,350	52,388	133,350		96,70	31	NTN
LM770949/LM770910	457,200	603,250	84,138	60,325	85,725		63,80	29	NTN
LL771948/LL771911	476,250	565,150	41,275	31,750	41,275		16,70	29	NTN
4T-772		180,975		38,100			2,00	29	NTN
LM772748/LM772710A	488,950	634,873	84,138	61,912	84,138		60,30	29	NTN
LM772748/LM772710DA+A	488,950	634,873	180,975				130,00	30	NTN
E-LM772749D/LM772710/LM772710DA	489,026	634,873	320,675				268,00	32	NTN
LM772749D/LM772710/LM772710DA	489,026	634,873	320,675				268,00	32	NTN

Reference						Kg		Brands
	d	D	B	C	T			
LM772749D/LM772710A+A	489,026	634,873	153,988			124,00	31	NTN
4T-77375/77675	95,250	171,450	48,260	38,100	47,625	4,58	29	NTN
EE776420/776520	1 066,800	1 320,800	88,900	69,850	95,250	796,00	29	NTN
EE776430/776520	1 092,200	1 320,800	88,900	69,850	95,250	794,00	29	NTN
4T-778	92,075		48,006			3,72	29	NTN
T-LL778149/LL778110	584,200	685,800	49,212	34,925	49,212	27,80	29	NTN
E-LM778549D/LM778510/LM778510DG2	584,200	762,000	396,875			511,00	32	NTN
LM778549D/LM778510/LM778510DG2	584,200	762,000	188,912	169,862	396,875	511,00	32	NTN
LM778549D/LM778510G2+A	584,200	762,000	188,912			223,00	31	NTN
4T-779	98,425		48,006			3,66	29	NTN
4T-780	101,600		48,006			3,17	29	NTN
4T-780/772	101,600	180,975	48,006	38,100	48,006	5,11	29	NTN
CRO-7801	390,000	510,000	350,000			186,00	32	NTN
CRI-7803	390,000	600,000	185,000			175,00	30	NTN
CR1-7808	390,000	600,000	185,000			165,00	30	NTN
4T-782	104,775		48,006			2,98	29	NTN
4T-782/772	104,775	180,975	48,006	38,100	48,006	4,92	29	NTN
4T-78214	53,975		33,236			1,83	29	NTN
4T-78214/78551	53,975	140,030	33,236	23,520	36,512	2,74	29	NTN
4T-78214C/78551	53,975	140,030	33,236	23,520	36,512	2,77	29	NTN
4T-78215C	53,975		33,236			1,84	29	NTN
4T-78215C/78551	53,975	140,030	33,236	23,520	36,512	2,74	29	NTN
4T-78225	57,150		33,236			1,75	29	NTN
4T-78225/78551	57,150	140,030	33,236	23,520	36,512	2,69	29	NTN
4T-78238	60,337		33,236			1,67	29	NTN
4T-78238/78537	60,325	136,525	33,236	23,520	36,512	2,44	29	NTN
4T-78250	63,500		33,236			1,60	29	NTN
4T-78250/78551	63,500	140,030	33,236	23,520	36,512	2,54	29	NTN
4T-LM78310A		61,973		13,600		0,07	29	NTN
4T-LM78349	34,988		17,000			0,13	29	NTN
4T-LM78349/LM78310A	34,988	61,973	17,000	13,600	17,000	0,20	29	NTN
4T-78537		136,525		23,520		0,77	29	NTN
4T-78551		140,030		23,520		0,92	29	NTN
4T-786	104,775		48,006			2,96	29	NTN
4T-786/772	104,775	180,975	48,006	38,100	48,006	4,90	29	NTN
LL788345/LL788310	1 063,625	1 219,200	65,088	42,862	65,088	422,00	29	NTN
LL788349/LL788310	1 066,800	1 219,200	65,088	42,862	65,088	422,00	29	NTN
CRO-7901	395,000	545,000	268,700			200,00	32	NTN
E-CRO-7901	395,000	545,000	268,700			200,00	32	NTN
EE790114/790221	292,100	558,800	136,525	98,425	136,525	135,00	29	NTN
EE790120/790221	304,800	558,800	136,525	98,425	136,525	131,00	29	NTN
CR-7901DF	393,700	546,100	469,900			153,00	30	NTN
4T-792		206,375		34,925		2,00	29	NTN
4T-795	120,650		47,625			4,45	29	NTN
4T-795/792D	120,650	206,375	107,950			13,30	30	NTN
4T-795/792D+A	120,650	206,375	107,950			13,30	30	NTN
NA798/792D	127,000	206,375	107,950			12,58	30	NTN
4T-799	128,588		47,625			3,87	29	NTN
4T-799/792	128,588	206,375	47,625	34,925	47,625	5,77	29	NTN
4T-799A/792	130,175	206,375	47,625	34,925	47,625	5,65	29	NTN
CRI-8005	400,000	540,000	140,000			80,60	30	NTN
CRO-8005	400,000	560,000	380,000			300,00	32	NTN





Reference	d		D		B	C	T	Kg	Brands	
E-CRD-8005	400,000	560,000	380,000					300,00	32	NTN
CRD-8008	400,000	590,000	142,000					134,00	31	NTN
CRD-8010	400,000	650,000	200,000					260,00	31	NTN
CRD-8010	400,000	635,000	470,000					564,00	32	NTN
CRD-8012	400,000	590,000	142,000					134,00	31	NTN
CRD-8013	400,000	650,000	240,000					303,00	31	NTN
4T-HM801310		82,550		23,020				0,28	29	NTN
4T-HM801346	38,100		28,575					0,48	29	NTN
4T-HM801346/HM801310	38,100	82,550	28,575	23,020	29,370			0,77	29	NTN
4T-HM801346X	38,100		28,575					0,48	29	NTN
4T-HM801346X/HM801310	38,100	82,550	28,575	23,020	29,370			0,76	29	NTN
4T-HM801349	40,483		28,575					0,44	29	NTN
4T-HM801349/HM801310	40,483	82,550	28,575	23,020	29,370			0,73	29	NTN
CRD-8014	400,000	650,000	240,000					303,00	31	NTN
CRD-8017	400,000	650,000	250,000					325,00	31	NTN
80170/80217	431,800	552,450	44,450	31,750	44,450			23,10	29	NTN
80176/80217	447,675	552,450	44,450	31,750	44,450			20,40	29	NTN
80180/80217	457,200	552,450	44,450	31,750	44,450			18,70	29	NTN
80180/80217A	457,200	552,450	44,450	31,750	44,450			19,30	29	NTN
4T-M802011		82,550		20,193				0,23	29	NTN
4T-M802048	41,275		25,654					0,41	29	NTN
4T-M802048/M802011	41,275	82,550	25,654	20,193	26,543			0,64	29	NTN
CRD-8023	400,000	650,000	240,000					303,00	31	NTN
CRD-8026	400,000	650,000	240,000					303,00	31	NTN
E-CRD-8026	400,000	650,000	240,000					292,00	31	NTN
CRD-8027	400,000	650,000	240,000					303,00	31	NTN
CRD-8029	400,000	730,000	340,000					672,00	31	NTN
4T-HM803110		88,925		23,020				0,32	29	NTN
4T-HM803112		92,075		23,020				0,39	29	NTN
4T-HM803145/HM803110	41,275	88,900	29,370	23,020	30,162			0,90	29	NTN
4T-HM803146	41,275		29,370					0,57	29	NTN
4T-HM803146/HM803110	41,275	88,900	29,370	23,020	30,162			0,89	29	NTN
4T-HM803149	44,450		29,370					0,53	29	NTN
4T-HM803149/HM803110	44,450	88,900	29,370	23,020	30,162			0,85	29	NTN
4T-HM803149/HM803111	44,450	88,900	29,370	23,020	30,162			0,85	29	NTN
4T-HM803149/HM803112	44,450	92,075	29,370	23,020	30,162			0,92	29	NTN
CRD-8032	400,000	650,000	240,000					303,00	31	NTN
CRD-8034	400,000	650,000	240,000					303,00	31	NTN
CRD-8035	400,000	650,000	240,000					303,00	31	NTN
CRD-8038	400,000	650,000	240,000					302,00	31	NTN
80385/80325	431,800	533,400	46,038	34,925	46,038			19,80	29	NTN
T-80385/80325	431,800	533,400	46,038	34,925	46,038			19,70	29	NTN
CRD-8039	400,000	650,000	240,000					303,00	31	NTN
CRD-8040	400,000	780,000	380,000					895,00	31	NTN
4T-M804010		88,900		19,050				0,21	29	NTN
4T-M804048	47,625		25,400					0,44	29	NTN
4T-M804048/M804010	47,625	88,900	25,400	19,050	25,400			0,66	29	NTN
4T-M804049	47,625		25,400					0,44	29	NTN
4T-M804049/M804010	47,625	88,900	25,400	19,050	25,400			0,65	29	NTN
CRD-8042	400,000	650,000	240,000					303,00	31	NTN
CRD-8044	400,000	650,000	240,000					292,00	31	NTN
E-CRD-8044	400,000	650,000	240,000					292,00	31	NTN

Reference						Kg	?	Brands
	d	D	B	C	T			
CRD-8046	400,000	650,000	240,000			303,00	31	NTN
CRD-8047	400,000	650,000	240,000			303,00	31	NTN
CRD-8048	400,000	650,000	240,000			303,00	31	NTN
4T-HM804810		95,250		23,020		0,35	29	NTN
4T-HM804840	41,275		29,370			0,72	29	NTN
4T-HM804840/HM804810	41,275	95,250	29,370	23,020	30,162	1,08	29	NTN
4T-HM804842	44,450		29,370			0,68	29	NTN
4T-HM804842/HM804810	44,450	95,250	29,370	23,020	30,162	1,04	29	NTN
4T-HM804843	44,450		29,370			0,67	29	NTN
4T-HM804843/HM804810	44,450	95,250	29,370	23,020	30,162	1,02	29	NTN
4T-HM804846	47,625		29,370			0,62	29	NTN
4T-HM804846/HM804810	47,625	95,250	29,370	23,020	30,162	0,98	29	NTN
4T-HM804848	48,412		29,370			0,61	29	NTN
4T-HM804848/HM804810	48,412	95,250	29,370	23,020	30,162	0,97	29	NTN
4T-HM804849	48,412		29,370			0,61	29	NTN
4T-HM804849/HM804810	48,412	95,250	29,370	23,020	30,162	0,96	29	NTN
CRD-8049	400,000	650,000	240,000			303,00	31	NTN
4T-LM806610		88,900		13,492		0,13	29	NTN
4T-LM806649	53,975		19,050			0,30	29	NTN
4T-LM806649/LM806610	53,975	88,900	19,050	13,492	19,050	0,44	29	NTN
4T-HM807010		104,775		28,575		0,49	29	NTN
4T-HM807011		104,775		28,575		0,50	29	NTN
4T-JHM807012		105,000		29,000		0,52	29	NTN
4T-HM807040	44,450		36,512			1,12	29	NTN
4T-HM807040/HM807010	44,450	104,775	36,512	28,575	36,512	1,62	29	NTN
4T-HM807044	49,212		36,512			1,01	29	NTN
4T-HM807044/HM807010	49,212	104,775	36,512	28,575	36,512	1,52	29	NTN
4T-JHM807045	50,000		36,000			1,00	29	NTN
4T-JHM807045/JHM807012	50,000	105,000	36,000	29,000	37,000	1,52	29	NTN
4T-HM807046	50,800		36,512			0,98	29	NTN
4T-HM807046/HM807010	50,800	104,775	36,512	28,575	36,512	1,49	29	NTN
4T-HM807048	54,488		36,512			0,89	29	NTN
4T-HM807048/HM807010	54,500	104,775	36,512	28,575	36,512	1,38	29	NTN
4T-HM807049	53,975		36,512			0,90	29	NTN
4T-HM807049/HM807010	53,975	104,775	36,512	28,575	36,512	1,41	29	NTN
80780/80720	635,000	736,600	53,975	41,275	57,150	38,30	29	NTN
CRO-8103	406,400	565,150	381,000			310,00	32	NTN
4T-L812111		103,213		11,989		0,12	29	NTN
4T-L812148	66,675		17,602			0,34	29	NTN
4T-L812148/L812111	66,675	103,213	17,602	11,989	17,602	0,48	29	NTN
4T-JLM813010		110,000		20,500		0,30	29	NTN
4T-JLM813049	70,000		25,000			0,58	29	NTN
4T-JLM813049/JLM813010	70,000	110,000	25,000	20,500	26,000	0,88	29	NTN
4T-HM813810		127,000		26,988		0,60	29	NTN
4T-HM813840	55,562		36,512			1,70	29	NTN
4T-HM813840/HM813810	55,562	127,000	36,512	26,988	36,512	2,34	29	NTN
4T-HM813841	60,325		36,512			1,57	29	NTN
4T-HM813841/HM813810	60,325	127,000	36,512	26,988	36,512	2,21	29	NTN
4T-HM813842	63,500		36,512			1,48	29	NTN
4T-HM813842/HM813810	63,500	127,000	36,512	26,988	36,512	2,12	29	NTN
4T-HM813843	61,912		36,512			1,54	29	NTN
4T-HM813844	66,675		36,512			1,39	29	NTN





Reference	d D		B	C	T	Kg	?	Brands
	d	D	B	C	T			
4T-HM813844/HM813810	66,675	127,000	36,512	26,988	36,512	2,03	29	NTN
4T-HM813846/HM813810	69,850	127,000	36,512	26,988	36,512	1,90	29	NTN
4T-HM813849	71,438		36,512			1,24	29	NTN
4T-HM813849/HM813810	71,438	127,000	36,512	26,988	36,512	1,84	29	NTN
4T-L814749/L814710	76,200	109,538	19,050	15,083	19,050	0,58	29	NTN
4T-LM814810		117,475		19,050		0,29	29	NTN
4T-LM814849	77,788		25,400			0,63	29	NTN
4T-LM814849/LM814810	77,788	117,475	25,400	19,050	25,400	0,93	29	NTN
81576D/81962/81963D	146,050	244,475	192,088			36,80	32	NTN
E-81576D/81962/81963D	150,000	244,475	192,088			36,80	32	NTN
4T-HM81610		47,000		16,000		0,08	29	NTN
4T-HM81649	16,000		21,000			0,11	29	NTN
4T-JL819310		135,000		14,000		0,26	29	NTN
4T-JL819349	95,000		20,000			0,58	29	NTN
4T-JL819349/JL819310	95,000	135,000	20,000	14,000	20,000	0,84	29	NTN
CRD-8201	410,000	580,000	160,000			133,00	31	NTN
CRO-8204LL	410,000	546,000	400,000			253,00	32	NTN
E-CRO-8205	409,575	546,100	334,962			216,00	32	NTN
4T-HM821547/HM821511D+A	99,979	196,850	103,378			12,00	30	NTN
4T-JM822010		165,000		26,500		0,83	29	NTN
4T-JM822049	110,000		35,000			1,68	29	NTN
4T-JM822049/JM822010	110,000	165,000	35,000	26,500	35,000	2,52	29	NTN
EE822101D/822175/822176D	254,000	444,500	279,400			185,00	32	NTN
E-EE822101D/822175/822176D	254,000	444,500	279,400			185,00	32	NTN
NA82576/82932D	146,050	236,538	131,762			20,08	30	NTN
82576/82932D+A	146,050	236,538	131,762			20,10	30	NTN
4T-82587/J82945	149,225	240,000	56,642	44,450	57,150	9,40	29	NTN
82680X/82620D	177,800	279,400	133,353			28,20	30	NTN
82681D/82620/82620D	177,800	279,400	234,950			55,30	32	NTN
E-82681D/82620/82620D	177,800	279,400	234,950			55,30	32	NTN
4T-832		168,275		41,275		1,74	29	NTN
EE833160X/833232	406,400	590,550	107,950	80,962	107,950	86,60	29	NTN
EE833160XD/833232+A	406,400	590,550	193,675			175,00	31	NTN
EE833161D/833232/833233D	406,400	590,550	400,050			395,00	32	NTN
E-EE833161D/833232/833233D	406,400	590,550	400,050			395,00	32	NTN
4T-835	69,850		56,363			4,39	29	NTN
4T-835/832	69,850	168,275	56,363	41,275	53,975	6,13	29	NTN
CRD-8402	420,000	520,000	90,000			40,90	31	NTN
CRO-8402	420,000	650,000	460,000			600,00	32	NTN
E-CRO-8402	420,000	650,000	460,000			600,00	32	NTN
T-HH840249/HH840210	190,500	336,550	95,250	73,025	98,425	36,40	29	NTN
CRI-8403	420,000	700,000	274,000			387,00	30	NTN
4T-JHM840410		300,000		51,000		5,37	29	NTN
4T-JHM840449	200,000		62,000			10,30	29	NTN
4T-JHM840449/JHM840410	200,000	300,000	62,000	51,000	65,000	15,67	29	NTN
CRD-8405	420,000	735,000	406,000			780,00	31	NTN
4T-841	85,725		56,363			3,54	29	NTN
4T-841/832	85,725	168,275	56,363	41,275	53,975	5,28	29	NTN
CR-8410DB	420,000	540,000	500,000			253,00	30	NTN
CR-8411DB	420,000	560,000	520,000			309,00	30	NTN
E-CRO-8412LL	420,000	620,000	395,000			384,00	32	NTN
CRO-8412LL	420,000	620,000	395,000			384,00	32	NTN

Reference						Kg		Brands
	d	D	B	C	T			
E-CR0-8414	420,000	592,000	432,000			372,00	32	NTN
4T-842	82,550		56,363			3,72	29	NTN
4T-842/832	82,550	168,275	56,363	41,275	53,975	5,46	29	NTN
4T-842/834D+A	82,550	171,450	125,412			12,50	30	NTN
4T-M84210		59,530		18,288		0,13	29	NTN
4T-M84249	25,400		23,114			0,19	29	NTN
4T-M84249/M84210	25,400	59,530	23,114	18,288	23,368	0,32	29	NTN
4T-843/834D+A	76,200	171,450	125,412			13,60	30	NTN
EE843220/843290	558,800	736,600	88,108	63,500	88,108	92,00	29	NTN
EE843220/843291D+A	558,800	736,600	187,328			189,00	30	NTN
EE843220D/843290+A	558,800	736,600	155,575			177,00	31	NTN
E-EE843221D/843290/843291D	558,800	736,600	322,265			388,00	32	NTN
EE843221D/843290/843291D (CRO-11217)	558,800	736,600	322,265			388,00	32	NTN
4T-M84510		57,150		14,732		0,09	29	NTN
4T-M84548	25,400		19,431			0,15	29	NTN
4T-M84548/M84510	25,400	57,150	19,431	14,732	19,431	0,24	29	NTN
4T-M84549/M84510	27,000	57,150	19,431	14,732	19,431	0,23	29	NTN
4T-850	88,900		56,363			3,34	29	NTN
4T-850/832	88,900	168,275	56,363	41,275	53,975	5,08	29	NTN
4T-850A/834D+A	89,891	171,450	125,412			15,28	30	NTN
H852849/H852810	266,700	444,500	117,475	88,900	120,650	73,30	29	NTN
E-L853049/L853010	276,225	352,425	34,925	23,812	36,512	7,59	29	NTN
L853049/L853010	276,225	352,425	34,925	23,812	36,512	8,40	29	NTN
4T-854		190,500		44,450		2,69	29	NTN
4T-855	88,900		57,531			5,18	29	NTN
4T-855/854	88,900	190,500	57,531	44,450	57,150	7,93	29	NTN
8573/8520	228,600	327,025	52,388	36,512	52,388	9,90	29	NTN
T-8573/8520	228,600	327,025	52,388	36,512	52,388	12,50	29	NTN
T-8573/8520D+A	228,600	327,025	114,300			27,30	30	NTN
8574/8520CD	234,950	327,025	114,300			25,40	30	NTN
8574/8520CD+A	234,950	327,025	114,300			25,40	30	NTN
T-8575/8520	234,950	327,025	52,388	36,512	52,388	11,90	29	NTN
T-8575/8520D+A	234,950	327,025	114,300			25,90	30	NTN
T-8576D/8520/8520D	234,950	327,025	196,850			53,60	32	NTN
T-E-8576D/8520/8520D	234,950	327,025	196,850			53,60	32	NTN
T-8578/8520	241,300	327,025	52,388	36,512	52,388	11,20	29	NTN
T-8578/8520D+A	241,300	327,025	114,300			24,30	30	NTN
T-L860048/L860010	330,200	415,925	47,625	34,925	47,625	13,30	29	NTN
T-L860049/L860010	330,200	415,925	47,625	34,925	47,625	13,30	29	NTN
4T-861	101,600		57,531			4,31	29	NTN
4T-861/854	101,600	190,500	57,531	44,450	57,531	7,00	29	NTN
4T-NA861/854D	101,600	190,500	57,150			6,53	30	NTN
4T-864	95,250		57,531			4,75	29	NTN
L865547/L865512	381,000	479,425	47,625	34,925	49,212	20,00	29	NTN
4T-M86610		64,292		16,670		0,13	29	NTN
4T-M86643	25,400		21,433			0,24	29	NTN
4T-M86643/M86610	25,400	64,292	21,433	16,670	21,433	0,37	29	NTN
4T-M86647	28,575		21,433			0,22	29	NTN
4T-M86647/M86610	28,575	64,292	21,433	16,670	21,433	0,35	29	NTN
4T-M86649	30,162		21,433			0,21	29	NTN
4T-M86649/M86610	30,162	64,292	21,433	16,670	21,433	0,34	29	NTN
86650/86100	165,100	254,000	46,038	33,338	46,038	7,43	29	NTN






Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
LM869448/LM869410A	431,800	571,500	74,612	52,388	74,612	21,76	29	NTN	
E-LM869448/LM869410D+A	431,800	571,500	155,575			97,46	30	NTN	
T-LM869448/LM869410	431,800	571,500	74,612	52,388	74,612	45,70	29	NTN	
T-LM869448/LM869410D+A	431,800	571,500	155,575			95,30	30	NTN	
E-LM869449D/LM869410/LM869410D	431,800	571,500	279,400			192,00	32	NTN	
T-LM869449D/LM869410/LM869410D	431,800	571,500	279,400			193,00	32	NTN	
T-LM869449D/LM869410+A	431,800	571,500	133,350			92,10	31	NTN	
87737/87111	187,325	282,575	47,625	36,512	50,800	9,73	29	NTN	
T-87737/87111	187,325	282,575	47,625	36,512	50,800	10,90	29	NTN	
T-87737/87112D+A	187,325	282,575	107,950			21,10	30	NTN	
87750/87111	190,500	282,575	47,625	36,512	50,800	9,39	29	NTN	
T-87750/87111	190,500	282,575	47,625	36,512	50,800	10,60	29	NTN	
T-87750/87112D+A	190,500	282,575	107,950			20,60	30	NTN	
87762/87111	193,675	282,575	47,625	36,512	50,800	9,00	29	NTN	
T-87762/87111	193,675	282,575	47,625	36,512	50,800	10,30	29	NTN	
T-87762/87112D+A	193,675	282,575	107,950			20,00	30	NTN	
L879946/L879910	609,396	762,000	92,075	71,438	95,250	95,70	29	NTN	
L879947/L879910	609,600	762,000	92,075	71,438	95,250	95,60	29	NTN	
4T-M88010		68,262		17,462		0,14	29	NTN	
4T-M88040	28,575		22,225			0,27	29	NTN	
4T-M88040/M88010	28,575	68,262	22,225	17,462	22,225	0,42	29	NTN	
4T-M88043	30,162		22,225			0,26	29	NTN	
4T-M88043/M88010	30,162	68,262	22,225	17,462	22,225	0,40	29	NTN	
4T-M88046	31,750		22,225			0,25	29	NTN	
4T-M88046/M88010	31,750	68,262	22,225	17,462	22,225	0,39	29	NTN	
4T-M88047	33,338		22,225			0,22	29	NTN	
4T-M88047/M88010	33,338	68,262	22,225	17,462	22,225	0,37	29	NTN	
4T-M88048	33,338		22,225			0,23	29	NTN	
4T-M88048/M88010	33,338	68,262	22,225	17,462	22,225	0,38	29	NTN	
CRO-8806	440,000	650,000	460,000			600,00	32	NTN	
E-CRO-8806	440,000	650,000	460,000			600,00	32	NTN	
CRO-8807	440,000	650,000	355,000			400,00	32	NTN	
E-CRO-8807	440,000	650,000	355,000			400,00	32	NTN	
CRD-8808	440,000	650,000	155,000			163,00	31	NTN	
CRO-8808	440,000	635,000	470,000			498,00	32	NTN	
CRD-8822	440,000	730,000	290,000			513,00	31	NTN	
E-CRO-8823LL	440,000	620,000	454,000			421,00	32	NTN	
E-CRO-8830LL	440,000	590,000	480,000			358,00	32	NTN	
CRO-8830LL	440,000	590,000	480,000			358,00	32	NTN	
CRO-8832LL	440,000	620,000	454,000			426,00	32	NTN	
E-CRO-8839	440,000	620,000	454,000			430,00	32	NTN	
4T-HM88510		73,025		23,020		0,24	29	NTN	
4T-JHM88540/JHM88513	30,000	72,000	27,783	23,020	29,370	0,61	29	NTN	
4T-HM88542	31,750		27,783			0,38	29	NTN	
4T-HM88542/HM88510	31,750	73,025	27,783	23,020	29,370	0,61	29	NTN	
4T-HM88542/HM88512	31,750	73,812	27,783	23,020	29,370	0,64	29	NTN	
4T-HM88547	33,338		27,783			0,36	29	NTN	
4T-HM88547/HM88510	33,338	73,025	27,783	23,020	29,370	0,60	29	NTN	
4T-HM88610		72,258		19,842		0,19	29	NTN	
4T-HM88630	25,400		25,400			0,39	29	NTN	
4T-HM88648	35,717		25,400			0,29	29	NTN	
4T-HM88648/HM88610	35,717	72,233	25,400	19,842	25,400	0,48	29	NTN	

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-HM88648/HM88611AS	35,717	72,626	25,400	19,842	25,400	0,48	29	NTN
4T-HM88649	34,925		25,400			0,30	29	NTN
4T-HM88649/HM88610	34,925	72,233	25,400	19,842	25,400	0,49	29	NTN
LL889049/LL889010	1 270,000	1 435,100	65,088	47,625	69,850	666,00	29	NTN
LL889049/LL889010D+A	1 270,000	1 435,100	146,050			285,00	30	NTN
4T-892		228,625		44,450		3,13	29	NTN
4T-HM89210		79,375		22,664		0,25	29	NTN
4T-HM89249	36,512		28,829			0,43	29	NTN
4T-HM89249/HM89210	36,512	79,375	28,829	22,664	29,370	0,69	29	NTN
4T-HM89410		76,225		23,020		0,25	29	NTN
4T-HM89411		76,200		23,020		0,26	29	NTN
4T-HM89440/HM89410	31,750	76,200	28,575	23,020	29,370	0,69	29	NTN
4T-HM89443	33,338		28,575			0,41	29	NTN
4T-HM89443/HM89410	33,338	76,200	28,575	23,020	29,370	0,66	29	NTN
4T-HM89444	33,338		28,575			0,40	29	NTN
4T-HM89444/HM89410	33,338	76,200	28,575	23,020	29,370	0,67	29	NTN
4T-HM89446	34,925		28,575			0,39	29	NTN
4T-HM89446/HM89410	34,925	76,200	28,575	23,020	29,370	0,64	29	NTN
4T-HM89448	36,512		28,575			0,37	29	NTN
4T-HM89448/HM89410	36,512	76,200	28,575	23,020	29,370	0,63	29	NTN
4T-HM89449	36,512		28,575			0,37	29	NTN
4T-HM89449/HM89410	36,512	76,200	28,575	23,020	29,370	0,62	29	NTN
4T-HM89449/HM89411	36,512	76,200	28,575	23,020	29,370	0,63	29	NTN
4T-896	136,525		57,150			5,94	29	NTN
4T-896/892	136,525	228,600	57,150	44,450	57,150	9,07	29	NTN
4T-898	139,700		57,150			5,63	29	NTN
4T-898/892	139,700	228,600	57,150	44,450	57,150	8,76	29	NTN
CRD-9011	450,000	720,000	300,000			483,00	31	NTN
E-CRO-9012	448,000	635,000	464,000			485,00	32	NTN
4T-HM903210		95,250		22,225		0,39	29	NTN
4T-HM903244	41,275		28,300			0,65	29	NTN
4T-HM903245	41,275		28,575			0,65	29	NTN
4T-HM903245/HM903210	41,275	95,250	28,575	22,225	30,958	1,03	29	NTN
4T-HM903247	44,450		28,300			0,61	29	NTN
4T-HM903248/HM903210	44,988	95,250	28,575	22,225	30,958	0,98	29	NTN
4T-HM903249	44,450		28,575			0,61	29	NTN
4T-HM903249/HM903210	44,450	95,250	28,575	22,225	30,958	0,99	29	NTN
4T-M903310		92,075		16,670		0,24	29	NTN
4T-M903345	41,275		23,812			0,51	29	NTN
4T-M903345/M903310	41,275	92,075	23,812	16,670	26,195	0,76	29	NTN
4T-90381	96,838		46,038			3,90	29	NTN
4T-90381/90744	96,838	188,912	46,038	31,750	50,800	5,67	29	NTN
4T-HM905810		104,986		23,368		0,49	29	NTN
4T-HM905843	45,000		31,750			0,85	29	NTN
4T-HM905843/HM905810	45,000	104,986	31,750	23,368	32,512	1,34	29	NTN
4T-HM907614		111,125		20,638		0,50	29	NTN
4T-HM907643	50,800		28,575			0,85	29	NTN
4T-HM907643/HM907614	50,800	111,125	28,575	20,638	30,162	1,36	29	NTN
CRTX9102	457,200	609,600	63,500			56,60	38	NTN
CRO-9107LL	457,200	596,900	276,225			192,00	32	NTN
CR-9111	457,200	573,088	74,613	57,150	74,613	43,00	29	NTN
4T-HM911210		130,175		23,812		0,68	29	NTN

Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-HM911242	53,975		33,338				1,35	29	NTN
4T-HM911242/HM911210	53,975	130,175	33,338	23,812	36,512		2,27	29	NTN
4T-HM911244	60,000		30,924				1,35	29	NTN
4T-HM911244/HM911210	60,000	130,200	30,924	22,650	34,300		2,02	29	NTN
4T-HM911245	60,325		33,338				1,42	29	NTN
4T-HM911245/HM911210	60,325	130,175	33,338	23,812	36,512		2,12	29	NTN
EE911600/912400	406,400	609,600	84,138	60,325	92,075		91,30	29	NTN
EE911600/912401D+A	406,400	609,600	187,325				169,00	30	NTN
EE911603D/912400/912401D	406,400	609,600	309,562				332,00	32	NTN
E-EE911603D/912400/912401D	406,400	609,600	309,562				332,00	32	NTN
4T-9121		152,400		31,750			1,28	29	NTN
4T-H913810		146,050		25,400			0,90	29	NTN
4T-H913840	60,000		39,688				2,32	29	NTN
4T-H913840/H913810	60,000	146,050	39,688	25,400	41,275		3,22	29	NTN
4T-H913842	61,912		39,688				2,27	29	NTN
4T-H913842/H913810	61,912	146,050	39,688	25,400	41,275		3,17	29	NTN
4T-H913849	69,850		39,688				1,98	29	NTN
4T-H913849/H913810	69,850	146,050	39,688	25,400	41,275		2,88	29	NTN
4T-H916642/H916610	69,987	176,212	53,183	36,512	54,770		6,40	29	NTN
4T-H917840/H917810	76,200	180,975	53,183	35,720	53,975		6,60	29	NTN
4T-9185	68,262		46,038				2,49	29	NTN
4T-9185/9121	68,262	152,400	46,038	31,750	47,625		3,77	29	NTN
CRD-9202	460,000	618,000	150,000				126,00	31	NTN
CRD-9203	458,000	830,500	377,000				890,00	31	NTN
CRD-9204	460,000	860,000	420,000				1 120,00	31	NTN
CRD-9211	460,000	618,000	150,000				120,00	31	NTN
EE921150D/921875/921876D	292,100	476,250	296,047				208,00	32	NTN
E-EE921150D/921875/921876D	292,100	476,250	296,047				208,00	32	NTN
CRD-9214	460,000	720,000	250,000				388,00	31	NTN
CRD-9218	460,000	618,000	150,000				115,00	31	NTN
T-EE923095/923175G2	241,300	444,500	100,012	76,200	101,600		68,00	29	NTN
T-EE923095/923176D62+A	241,300	444,500	209,550				128,00	30	NTN
4T-HH923649/HH923610	101,600	250,825	73,025	50,800	76,200		17,12	29	NTN
4T-H924010		214,312		39,688			2,50	29	NTN
4T-H924045/H924010	111,125	214,312	52,388	39,688	55,562		8,18	29	NTN
4T-H924045/H924010D	111,125	214,312	52,388	107,950	115,888		17,30	30	NTN
E-HH924349/HH924310D+A	111,125	241,300	158,750				31,80	30	NTN
4T-HH924349/HH924310D+A	111,125	241,300	158,750				32,00	30	NTN
4T-HM926710		228,600		38,100			2,81	29	NTN
4T-HH926710		273,050		53,975			7,00	29	NTN
4T-HM926740	114,300		49,428				6,95	29	NTN
4T-HM926740/HM926710	114,300	228,600	49,428	38,100	53,975		9,76	29	NTN
4T-HM926740/HM926710D+A	114,300	228,600	115,888				21,10	30	NTN
T-HH926744/HH926710	114,300	273,050	82,550	53,975	82,550		22,20	29	NTN
T-HH926744/HH926716	114,300	279,400	82,550	53,975	82,550		23,50	29	NTN
4T-HM926747	127,000		49,428				6,02	29	NTN
4T-HM926747/HM926710	127,000	228,600	49,428	38,100	53,975		8,70	29	NTN
4T-HH926749/HH926710	120,650	273,050	82,550	53,975	82,550		22,00	29	NTN
4T-HM926749/HM926710D+A	127,792	228,600	115,888				18,70	30	NTN
T-HH926749/HH926710	120,650	273,050	82,550	53,975	82,550		21,70	29	NTN
4T-9278/9220	68,262	161,925	46,038	31,750	49,212		4,64	29	NTN
4T-9285/9220D+A	76,200	161,925	105,562				9,08	30	NTN

Reference						Kg	?	Brands
	d	D	B	C	T			
4T-930		206,375		53,975		3,23	29	NTN
EE931170D/931250/931251XDG2	431,800	635,000	355,600			402,00	32	NTN
4T-932		212,725		53,975		4,60	29	NTN
T-HH932132/HH932110	127,000	304,800	82,550	57,150	88,900	32,80	29	NTN
T-HH932145/HH932110	146,050	304,800	82,550	57,150	88,900	30,60	29	NTN
T-HH932145/HH932115	146,050	311,150	82,550	57,150	88,900	32,20	29	NTN
4T-936	107,950		66,675			6,54	29	NTN
4T-936/932	107,950	212,725	66,675	53,975	66,675	10,70	29	NTN
H936340/H936310DF	155,575	330,200	171,450			62,90	30	NTN
T-H936340/H936310	155,575	330,200	79,375	53,975	85,725	34,90	29	NTN
T-H936340/H936316	155,575	342,900	79,375	53,975	85,725	38,40	29	NTN
H936349/H936310DF	168,275	330,200	171,450			62,50	30	NTN
T-H936349/H936310	168,275	330,200	79,375	53,975	85,725	33,20	29	NTN
T-93708/93125	180,000	317,500	63,500	46,038	63,500	19,00	29	NTN
T-93750/93125	190,500	317,500	63,500	46,038	63,500	17,90	29	NTN
T-93750/93127D+A	190,500	317,500	146,050			41,20	30	NTN
93775/93125	196,850	317,500	63,500	46,038	63,500	18,70	29	NTN
4T-9378/9321	76,200	171,450	50,800	31,750	49,212	5,26	29	NTN
T-93787/93125	200,025	317,500	63,500	46,038	63,500	18,30	29	NTN
T-93787/93727D+A	200,025	317,500	146,050			38,80	30	NTN
93787/J93129A	200,025	319,960	63,500	46,038	63,500	18,80	29	NTN
4T-938	114,300		66,675			6,00	29	NTN
4T-938/932	114,300	212,725	66,675	53,975	66,675	10,10	29	NTN
4T-938/932D+A	114,300	212,725	142,875			20,00	30	NTN
T-93800/93125	203,200	317,500	63,500	46,038	63,500	16,50	29	NTN
NA93800/93127D	203,200	317,500	146,050			38,27	30	NTN
T-93800/93127D+A	203,200	317,500	146,050			37,10	30	NTN
T-93800D/93125+A	203,200	317,500	123,825			36,30	31	NTN
T-93825/93125	209,550	317,500	63,500	46,038	63,500	15,80	29	NTN
T-93825/93127D+A	209,550	317,500	146,050			36,30	30	NTN
4T-9386H/9321	84,138	171,450	46,038	31,750	49,212	4,67	29	NTN
CRD-9404	470,000	720,000	216,000			315,00	31	NTN
4T-941	101,600		66,675			7,10	29	NTN
4T-941/932	101,600	212,725	66,675	53,975	66,675	11,20	29	NTN
EE941205/941950A	304,800	495,300	74,612	53,975	76,200	55,80	29	NTN
T-94649/94113	165,100	288,925	63,500	47,625	63,500	17,10	29	NTN
T-94649/94114D+A	165,100	288,925	142,875			35,10	30	NTN
T-94687/94113	174,625	288,925	63,500	47,625	63,500	14,70	29	NTN
T-94687/94114D+A	174,625	288,925	142,875			33,10	30	NTN
T-94700/94113	177,800	288,925	63,500	47,625	63,500	14,40	29	NTN
NA94700/94114D	177,800	288,925	142,875			52,51	30	NTN
T-94700/94114D+A	177,800	288,925	142,875			32,40	30	NTN
T-94706D/94113+A	177,800	288,925	123,825			31,60	30	NTN
E-HH949549/HH949510D+A	228,600	488,950	254,000			200,60	30	NTN
T-HH949549/HH949510DG2+A	228,600	488,950	254,000			207,00	30	NTN
T-HH949549/HH949510G2	228,600	488,950	111,125	73,025	123,825	111,00	29	NTN
CRO-9501	475,000	660,000	450,000			465,00	32	NTN
E-CRO-9501	475,000	660,000	450,000			465,00	32	NTN
E-CRO-9505	475,000	620,000	380,000			294,00	32	NTN
HH953749/HH953710	254,000	533,400	120,650	77,788	133,350	141,00	29	NTN
HH953749/HH953710D+A	254,000	533,400	276,225			266,00	30	NTN
4T-95475	120,650		63,500			8,56	29	NTN

Reference	d		D		B	C	T	Kg	Brands
	d	D	B	C	T				
4T-95475/95925	120,650	234,950	63,500	49,212	63,500	12,60	29	NTN	
4T-95500	127,000		63,500			7,95	29	NTN	
4T-95500/95925	127,000	234,950	63,500	49,212	63,500	11,96	29	NTN	
NA95500/95927D	127,000	234,950	142,875			24,60	30	NTN	
4T-95500/95927D+A	127,000	234,950	142,875			26,30	30	NTN	
4T-95525	133,350		63,500			7,27	29	NTN	
4T-95525/95925	133,350	234,950	63,500	49,212	63,500	11,30	29	NTN	
4T-95525/95927D+A	133,350	234,950	142,875			23,60	30	NTN	
4T-95925		234,950		49,212		4,05	29	NTN	
E-M959442/M959410	304,800	499,948	79,375	53,975	101,600	67,00	29	NTN	
CRO-9602	480,000	700,000	390,000			436,00	32	NTN	
E-CRO-9602	480,000	700,000	390,000			436,00	32	NTN	
CRD-9603	480,000	690,000	180,000			224,00	31	NTN	
CRD-9605	481,228	615,950	158,750			108,00	31	NTN	
E-CRO-9609	480,000	700,000	390,000			511,00	32	NTN	
CRD-9609	480,000	689,500	180,000			223,00	31	NTN	
CRO-9610LL	479,425	679,450	495,300			565,00	32	NTN	
CRD-9612	479,425	679,450	238,125			261,00	31	NTN	
CRO-9612	480,000	678,000	494,000			554,00	32	NTN	
E-CRD-9613	482,000	632,000	520,000			443,00	31	NTN	
4T-LM961511		457,098		47,625		9,39	29	NTN	
4T-LM961548	342,900		63,500			19,80	29	NTN	
LM961548/LM961511	342,900	457,098	63,500	47,625	68,262	30,00	29	NTN	
LM961548/LM961511D+A	342,900	457,098	142,875			57,10	30	NTN	
H961649/H961610DG2+A	317,500	622,300	304,800			382,00	30	NTN	
H961649/H961610G2	317,500	622,300	131,762	82,550	147,638	203,00	29	NTN	
E-CRO-9619	480,000	700,000	390,000			510,00	32	NTN	
T-96900/96140	228,600	355,600	66,675	47,625	68,262	24,30	29	NTN	
T-96900/96140D+A	228,600	355,600	152,400			49,40	30	NTN	
T-96925/96140	234,950	355,600	66,675	47,625	68,262	22,50	29	NTN	
T-96925/96140D+A	234,950	355,600	152,400			47,50	30	NTN	
CRD-9704	482,600	733,500	200,000			301,00	31	NTN	
CRD-9708	482,600	615,950	163,750			121,00	31	NTN	
CRD-9709	482,600	615,950	158,750			108,00	31	NTN	
EE971354/972100	342,900	533,400	76,200	50,800	76,200	55,60	29	NTN	
EE971354/972102D	342,900	533,400	165,100			83,90	30	NTN	
EE971354/972102D+A	342,900	533,400	165,100			120,00	30	NTN	
EE971355D/972100/972103D	342,900	533,400	307,985			252,00	32	NTN	
E-EE971355D/972100/972103D	342,900	533,400	307,985			252,00	32	NTN	
E-CRD-9716D2	482,600	615,950	500,000			355,00	31	NTN	
CRO-9725LL	482,600	615,950	330,200			225,00	32	NTN	
E-CRO-9737	482,600	615,950	330,200			239,00	32	NTN	
4T-97500/97900	127,000	228,600	49,428	38,100	53,975	8,43	29	NTN	
4T-98316	80,000		49,212			5,72	29	NTN	
4T-98350	88,900		49,212			5,08	29	NTN	
4T-98350/98788	88,900	200,000	49,212	34,925	52,761	7,64	29	NTN	
4T-98350/98788DF	88,900	200,000	105,522			14,90	30	NTN	
4T-98400	101,600		49,212			4,53	29	NTN	
4T-98400/98788	101,600	200,000	49,212	34,925	52,761	6,91	29	NTN	
4T-98400/98789D+A	101,600	200,025	115,888			15,10	30	NTN	
4T-98788		200,000		34,925		2,37	29	NTN	
4T-99100		254,000		47,625		4,30	29	NTN	

Reference						Kg	 Brands	
	d	D	B	C	T			
4T-99550	139,700		66,675			5,58	29	NTN
4T-99575/99100	146,050	254,000	66,675	47,625	66,675	13,50	29	NTN
4T-99600	152,400		66,675			8,52	29	NTN
4T-99600/99100	152,400	254,000	66,675	47,625	66,675	12,78	29	NTN
4T-99600/99102CD	152,400	254,000	149,225			27,46	30	NTN
4T-NA99600/99102D	152,400	254,000	142,875			27,40	30	NTN
9974D/9920/9920D	216,103	330,200	263,525			82,10	30	NTN
4T-T2ED050	50,000	100,000	35,000	30,000	36,000	1,31	29	NTN
4T-T2EE040	40,000	85,000	32,500	28,000	33,000	0,91	29	NTN
4T-T2EE060	60,000	115,000	39,000	33,000	40,000	1,86	29	NTN
4T-T4CB100	100,000	145,000	22,500	17,500	24,000	1,11	29	NTN
T4CB 120	120,000	170,000	25,000	19,500	27,000	1,69	29	SNR
4T-T4CB120	120,000	170,000	25,000	19,500	27,000	1,69	29	NTN
4T-T4CB140	140,000	195,000	27,000	21,000	29,000	2,33	29	NTN
4T-T7FC045	45,000	95,000	26,500	20,000	29,000	0,90	29	NTN
4T-T7FC050	50,000	105,000	29,000	22,000	32,000	1,21	29	NTN
4T-T7FC055	55,000	115,000	31,000	23,500	34,000	1,54	29	NTN
4T-T7FC060	60,000	125,000	33,500	26,000	37,000	1,99	29	NTN
4T-T7FC065	65,000	130,000	33,500	26,000	37,000	2,11	29	NTN
4T-T7FC070	70,000	140,000	35,500	27,000	39,000	2,57	29	NTN
4T-T7FC085	85,000	170,000	45,000	33,000	48,000	4,73	29	NTN
4T-T7FC095	95,000	180,000	45,000	33,000	49,000	5,21	29	NTN